

Version 2.0	Revision Date: 22.03.2016	SDS Number: 66481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015							
SECTIC	SECTION 1. PRODUCT AND COMPANY IDENTIFICATION									
Pro	oduct name	: GOJO® SUP	RO MAX™ Hand Cleaner							
Ма	nufacturer or supplier's	details								
Co	mpany name of supplier	: GOJO Indust	ries, Inc.							
Address			One GOJO Plaza, Suite 500 Akron OH 44311							
Tel	ephone	: 1 (330) 255-6	000							
Em	ergency telephone	: 1-800-424-93	1-800-424-9300 CHEMTREC							
Re	commended use of the	chemical and restr	ictions on use							
Re	commended use	: Skin-care								
Re	strictions on use	consumers an foreseeable u specifically de exempt from While this ma contains value proper use of as well as un spills. This SI employees ar intended-use	onal care or cosmetic product that is safe for nd other users under normal and reasonably use. Cosmetics and consumer products, efined by regulations around the world, are the requirement of an SDS for the consumer. terial is not considered hazardous, this SDS able information critical to the safe handling and the product for industrial workplace conditions usual and unintended exposures such as large DS should be retained and available for nd other users of this product. For specific guidance, please refer to the information the package or instruction sheet.							

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage	:	Category 1
Acute aquatic toxicity	:	Category 3
GHS label elements Hazard pictograms	:	E E
Signal Word	:	Danger
Hazard Statements	:	H318 Causes serious eye damage. H402 Harmful to aquatic life.



GOJO® SUPRO MAX[™] Hand Cleaner

rsion)	Revision Date: 22.03.2016	SDS Number: 66481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015				
Precautionary Statements :			 Prevention: P273 Avoid release to the environment. P280 Wear eye protection/ face protection. 				
		water for seve and easy to d	+ P338 + P310 IF IN EYES: Rinse cautiously with eral minutes. Remove contact lenses, if present o. Continue rinsing. Immediately call a POISON loctor/ physician.				
		Disposal: P501 Dispose disposal plant	e of contents/ container to an approved waste				
••	r hazards which do r known.	ot result in classific	ation				

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
Alcohols, C10-16, ethoxylated, sulfates, sodium	68585-34-2	>= 5 - < 10
salts		
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Sodium chloride	7647-14-5	>= 1 - < 5
Titanium dioxide	13463-67-7	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.



Vers 2.0	sion	Revision Date: 22.03.2016		9S Number: 481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015	
		nportant symptoms ects, both acute and d	:	Causes serious ey	re damage.	
	Protect	ion of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists.		
	Notes t	o physician	:	Treat symptomatically and supportively.		
SEC	CTION 5	. FIRE-FIGHTING ME	ASU	RES		
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant for Carbon dioxide (C Dry chemical		
	Unsuita media	ble extinguishing	:	None known.		
	Specific fighting	c hazards during fire	:	Exposure to comb	ustion products may be a hazard to health.	
	Hazard ucts	ous combustion prod-	:	Carbon oxides Sulfur oxides Metal oxides Nitrogen oxides (N Chlorine compoun		
	Specific method	c extinguishing Is	:	circumstances and Use water spray to	measures that are appropriate to local the surrounding environment. cool unopened containers. ed containers from fire area if it is safe to do	
	Special protective equipment for fire-fighters		:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.		
SEC	CTION 6	ACCIDENTAL RELE	ASE	EMEASURES		
	protecti	al precautions, ve equipment and ency procedures	:	Use personal prote Follow safe handli equipment recomr	ng advice and personal protective	
	Enviror	mental precautions	:	Prevent further lea Prevent spreading barriers). Retain and dispos	environment must be avoided. kage or spillage if safe to do so. over a wide area (e.g. by containment or oil e of contaminated wash water. hould be advised if significant spillages ed.	

cannot be contained.



GOJO® SUPRO MAX™ Hand Cleaner

Version	Revision Date:	SDS Number:	Date of last issue: 29.05.2015
2.0	22.03.2016	66481-00006	Date of first issue: 26.02.2015
	ds and materials for ament and cleaning up	For large spills, p containment to ke can be pumped, container. Clean up remain absorbent. Local or national disposal of this m employed in the determine which Sections 13 and	rt absorbent material. provide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and naterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures :	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation :	Use only with adequate ventilation.
Advice on safe handling :	Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures :	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
Conditions for safe storage :	Keep in properly labeled containers. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid :	Do not store with the following product types: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	LMPE-PPT (Mist)	5 mg/m³	MX OEL



GOJO® SUPRO MAX™ Hand Cleaner

rsion)	n Revision Date: 22.03.2016		DS Number: 6481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015			
				LMPE-CT (Mist)	10 mg/m³	MX OEL	
Titani	um dioxide		13463-67-7	VLE-PPT	10 mg/m ³	NOM-010- STPS-201	
				LMPE-PPT	10 mg/m ³ (Titanium)	MX OEL	
				LMPE-CT	20 mg/m ³ (Titanium)	MX OEL	
				TWA	10 mg/m ³ (Titanium dioxide)	ACGIH	
Engir	neering measures	:			especially in confine e concentrations.	d areas.	
Perso	onal protective equip	ment					
Resp	iratory protection	:	ventilation is p	provided or exp	less adequate local e osure assessment de ommended exposure	emonstrates	
Fil	ter type	:	: Combined particulates and organic vapor type				
	protection aterial	: Chemical-resistant gloves					
Re	emarks	:	: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.				
Eye p	protection	:	: Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield				
Skin a	and body protection	 Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposud potential. Skin contact must be avoided by using impervious protection of the local exposudation. 				kposure	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	tan, opaque
Odor	:	pleasant
Odor Threshold	:	No data available



GOJO® SUPRO MAX™ Hand Cleaner

Versio 2.0	n Revision Date: 22.03.2016		S Number: 81-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015
pl	4	:	4.5 - 8.0	
M	elting point/freezing point	:	No data available	9
S	olidification / Setting point		13.7 °C	
	itial boiling point and boiling nge	:	97 °C	
FI	ash point	:	> 100 °C	
E	vaporation rate	:	No data available)
FI	ammability (solid, gas)	:	Not applicable	
U	pper explosion limit	:	No data available)
Lo	ower explosion limit	:	No data available	
V	apor pressure	:	No data available	
R	elative vapor density	:	No data available	
D	ensity	:	1.00 g/cm ³	
S	olubility(ies) Water solubility	:	soluble	
	artition coefficient: n- ctanol/water	:	Not applicable	
A	utoignition temperature	:	No data available	
D	ecomposition temperature	:	The substance or	mixture is not classified self-reactive.
	scosity Viscosity, kinematic	:	12000 - 40000 m	m²/s (20 °C)
E:	xplosive properties	:	Not explosive	
0	xidizing properties	:	The substance or	r mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents



ersion .0	Revision Date: 22.03.2016	SDS Num 66481-000	
Haza produ	•	: No ha	azardous decomposition products are known.
ECTION	11. TOXICOLOGICAL	INFORMAT	ION
Inforr expos	nation on likely routes c sure		ontact ion
	e toxicity lassified based on avail	able informa	ation.
Prod Acute	<u>uct:</u> e oral toxicity		toxicity estimate: > 5,000 mg/kg d: Calculation method
Inare	dients:		
	llates (petroleum), hyd	Irotroatod li	aht
	e oral toxicity		(Rat): > 5,000 mg/kg
Acute	e inhalation toxicity	Expos Test a Asses inhala	(Rat): > 5.3 mg/l sure time: 4 h atmosphere: dust/mist sment: The substance or mixture has no acute tion toxicity rks: Based on data from similar materials
Acute	e dermal toxicity		(Rabbit): > 3,160 mg/kg sment: The substance or mixture has no acute dermal y
II Alcol	hols, C10-16, ethoxyla	ted sulfate	s sodium salts:
	e oral toxicity	: LD50	(Rat): > 2,000 mg/kg sment: The substance or mixture has no acute oral
Сосо	pamidopropyl betaine:		
	e oral toxicity	: LD50 Metho	(Rat): 2,335 mg/kg d: OECD Test Guideline 401 rks: Based on data from similar materials
Sodi	um chloride:		
Acute	e oral toxicity	: LD50	(Rat): 3,550 mg/kg
Acute	e inhalation toxicity	Expos Test a Asses	(Rat): > 21 mg/l sure time: 1 h tmosphere: dust/mist sment: The substance or mixture has no acute tion toxicity



	22.03.2016	SDS Number: 66481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015
Acute	e dermal toxicity	: LD50 (Rabbi	t): > 5,000 mg/kg
Titan	ium dioxide:		
Acute	e oral toxicity	: LD50 (Rat): >	> 5,000 mg/kg
Acute	e inhalation toxicity		e: 4 h here: dust/mist The substance or mixture has no acu
_	corrosion/irritation	ailable information.	
<u>Prod</u>			
Ingre	edients:		
Asse	llates (petroleum), h ssment: Repeated exp	oosure may cause sk	in dryness or cracking.
Alco Resu Cocc Spec Meth	ssment: Repeated exp hols, C10-16, ethoxy lt: Skin irritation pamidopropyl betain ies: Rabbit od: OECD Test Guide	bosure may cause sk lated, sulfates, sod e:	
Alco Resu Cocc Spec Meth Resu	ssment: Repeated exp hols, C10-16, ethoxy lt: Skin irritation pamidopropyl betain ies: Rabbit od: OECD Test Guide lt: No skin irritation	bosure may cause sk lated, sulfates, sod e:	
Alco Resu Cocc Spec Meth Resu Sodi	ssment: Repeated exp hols, C10-16, ethoxy lt: Skin irritation pamidopropyl betain ies: Rabbit od: OECD Test Guide	bosure may cause sk lated, sulfates, sod e:	
Alco Resu Cocc Spec Meth Resu Sodi Spec Resu	ssment: Repeated exp hols, C10-16, ethoxy lt: Skin irritation pamidopropyl betaind ies: Rabbit od: OECD Test Guide lt: No skin irritation um chloride: ies: Rabbit it: No skin irritation	bosure may cause sk lated, sulfates, sod e:	
Alco Resu Cocc Spec Meth Resu Sodi Spec Resu Titan	ssment: Repeated exp hols, C10-16, ethoxy lt: Skin irritation pamidopropyl betain ies: Rabbit od: OECD Test Guide lt: No skin irritation um chloride: ies: Rabbit	bosure may cause sk lated, sulfates, sod e:	
Alco Resu Cocc Spec Meth Resu Sodi Spec Resu Spec Resu Spec	ssment: Repeated exp hols, C10-16, ethoxy lt: Skin irritation pamidopropyl betain ies: Rabbit od: OECD Test Guide lt: No skin irritation um chloride: lt: No skin irritation hium dioxide: lies: Rabbit	irritation	
Alco Resu Cocc Spec Meth Resu Sodi Spec Resu Spec Resu Spec Resu Spec Resu	ssment: Repeated exp hols, C10-16, ethoxy lt: Skin irritation pamidopropyl betain dies: Rabbit od: OECD Test Guide lt: No skin irritation um chloride: lies: Rabbit lt: No skin irritation hium dioxide: dies: Rabbit lt: No skin irritation	irritation	
Alco Resu Spec Meth Resu Sodi Spec Resu Spec Resu Spec Resu Spec Resu	ssment: Repeated exp hols, C10-16, ethoxy lt: Skin irritation pamidopropyl betain dies: Rabbit od: OECD Test Guide lt: No skin irritation um chloride: lies: Rabbit lt: No skin irritation hium dioxide: lies: Rabbit lt: No skin irritation bus eye damage/eye ges serious eye damage	irritation ge.	



GOJO® SUPRO MAX[™] Hand Cleaner

Version 2.0	Revision Date: 22.03.2016	SDS Number: 66481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015		
	hols, C10-16, ethoxy It: Irreversible effects	lated, sulfates, sodiu on the eye	m salts:		
	amidopropyl betaine				
Resu	ies: Rabbit It: Irreversible effects od: OECD Test Guide				
Sodi	um chloride:				
	ies: Rabbit It: No eye irritation				
Titan	ium dioxide:				
	ies: Rabbit It: No eye irritation				
Resp	iratory or skin sensi	tization			
	sensitization lassified based on ava	ailable information.			
Resp	iratory sensitization				
Not c	lassified based on ava	ailable information.			
Prod	uct:				
Asse	Assessment: Does not cause skin sensitization.				
Ingre	dients:				
Disti	llates (petroleum), hy	/drotreated light:			
	Type: Maximization Te				
Route	es of exposure: Skin c ies: Guinea pig	ontact			
Resu	It: negative				
Rema	Remarks: Based on data from similar materials				
Cocc	Cocoamidopropyl betaine:				
	Test Type: Maximization Test				
	Routes of exposure: Skin contact Species: Guinea pig				
Meth	Method: OECD Test Guideline 406				
	Result: negative Remarks: Based on data from similar materials				
Sodi	Sodium chloride:				
Test	Test Type: Local lymph node assay (LLNA)				

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative



Version 2.0	Revision Date: 22.03.2016	-	DS Number: 6481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015
Titani	um dioxide:			
Route: Specie	ype: Local lymph node s of exposure: Skin co es: Mouse t: negative			
	cell mutagenicity assified based on avail	able	information.	
Ingred	dients:			
Distill	ates (petroleum), hyc	Irotr	eated light:	
	oxicity in vitro	:	-	rial reverse mutation assay (AMES)
Genot	oxicity in vivo	:	Species: Rat Application Route Result: negative	nosomal aberration e: Intraperitoneal injection on data from similar materials
Сосоа	amidopropyl betaine:			
Genot	oxicity in vitro	:	Method: Directive Result: negative	rial reverse mutation assay (AMES) 67/548/EEC, Annex V, B.13/14. on data from similar materials
		:		o mammalian cell gene mutation test est Guideline 476
Genot	oxicity in vivo	:	cytogenetic assay Species: Mouse Application Route Result: negative	nalian erythrocyte micronucleus test (in vivo /) e: Intraperitoneal injection on data from similar materials
II Sodiu	m chloride:			
	oxicity in vitro	:		rial reverse mutation assay (AMES) est Guideline 471
Genot	oxicity in vivo	:	Species: Mouse	o micronucleus test : Intraperitoneal injection
Titani	um dioxide:			
	oxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)



GOJO® SUPRO MAX™ Hand Cleaner

Version 2.0	Revision Date: 22.03.2016	SDS Number: 66481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015					
Geno	Genotoxicity in vivo		: Test Type: In vivo micronucleus test Species: Mouse Result: negative					
Carci	inogenicity							
Not c	lassified based on avai	lable information.						
Ingre	dients:							
Sodi	um chloride:							
Appli Expo	ies: Rat cation Route: Ingestion sure time: 2 Years It: negative							
Titan	ium dioxide:							
Applie Expo Metho Resu Rema The s		ne 453 r mode of action m	hay not be relevant in humans. duct and therefore does not contribute to a dust					
Carci ment	nogenicity - Assess-	: Limited evid animals.	ence of carcinogenicity in inhalation studies with					
Repr	oductive toxicity							
-	lassified based on avai	lable information.						
Ingre	dients:							
Distil	llates (petroleum), hy	drotreated light:						
	ts on fertility	: Test Type: (Species: Ra Application Result: nega	Route: Ingestion					

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative
------------------------------	---	---

Cocoamidopropyl betaine:

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
		C C



GOJO® SUPRO MAX™ Hand Cleaner

Version	Revision Date:	SDS Number:
2.0	22.03.2016	66481-00006

Date of last issue: 29.05.2015 Date of first issue: 26.02.2015

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Distillates (petroleum), hydrotreated light:

Species: Rat NOAEL: > 10.4 mg/l Application Route: inhalation (vapor) Exposure time: 90 Days Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Species: Rat NOAEL: 300 mg/kg Application Route: Ingestion Exposure time: 90 Days Method: OECD Test Guideline 408

Sodium chloride:

Species: Rat LOAEL: 2,533 mg/kg Application Route: Ingestion Exposure time: 2 y

Titanium dioxide:

Species: Rat NOAEL: 24,000 mg/kg Application Route: Ingestion Exposure time: 28 Days

Species: Rat NOAEL: 10 mg/m³ Application Route: inhalation (dust/mist/fume) Exposure time: 2 y Remarks: The substance is inextricably bound in the product and therefore does not contribute to a dust inhalation hazard.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification



Version	Revision Date:	SDS Number:	Date of last issue: 29.05.2015
2.0	22.03.2016	66481-00006	Date of first issue: 26.02.2015

Ingredients:

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Distillates (petroleum), hydrotreated light:

Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction
Toxicity to algae	:	EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction
		NOELR (Skeletonema costatum (marine diatom)): 993 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR (Ceriodaphnia dubia (water flea)): > 70 mg/l Exposure time: 8 d Test substance: Water Accommodated Fraction
Toxicity to bacteria	:	EC50: > 100 mg/l Exposure time: 3 h

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

·	,	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h
Cocoamidopropyl betaine:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 1.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 6.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	:	EC50 (Desmodesmus subspicatus (Scenedesmus



ersion .0	Revision Date: 22.03.2016		0S Number: 481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015
			subspicatus)): 14. Exposure time: 72 Method: OECD To	2 h
			EC10 (Desmodes subspicatus)): 2.1 Exposure time: 72 Method: OECD To	2 h
Toxic toxici	ty to fish (Chronic ty)	•	NOEC (Oncorhyn Exposure time: 37 Method: OECD Te	
aqua	ity to daphnia and other tic invertebrates onic toxicity)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te	
Toxic	Toxicity to bacteria		EC0 (Pseudomonas putida): 3,000 mg/l Exposure time: 16 h Remarks: Based on data from similar materials	
Sodi	um chloride:			
	ity to fish	:	LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): 5,840 mg/l 5 h
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 4,136 mg/l 3 h
Toxic	ity to algae	:	EC50: > 2,000 mg Exposure time: 96	
Toxic toxici	ty to fish (Chronic ty)	:	NOEC (Pimephale Exposure time: 33	es promelas (fathead minnow)): 252 mg/l 3 d
aqua	ity to daphnia and other tic invertebrates onic toxicity)	:	NOEC (Daphnia p Exposure time: 21	oulex (Water flea)): 314 mg/l 1 d
Titan	ium dioxide:			
Toxic	ity to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD To	
	tity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): > 100 mg/l 3 h
Toxic	ity to algae	:	EC50 (Skeletoner Exposure time: 72	ma costatum (marine diatom)): > 10,000 mg, 2 h
Toxic	ity to bacteria	:	EC50: > 1,000 mg Exposure time: 3 Method: OECD Te	ĥ



Version 2.0	Revision Date: 22.03.2016	SDS Number 66481-00006				
Persi	stence and degrada	bility				
Ingre	dients:					
Distil	lates (petroleum), h	drotreated light	:			
Biode	egradability	Biodegrac Exposure	eadily biodegradable. lation: 82 % time: 24 d DECD Test Guideline 301F			
Alcol	Alcohols, C10-16, ethoxylated, sulfates, sodium salts:					
Biode	egradability	: Result: Re	eadily biodegradable.			
Сосо	amidopropyl betain	e:				
Biode	egradability	Biodegrac Exposure	eadily biodegradable. lation: 91.6 % time: 28 d DECD Test Guideline 301B			
Bioad	ccumulative potentia	al				
No da	ata available					
Mobi	lity in soil					
No da	ata available					
Othe	r adverse effects					
No da	ata available					

Disposal methods Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.



Version 2.0	Revision Date: 22.03.2016	SDS Number: 66481-00006	Date of last issue: 29.05.2015 Date of first issue: 26.02.2015		
Domestic regulation					
NOM-002-SCT Not regulated as a dangerous good					

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

SECTION 16. OTHER INFORMATION

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
MX OEL	:	Mexico. Occupational Exposure Limits
NOM-010-STPS-2014	:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting
		the Work Environment - Identification, Assessment and Con-
		trol - Appendix 1 Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
MX OEL / LMPE-PPT	:	Time weighted average
MX OEL / LMPE-CT	:	Short term exposure limit
NOM-010-STPS-2014 / VLE-	:	Time weighted average limit value
PPT		

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemi-



Version	Revision Date:	SDS Number:	Date of last issue: 29.05.2015
2.0	22.03.2016	66481-00006	Date of first issue: 26.02.2015

cals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

MX / Z8