

Introducing the

3M[™] Secure Click[™] Half Facepiece Reusable Respirator

Designed with intuitive features, the 3M Secure Click Half Facepiece Reusable Respirator HF-800 Series helps protect workers from particulates and/or a wide variety of gases and vapors when used with approved 3M Secure Click filters and cartridges.



3M™ Secure Click™ Half Facepiece Reusable Respirator with Speaking Diaphragm			
Product #	HF-801SD - Small	HF-802SD - Medium	HF-803SD - Large
3M ID#	7100172045	7100172051	7100172000




Experience the breathability and comfort provided by the world's first quad-flow cartridge system.



Hear it:

Secure Click connection helps provide confidence that filters/cartridges are installed properly. Simply align the connections and push into place.




Easy, one-touch seal check helps increase worker confidence that the respirator is being worn properly.



Say it:

Speaking diaphragm is designed to help provide easy communication while working.



Product #	3M ID#	Description	
3M™ Secure Click™ Half Facepiece Reusable Respirator HF-800 Series Cartridges and Filters			
D7N11	7100213450	3M™ Secure Click™ Particulate Filter N95 D7N11, 200 Each/Case	
D7P71	7100213434	3M™ Secure Click™ Particulate Filter P95 D7P71, 200 Each/Case	
D701	7100184498	3M™ Secure Click™ Filter Retainer D701, 100 Each/Case	
D3071	7100213358	3M™ Secure Click™ Particulate Filter P95 D3071, 100 Each/Case	
D3076HF	7100213424	3M™ Secure Click™ Particulate Cartridge P95/Hydrogen Fluoride with Nuisance Level* Acid Gas Relief D3076HF, 100 Each/Case	
D3078**	7100213435	3M™ Secure Click™ Particulate Filter P95 with Nuisance Level* Organic Vapor/Acid Gas Relief D3078, 100 Each/Case	
D3091	7100213359	3M™ Secure Click™ Particulate Filter P100 D3091, 100 Each/Case	
D3096	7100213425	3M™ Secure Click™ Particulate Filter P100 with Nuisance Level* Acid Gas Relief D3096, 100 Each/Case	
D3097***	7100213150	3M™ Secure Click™ Particulate Filter P100 with Nuisance Level* Organic Vapor Relief D3097, 100 Each/Case	
D8001**	7100153170	3M™ Secure Click™ Organic Vapor Cartridge D8001, 60 Each/Case	
D8002	7100280813	3M™ Secure Click™ Acid Gas Cartridge D8002, 60 Each/Case	
D8003	7100153220	3M™ Secure Click™ Organic Vapor/Acid Gas Cartridge D8003, 60 Each/Case	
D8004	7100280742	3M™ Secure Click™ Ammonia/Methylamine Cartridge D8004, 60 Each/Case	
D8005	7100280992	3M™ Secure Click™ Formaldehyde/Organic Vapor Cartridge D8005, 60 Each/Case	
D8006	7100153228	3M™ Secure Click™ Multi-Gas/Vapor Cartridge D8006, 60 Each/Case	
D8009	7100280808	3M™ Secure Click™ Mercury Vapor/Multi-Gas Cartridge D8009, 60 Each/Case	
D80921**	7100153232	3M™ Secure Click™ Organic Vapor Cartridge/Filter P100 D80921, 60 Each/Case	
D80923	7100153233	3M™ Secure Click™ Organic Vapor/Acid Gas Cartridge/Filter P100 D80923, 60 Each/Case	
D80926	7100153234	3M™ Secure Click™ Multi-Gas/Vapor Cartridge/Filter P100 D80926, 60 Each/Case	
D80929	7100280937	3M™ Secure Click™ Mercury Vapor/Multi-Gas Cartridge/Filter, D80929, P100 60 Each/Case	
D9093	7100206894	3M™ Secure Click™ Hard Case P100 Particulate Filter, D9093, 60 Each/Case	
D9093B	7100206895	3M™ Secure Click™ Hard Case P100 Particulate Filter, D0903B, 144 Each/Case	
D9093C	7100206890	3M™ Secure Click™ Hard Case P100 Particulate Filter, Hydrogen Fluoride and Nuisance Level* Organic Vapor and Acid Gas Relief, D9093C 60 Each/Case	
D9093CB	7100206896	3M™ Secure Click™ Hard Case P100 Particulate Filter, Hydrogen Fluoride and Nuisance Level* Organic Vapor and Acid Gas Relief, D9093CB, 144 Each/Case	
3M [™] Secure Click [™] Half Facepiece Reusable Respirator HF-800 Series Replacement Parts and Accessories			
HF-800-02	7100181933	3M™ Secure Click™ Inhalation/Exhalation Replacement Valve HF-800-02, 10 Each/Case	
HF-800-03	7100181558	3M™ Secure Click™ Quantitative Fit Test Adapter Kit HF-800-03,1 Each/Bag	
HF-800-04	7100217704	3M™ Secure Click™ Head Harness SD Replacement Assembly HF-800-04, 5 Each/Case	
HF-800-05	7100181934	3M™ Secure Click™ Speaking Diaphragm Assembly HF-800-05, 5 Each/Case	

^{*}Nuisance level refers to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower.



^{** 3}M recommended for use against up to 1 ppm ozone for up to 40 hours. Not NIOSH approved for use against ozone.

^{*** 3}M recommended for use against up to 1 ppm ozone for up to 8 hours. Not NIOSH approved for use against ozone.