

Safety Data Sheet

Copyright,2018,3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 34-6308-0
 Version Number:
 3.02

 Issue Date:
 07/19/18
 Supercedes Date:
 12/27/17

SECTION 1: Identification

1.1. Product identifier

3MTM Perfect-ItTM Boat Wash, 09034, 09035

Product Identification Numbers

 ID Number
 UPC
 ID Number
 UPC

 LB-K100-1710-3
 LB-K100-1710-4
 LB-K100-1710-4

 LB-K100-1884-0
 60-4550-8612-8

 60-4550-8613-6
 60-4550-8690-4

 60-4550-8691-2
 60-4550-8690-4

1.2. Recommended use and restrictions on use

Recommended use

Surface Refinishing Product., Marine

1.3. Supplier's details

MANUFACTURER: 3M

DIVISION: Automotive Aftermarket

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA **Telephone:** 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

2.1. Hazard classification

Serious Eye Damage/Irritation: Category 2A. Skin Corrosion/Irritation: Category 2.

2.2. Label elements

Signal word

Warning

Page 1 of 10

Symbols

Exclamation mark |

Pictograms



Hazard Statements

Causes serious eye irritation. Causes skin irritation.

Precautionary Statements

General:

Keep out of reach of children.

Prevention:

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

1% of the mixture consists of ingredients of unknown acute oral toxicity.

1% of the mixture consists of ingredients of unknown acute dermal toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Water	7732-18-5	70 - 90 Trade Secret *
Alcohol Ethoxysulfate (Sodium Salt)	68585-34-2	1 - 5 Trade Secret *
Benzenesulfonic acid, mono-C10-16-alkyl derivs.,	68081-81-2	1 - 5 Trade Secret *
sodium salts		
Cocoamidopropylbetaine	61789-40-0	1 - 5 Trade Secret *
Lauryldimethylamine Oxide	1643-20-5	1 - 5 Trade Secret *
Sodium Chloride	7647-14-5	1 - 5 Trade Secret *
Sodium Mono-C10-16-Alkyl Sulfates	68585-47-7	1 - 5 Trade Secret *
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16	68439-57-6	1 - 5 Trade Secret *
Alkene, Sodium Salts		

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Page 2 of

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Material will not burn.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance
Carbon monoxide
Carbon dioxide
Irritant Vapors or Gases

Condition

During Combustion During Combustion During Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible.

Page 3 of 10

Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties General Physical Form:

Odor, Color, Grade: Pleasantly fruity, sweet, clean smell; Bright yellow, viscous

liquid

Liquid

Odor thresholdNo Data Available

рH 7.8 - 8.8Melting point Not Applicable **Boiling Point** No Data Available **Flash Point** No flash point **Evaporation rate** No Data Available Flammability (solid, gas) Not Applicable Flammable Limits(LEL) Not Applicable Not Applicable Flammable Limits(UEL) No Data Available Vapor Pressure **Vapor Density** No Data Available

Density 1 g/cm3

Specific Gravity 0.995 - 1.042 [Ref Std: WATER=1]

Solubility In Water No Data Available

Solubility in Water Complete

Solubility- non-water No Data Available

Solubility- non-water Complete

Partition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNot ApplicableDecomposition temperatureNo Data Available

Viscosity 150 - 350 centipoise [@, 77 °F]

Hazardous Air Pollutants 0 % weight

Volatile Organic Compounds 0.1 % weight [*Test Method*:calculated per CARB title 2]

Percent volatile 89.8 % weight [Test Method: Estimated]

VOC Less H2O & Exempt Solvents 0.1 lb/gal [*Test Method*:calculated SCAQMD rule 443.1]

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Substance Condition

Page 5 of 10

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Sodium Mono-C10-16-Alkyl Sulfates	Dermal	Rat	LD50 > 2,000 mg/kg
Sodium Mono-C10-16-Alkyl Sulfates	Ingestion	Rat	LD50 977 mg/kg
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts	Dermal	Rat	LD50 > 2,000 mg/kg
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts	Ingestion	Rat	LD50 578 mg/kg
Alcohol Ethoxysulfate (Sodium Salt)	Dermal	Rabbit	LD50 > 2,000 mg/kg
Alcohol Ethoxysulfate (Sodium Salt)	Ingestion	Rat	LD50 > 2,000 mg/kg
Lauryldimethylamine Oxide	Ingestion	Mouse	LD50 2,700 mg/kg
Lauryldimethylamine Oxide	Dermal	Rabbit	LD50 3,536 mg/kg
Cocoamidopropylbetaine	Dermal	Rat	LD50 > 2,000 mg/kg
Cocoamidopropylbetaine	Ingestion	Rat	LD50 > 1,500 mg/kg
Sodium Chloride	Dermal	Rabbit	LD50 > 10,000 mg/kg
Sodium Chloride	Inhalation- Dust/Mist	Rat	LC50 > 10.5 mg/l

Page 6 **of** 10

3M TM Perfect-It TM	Roat	Wash	00034	00035
JIVI I CI ICCL-IL	Duai	wasii,	U2U34,	07033

07/19/18

	(4 hours)		
Sodium Chloride	Ingestion	Rat	LD50 3,550 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name		Value
Sodium Mono-C10-16-Alkyl Sulfates	Rabbit	Irritant
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts	Rabbit	Mild irritant
Alcohol Ethoxysulfate (Sodium Salt)	Human	Irritant
Cocoamidopropylbetaine	Rabbit	Mild irritant
Sodium Chloride	Rabbit	No significant irritation

Serious Eve Damage/Irritation

Scribus Lye Buillage/III tation		
Name	Species	Value
Sodium Mono-C10-16-Alkyl Sulfates	Rabbit	Corrosive
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts	Rabbit	Corrosive
Alcohol Ethoxysulfate (Sodium Salt)	Professio	Severe irritant
	nal	
	judgeme	
	nt	
Cocoamidopropylbetaine	Rabbit	Corrosive
Sodium Chloride	Rabbit	Mild irritant

Skin Sensitization

Name	Species	Value
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts	Guinea	Not classified
	pig	
Alcohol Ethoxysulfate (Sodium Salt)	Human	Not classified
Cocoamidopropylbetaine	Multiple	Not classified
	animal	
	species	

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts	In Vitro	Not mutagenic
Cocoamidopropylbetaine	In Vitro	Not mutagenic
Cocoamidopropylbetaine	In vivo	Not mutagenic
Sodium Chloride	In Vitro	Some positive data exist, but the data are not sufficient for classification
Sodium Chloride	In vivo	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene,	Dermal	Rat	Not carcinogenic
Sodium Salts			-
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene,	Ingestion	Rat	Not carcinogenic
Sodium Salts			
Sodium Chloride	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure
					Duration

Page 7 **of** 10

3MTM Perfect	ItTM Roat	Wash	09034	09035

Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts	Ingestion	Not classified for female reproduction	Rat	NOAEL 871 mg/kg	2 generation
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts	Ingestion	Not classified for male reproduction	Rat	NOAEL 891 mg/kg	2 generation
Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts	Ingestion	Not classified for development	Rabbit	NOAEL 600 mg/kg	during organogenesi

07/19/18

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Specific 141ger organ removely single exposure									
Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration			
Sodium Mono-C10-16- Alkyl Sulfates	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available				
Cocoamidopropylbetaine	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available				

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Sulfonic Acids, C14-16- Alkane Hydroxy and C14- 16 Alkene, Sodium Salts	Ingestion	liver	Not classified	Rat	NOAEL 500 mg/kg/day	6 months
Sulfonic Acids, C14-16- Alkane Hydroxy and C14- 16 Alkene, Sodium Salts	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg	6 months
Cocoamidopropylbetaine	Ingestion	heart endocrine system hematopoietic system liver nervous system eyes kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
Sodium Chloride	Ingestion	blood kidney and/or bladder vascular system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,240 mg/kg/day	9 months
Sodium Chloride	Ingestion	nervous system eyes	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,700 mg/kg/day	90 days
Sodium Chloride	Ingestion	liver respiratory system	Not classified	Rat	NOAEL 33 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

- 0

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not applicable

Health Hazards

Serious eye damage or eye irritation

Skin Corrosion or Irritation

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Page 9 **of** 10

3MTM Perfect-ItTM Boat Wash, 09034, 09035

07/19/18

 Document Group:
 34-6308-0
 Version Number:
 3.02

 Issue Date:
 07/19/18
 Supercedes Date:
 12/27/17

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued.3MMAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3Mproduct is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3Mproduct, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3Mproduct to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3Mprovides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information,3Mmakes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from3M

3M USA SDSs are available at www.3M.com

7 10 4 40