


# INSTRUCTION MANUAL



**Laguna Classic Porch Rocking Chair**  
**SKU: OP5001**


V1.0

## ! NOTICE

### Do not overtighten bolts. (Insert all bolts before tighten bolts.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.

## TOOLS REQUIRED



ALLEN WRENCH  
(PROVIDED)



SCREWDRIVER BLADES  
(PROVIDED)



CHAIR  
330 LBS  
CAPACITY



1 PERSON  
ASSEMBLY



UP TO 30 MIN.  
ASSEMBLY

## HARDWARE

1

M6.3x 80mm  
BOLT



8PCS

2

M6.3 x 60mm  
BOLT



14 PCS

3

M4.2 x 60mm  
BOLT



4 PCS

4


M4.2 x 35mm  
BOLT



4 PCS

5

ALLEN  
WRENCH



1 PC

6

SCREWDRIVER  
BLADES



1 PC

## PARTS

A


BACKUP  
PLATE



1 PC

B


CHAIR  
BACKREST



1 PC

C


RIGHT  
FRONT LEG



1 PC

D


LEFT  
FRONT LEG



1 PC










E

RIGHT  
BACK LEG



1 PC


## PARTS



## PRODUCT ASSEMBLY - OVERALL VIEW

**1**


Look at following overall view of this chair and learn the exact position of each parts to be assembled.



## PRODUCT ASSEMBLY


1

- Attach part G Left chair arm and part I Side rail to part F Left back leg with 2 pcs of part 2 Bolt.  
Attach part G Left chair arm to part D Left front leg with 2 pcs of part 3 Bolt.  
(Both part 4 Allen Wrench and part 5 screwdriver blades can be used for screwdriving).  
Attach part I Side rail to part D Left front leg with 1pc of part 2 Bolt



2

- Attach part H Right chair arm and part I Side rail to part E Right back leg with 2 pcs of part 2 Bolt.  
Attach part H Right chair arm to part C Right front leg with 2 pcs of part 3 Bolt  
( Both part 4 Allen Wrench and part 5 screwdriver blades can be used for screwdriving ) .  
Attach Part I Side rail to part C Right front leg with 1 pc of part 2 Bolt.




## PRODUCT ASSEMBLY

3


Attach part L Rocking feet to part E Right back leg and part C Right front leg with 2 pcs of part 1 Bolt.

Attach part L Rocking feet to part F Left back leg and part D Left front leg with 2 pcs of part 1 Bolt.



4


Attach part N Chair seat back board to part M Chair seat with 4 pcs of part 4 Bolt.



## PRODUCT ASSEMBLY

5

Attach part A Backup plate and part B Chair Backrest to part E Right back leg with 2 pcs of part 2 Bolt.  
Attach part M Chair seat to part E Right back leg and part C Right front leg with 2 pcs of part 1 Bolt.  
Attach part K Front rail to part C Right front leg and attach part J back rail to part E Right back leg with 2 pcs of part 2 Bolt.  
(Remark: part B have 2 different side, front side without Prop 65 warning label)



6

Attach part A Backup plate and part B Chair Backrest to part F Left back leg with 2 pcs of part 2 Bolt.  
Attach part M Chair seat to part F Left back leg and part D Left front leg with 2 pcs of part 1 Bolt.  
Attach part K Front rail to part D Left front leg and attach part J Back rail to part F Left back leg with 2 pcs of part 2 Bolt.  
Check and tighten all the bolts and screws again and finish the assembly.

