

AXOR Montreux
Thermostatic Trim with Volume Control
Finishes : **polished nickel** Part no. : **16801831**



Description


Features

- Volume control for 1 outlet
- Flow: 6.0 GPM (22.7 L/Min)
- Thermostatic cartridge, Ceramic cartridge
- Anti-scald 100° safety stop

Product image



Scale drawing




AXOR Montreux
Thermostatic Trim with Volume Control
Finishes : **polished nickel** Part no. : **16801831**



Exploded drawing

Year of production: >08/13



AXOR Montreux
Thermostatic Trim with Volume Control
 Finishes : **polished nickel** Part no. : **16801831**



Spare parts list

Year of production: >08/13

| Pos. | Description | Part no. | PC | PU |
|------|--------------------------------|----------|----|----|
| 1 | handle for thermostat | 16694831 | 0 | 1 |
| 2 | hollow set screw M5x16 | 97666000 | 0 | 1 |
| 3 | pushbutton | 97792830 | 0 | 1 |
| 4 | O-ring 16x2 | 98133000 | 0 | 1 |
| 5 | cover cap | 95991000 | 0 | 1 |
| 6 | adapter for handle | 96435000 | 0 | 1 |
| 7 | sleeve | 96439830 | 0 | 1 |
| 8 | thermostat cartridge | 94282000 | 0 | 1 |
| 9 | sealing set | 95037000 | 0 | 1 |
| 10 | handle | 98637830 | 0 | 1 |
| 11 | hollow set screw M4x8 | 97669000 | 0 | 1 |
| 12 | adapter for handle | 96451000 | 0 | 1 |
| 13 | sleeve | 96446830 | 0 | 1 |
| 14 | shut off unit right closing | 94009000 | 0 | 1 |
| 15 | escutcheon | 98668830 | 0 | 1 |
| 16 | O-ring 29x3 | 98371000 | 0 | 1 |
| 17 | O-Ring 48x3 | 95508000 | 0 | 1 |
| 18 | sub plate | 96447000 | 0 | 1 |
| 19 | set of fixing screws | 96454000 | 0 | 1 |
| 20 | set of screws | 96525000 | 0 | 1 |
| 21 | set of non return valves DW 15 | 94074000 | 0 | 1 |
| 22 | noise reduction | 94073000 | 0 | 1 |
| 23 | extension 22 mm (Ø 170 mm) | 13596830 | 0 | 1 |
| 24 | extension 25 mm | 13595000 | 0 | 1 |