

AXOR Starck Organic
Thermostatic Freestanding Tub Filler Trim with 1.75 GPM Handshower
 Finishes : **chrome** Part no. : **12018001**



Description

Features

- Flow: 5.28 GPM (20 L/Min)
- Shut-off/ diverter valve, Thermostatic cartridge
- Anti-scald 100° safety stop
- Integrated double backflow prevention


Technology



Product image



Scale drawing




AXOR Starck Organic
Thermostatic Freestanding Tub Filler Trim with 1.75 GPM Handshower
 Finishes : **chrome** Part no. : **12018001**



Exploded drawing

Year of production: >07/18



AXOR Starck Organic
Thermostatic Freestanding Tub Filler Trim with 1.75 GPM Handshower
 Finishes : **chrome** Part no. : **12018001**



Spare parts list

Year of production: >07/18

Pos.	Description	Part no.	PC	PU
1	handle for thermostat	98334000	0	1
2	handle fixing set	95843000	0	1
3	safety set	95839000	0	1
4	O-ring 26x1,5	98390000	0	1
5	nut	98913000	0	1
6	thermostat cartridge	98282000	0	1
7	shut off unit with selector	92220000	0	1
8	O-ring 28x2,5	98209000	0	1
9	spout cpl.	92133000	0	1
10	aerator M24x1 (30 l/min)	92132000	0	1
11	special tool	95290000	0	1
12	escutcheon	92134000	0	1
13	hexagon socket screw M10x35	97670000	0	1
14	O-ring 41x2	98212000	0	1
15	set of non return valves DW 15	94074000	0	1
16	O-ring 11x2	98127000	0	1
17	O-Ring 36x2,5	98190000	0	1
18	O-ring 44x2,5	98162000	0	1
19	O-ring 29x3	98371000	0	1
20	handshower	93397001	0	1
21	hexagon socket screw M5x30	97659000	0	1
22	O-ring 14x2	98129000	0	1
23	connecting thread	95392000	0	1
24	filter packing	94246000	0	1
25	seal	98058000	0	1
26	shower hose 1,25 m	28282000	0	1