



This document, including the design, configuration and mechanical features revealed herein are the sole, confidential and proprietary property of TRU Corporation. Reproduction or use thereof, in whole or part, is prohibited without the prior written consent of TRU Corporation.

REV.	DESCRIPTION	DATE	APPROVED
-	ORIGINAL ISSUE	07/27/15	AM



ENGINEERING DATA:

ELECTRICAL:

IMPEDANCE: 50 OHMS NOMINAL
 FREQUENCY RANGE: DC to 4GHz

MECHANICAL:

INTERFACE: 13-30 PER IEC 60169-5

MATERIAL:


CENTER CONTACTS: BRASS & BERYLLIUM COPPER
 INSULATORS: PTFE
 BODIES: BRASS
 GASKET: SILICONE RUBBER

FINISH:

CENTER CONTACTS: SILVER PLATED
 BODIES: NICKEL PLATED

NOTES:

- UNLESS OTHERWISE SPECIFIED; ALL DIMENSIONS ARE FOR REFERENCE ONLY.

MATERIAL	DO NOT SCALE DRAWING	DRAWN AM	DATE 07/24/15	 TRU Corporation 245 Lynnfield St, Peabody, MA 01960 EXPERIENCE. TRU INNOVATION.
	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES	ENG APPR. AM	DATE 07/24/15	
COMMENTS:	TOLERANCES: FRACTIONS: ±1/64 .XX : ±.01 .XXX: ±.005 ANGLES: ±1/2° MACHINED SURFACES: 63/√	MFG APPR.	DATE	TITLE: CONNECTOR, COAXIAL 13-30(f) to 13-30(f) Panel Mt Adapter
		OTHER APPR.	DATE	
surface area: sq inch	weight: 1.96 lbs	THIRD ANGLE PROJECTION		SIZE B DWG. NO. TRU-13025 REV - CAGE CODE: 92180 SCALE: 5:4 SHEET 1 OF 1