
INSTRUCTION MANUAL



Laguna Adirondack Poly Reclining Chaise Lounge With Arms & Wheels SKU: OP4007

V1.0


(!) NOTICE

Do not overtighten screws. (Insert all screws before tighten screws.)


- · Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- · Firmly secure all bolts, screws and nuts before use.
- · Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Be very careful when adjusting lounge backrest to avoid smashing your hands or fingers.




HARDWARE




PARTS





PARTS





















PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this Lounge and learn the exact position of each parts to be assembled.




PRODUCT ASSEMBLY



Attach part D Arm support to part H Middle Leg - Left with 2 PCS of hardware 3 Screw.

Do the same to attach another arm support to part G Middle Leg - Right.




PRODUCT ASSEMBLY



Attach part F Left Chair Arm to part I Left Rear Leg and the assembled part ($\rm H + D$) with 3 sets of hardware 1 bolt, hardware 7 washer and hardware 6 Nut.

Do the same to assemble part E Right Chair Arm with part J Right Rear Leg and the assembled part (${\sf G}+{\sf D}$).




3

Place right side of the Lounge on smooth ground as below.

Attach the combined part (I+F+H) to the left side of the lounge with 5 pcs of hardware 2 Bolt.

Attach part B Front Leg to the left side of the lounge with 3 pcs of hardware 2 Bolt.




PRODUCT ASSEMBLY

4

Attach part C Rail to part B the front leg with 1 pc of hardware 2 Bolt.

Do the same to attach the other 2 pcs of part C Rail to part H Middle Leg-Left & part I Left Rear Leg with 2 pcs of hardware 2 Bolt.




5

Place the lounge upside down, attach the combined part (J + E + G) to the right side of the lounge with 5 pcs of hardware 2 Bolt.

Attach part B Front Leg to the right side of the lounge with 3 pcs of hardware 2 Bolt.

Attach part C Rails to part B Front Leg, part G Middle Leg-Right & part J Right Rear Leg with 3 pcs of hardware 2 Bolt.



PRODUCT ASSEMBLY



Attach 2 pcs of part K Wheels to the rear legs of the lounge with 2 sets of hardware 4 Bolt and hardware 5 Cap Nut as well as 2 pcs of hardware 7 Washer.

Remark: Hardware 7 washer should be put between the wheel & rear leg for easy movement.

Adjust the backrest to a comfortable position and lock the back support to the bracket.

