

# WAC LIGHTING

## Paloma LED522

### 22W Monopoint Luminaire

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

System Type	Model	Beam	Color Temp & CRI	Lumens	CBCP	Finish
MO	LED522	F 36°	827 2700K - 85	1630	4048	BK Black WT White
			830 3000K - 85	1695	4218	
			835 3500K - 85	1745	4345	
			840 4000K - 85	1765	4385	
			927 2700K - 90	1355	3375	
			930 3000K - 90	1695	3500	
		N 24°	827 2700K - 85	1650	5928	
			830 3000K - 85	1625	6177	
			835 3500K - 85	1675	6362	
			840 4000K - 85	1690	6422	
			927 2700K - 90	1301	4940	
			930 3000K - 90	1350	5125	
		S 19°	827 2700K - 85	1590	7622	
			830 3000K - 85	1655	7940	
			835 3500K - 85	1705	8180	
			840 4000K - 85	1720	8257	
			927 2700K - 90	1325	6352	
			930 3000K - 90	1375	6590	

Example: **MO-LED522F-827-BK**

#### DESCRIPTION

Paloma is a museum-quality LED luminaire with high performance reflector optics. Available in 12W or 22W options in multiple color temperature, beam distribution, and finish options. Canopy is included with fixture. Monopoint can be ordered with an extension rod (6", 12", 18", 24", 36") to drop the head.

#### FEATURES


- Accommodates 1 filter lens or 1 accessory
- 365° horizontal rotation and 180° vertical aiming
- Ceiling and wall mountable
- Driver concealed within the fixture
- 5 year warranty

#### SPECIFICATIONS


<b>Construction:</b>	Die-cast aluminum with cap ring. Clear glass lens included
<b>Power:</b>	22W
<b>Input:</b>	120-277 VAC, 50/60Hz
<b>Dimming:</b>	ELV: 100-5%
<b>Light Source:</b>	Integrated LED 3 Step Mac Adam Ellipse
<b>Rated Life:</b>	50000 Hours
<b>Finish:</b>	Electrostatically Powder Coated: Black, White
<b>Operating Temp:</b>	-4°F to 104°F (-20°C to 40°C)
<b>Standards:</b>	UL, cUL, Damp Location Listed



#### FINISHES:



#### LINE DRAWING:



# WAC LIGHTING

# WAC LIGHTING

## Paloma LED522

22W Monopoint Luminaire

Fixture Type: \_\_\_\_\_





Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

---

### ACCESSORIES

	<i>Model</i>	<i>Description</i>	<i>Finish</i>
	<b>LENS-20-AMB</b> <b>LENS-20-BLU</b>	Colored Lens Colored Lens	Amber Blue
	<b>LENS-20-BEL</b>	Beam Elongating Lens	Beam Elongating
	<b>LENS-20-CL</b>	Clear/Frosted Lens	Clear
	<b>LENS-20-SPR</b>	Spread Lens	Spread Lens