

QUESTION		ANSWER
1. A patient with a long history of alcohol abuse presents with a severe headache, vomiting, and confusion. The patient's vital signs are stable. The patient's physical examination is unremarkable. The patient's laboratory studies are as follows: Na ⁺ 125 mEq/L, Cl ⁻ 105 mEq/L, HCO ₃ ⁻ 25 mEq/L, pH 7.35, pCO ₂ 30 mmHg, pO ₂ 100 mmHg, glucose 100 mg/dL, urea nitrogen 10 mg/dL, creatinine 1.0 mg/dL, and lactate 2.0 mg/dL. What is the most likely diagnosis?		Wernicke's encephalopathy
2. A patient with a long history of alcohol abuse presents with a severe headache, vomiting, and confusion. The patient's vital signs are stable. The patient's physical examination is unremarkable. The patient's laboratory studies are as follows: Na ⁺ 125 mEq/L, Cl ⁻ 105 mEq/L, HCO ₃ ⁻ 25 mEq/L, pH 7.35, pCO ₂ 30 mmHg, pO ₂ 100 mmHg, glucose 100 mg/dL, urea nitrogen 10 mg/dL, creatinine 1.0 mg/dL, and lactate 2.0 mg/dL. What is the most likely diagnosis?		Wernicke's encephalopathy
3. A patient with a long history of alcohol abuse presents with a severe headache, vomiting, and confusion. The patient's vital signs are stable. The patient's physical examination is unremarkable. The patient's laboratory studies are as follows: Na ⁺ 125 mEq/L, Cl ⁻ 105 mEq/L, HCO ₃ ⁻ 25 mEq/L, pH 7.35, pCO ₂ 30 mmHg, pO ₂ 100 mmHg, glucose 100 mg/dL, urea nitrogen 10 mg/dL, creatinine 1.0 mg/dL, and lactate 2.0 mg/dL. What is the most likely diagnosis?		Wernicke's encephalopathy
4. A patient with a long history of alcohol abuse presents with a severe headache, vomiting, and confusion. The patient's vital signs are stable. The patient's physical examination is unremarkable. The patient's laboratory studies are as follows: Na ⁺ 125 mEq/L, Cl ⁻ 105 mEq/L, HCO ₃ ⁻ 25 mEq/L, pH 7.35, pCO ₂ 30 mmHg, pO ₂ 100 mmHg, glucose 100 mg/dL, urea nitrogen 10 mg/dL, creatinine 1.0 mg/dL, and lactate 2.0 mg/dL. What is the most likely diagnosis?		Wernicke's encephalopathy
5. A patient with a long history of alcohol abuse presents with a severe headache, vomiting, and confusion. The patient's vital signs are stable. The patient's physical examination is unremarkable. The patient's laboratory studies are as follows: Na ⁺ 125 mEq/L, Cl ⁻ 105 mEq/L, HCO ₃ ⁻ 25 mEq/L, pH 7.35, pCO ₂ 30 mmHg, pO ₂ 100 mmHg, glucose 100 mg/dL, urea nitrogen 10 mg/dL, creatinine 1.0 mg/dL, and lactate 2.0 mg/dL. What is the most likely diagnosis?		Wernicke's encephalopathy

ANSWERS

1. Wernicke's encephalopathy
2. Wernicke's encephalopathy
3. Wernicke's encephalopathy
4. Wernicke's encephalopathy
5. Wernicke's encephalopathy