

ECONOMY INDUSTRIAL MASKING TAPE



DESCRIPTION

This tape is made of crepe paper backing coated with a natural/synthetic rubber adhesive. Designed for non-critical masking application, bundling, labeling and holding.

MAIN FEATURES

- Good balance between paper and adhesive.
- Thin crepe paper providing good tensile and elongation.
- Excellent natural/synthetic rubber adhesive delivering good initial tack and holding power.
- Temperature resistance from 10°C (50°F) to 82°C (180°F)
- Smooth unwind and easily hand-tearable.

APPLICATIONS

- For short term non-critical applications.
- Excellent "Production" tape.
- Holding and bundling.
- Designed for indoor application.

INDUSTRIAL QUALITY

NATURAL/SYNTHETIC RUBBER ADHESIVE

TECHNICAL DATA

Colour	Natural
Backing	Crepe Paper
Adhesive.....	Natural/Synthetic Rubber
Thickness.....	5 mil
Adhesion to steel.....	27 oz/in
Tensile strength	18 lb/in
Elongation.....	9%
Application Temperature.....	10°C (50°F) to 82°C (180°F)
Temperature Resistance	50°C (180°F) for 30 minutes

Please note:

While we believe them to be reliable, the statements and information herein are only for general guidance and are not warrants or guarantees for accuracy and completeness.

The user must, by test or otherwise, determine suitability for this purpose. There is no warranty of fitness for a particular purpose. Our standard term and conditions of sale apply exclusively to all orders, and all liability for damages of any kind, including consequential, exceeding purchase price is excluded.

No one is authorized by us to make oral warranties. We reserve the right to make changes without notice or obligation in our products and publications.