

FLEXSTEEL®




W1042-0311

RECTANGULAR COFFEE TABLE W/ CASTERS


IMPORTANT

Carefully remove all parts from the carton, and put them individually on a soft cloth to prevent damage to the parts.


We have taken great care in the design of this product and request that you carefully and accurately follow our assembly instructions to ensure proper set-up.



Part List




A. Table Top
1 piece



B. Bottom Shelf
1 piece

Assembly Instructions 1/4




C. Pedestal
4 pieces



D. Leg
4 pieces


Hardware List




Bolt
Ø5/16"-18 UNC x 2"
8 pieces



Spring Washer
Ø5/16" x 1.5mm
8 pieces



Flat Washer
Ø5/16" x Ø19mm x 1.5mm
8 pieces



Hex Key
5/32"
1 piece

FLEXSTEEL®


Assembly Instructions 2/4

IMPORTANT NOTES

- Do not tighten up all the bolts until each part is properly assembled.
- Keep the Hex Key in a safe place as you may need to tighten up the bolts in the future.
- Use a soft cloth between these parts and the floor.
- We recommend this product be assembled by at least two adults.


STEP 1

Connect the Table Top (A) and Pedestals (C) by inserting Bolts, Spring Washers, Flat Washers and fully tighten with Hex Key. (See Figure 1).



STEP 2

Connect the legs (D) to the pedestals (C) while passing the threaded bolts through the bottom shelf (B). Turn the legs clockwise by hand until tight. (See Figure 2)



FLEXSTEEL®


Assembly Instructions 3/4

IMPORTANT NOTES

- Do not tighten up all the bolts until each part is properly assembled.
- Use a soft cloth between these parts and the floor.
- We recommend this product be assembled by at least two adults.


DRAWER REMOVAL

Hold the drawer firmly, place your index finger on the lever, and use the remaining fingers to support the drawer to create balance. Next, press the levers on the left and right at the same time to open the lever and pull the drawer out. (See Figure 3)




DRAWER REINSTALLATION

Place drawer guide into correct grooves on both sides, make sure the drawer box parallels with drawer guide then push in. Next, push and pull drawer box gently few times to close and open until drawer box moves smoothly. (See Figure 4)



FLEXSTEEL®

Assembly Instructions 4/4



CARE INSTRUCTIONS

- To avoid scratches, do not place sharp or jagged objects directly on the table top.
- Do not place hot items directly on the table top.
- Use placemats or trivets under hot items and coasters under beverages to prevent marks and stains.
- Avoid the use of harsh chemicals or abrasive cleaning materials.
- Wipe the table clean with a soft, dry cloth after each use.
- Wipe up spills quickly with a soft, dry cloth.

Flexsteel Industries, Inc.

For Parts or Customer Service call
toll-free:
1-888-415-3979
Monday-Friday
8:00 a.m. -5:00 p.m.
(Central Time)
Email:
customersolutions@flexsteel.com

www.flexsteel.com