

2024 Specification Sheet - English

**LONG DESCRIPTION –**

Long Description Marketing Copy

Hassle-free, automatic measurement of amperage, voltage and resistance. Low impedance eliminates stray or "ghost" voltage readings. True RMS for the most accurate measurement when harmonics are present. High resolution, auto-illuminating LCD backlit display

PRODUCT NAME –

Page Title

Automatic Electrical Tester, 1000V, 600A

PRODUCT OVERVIEW –

Marketing Text 1

Hassle-free, automatic measurement of amperage, voltage and resistance

Marketing Text 2

Low impedance eliminates stray or "ghost" voltage readings

Marketing Text 3

True RMS for the most accurate measurement when harmonics are present

Marketing Text 4

High resolution, auto-illuminating LCD backlit display

Marketing Text 5

Auto off for longer battery life

Marketing Text 6

Resistance measurement

Marketing Text 7

Audible continuity test

Marketing Text 8

Data hold to capture measurements

Marketing Text 9

Accessories included: (1) 9 V battery, test leads and carrying case

Marketing Text 10

Lifetime Limited Warranty

PRODUCT SPECIFICATION –

Product Specification 1

Amperage Measurement : AC A 0.9 to 600.0

Product Specification 2

Display : LCD, 10000 Count

Product Specification 3

Includes : (1) 9 V Battery, Test Leads, Carrying Case

Product Specification 4

Jaw Opening : 1.340 IN

Product Specification 5

Measurement Category : CAT III, 1000 V

Product Specification 6

CAT IV, 600 V

Product Specification 7

Operation Type : Automatic

Product Specification 8

Replacement Part : TSG-3 Test Leads, TC-10 Carrying Case

Product Specification 9

Resistance Measurement : 999 Ω , 9.999k Ω

Product Specification 10

Standard : CAT IV, C/US UL Listed, CAT III

Product Specification 11

Type : Electrical

Product Specification 12

Voltage Measurement : AC V: 1.3 to 999.9 VAC

Product Specification 13

DC V: 2.1 to 999.9; -0.7 to -999.9