

Version 1.0	Revision Date: 03/03/2015		OS Number: 90-00001	Date of last issue: - Date of first issue: 03/03/2015
SECTION	1. PRODUCT AND CO	MPAN	NY IDENTIFICAT	ION
Produ	uct name	: F	PROVON® Moist	urizing Hand & Body Lotion
Manu	facturer or supplier's	detail	S	
	bany name of supplier			Inc.
Addre	ess		One GOJO Plaza Akron OH 44311	, Suite 500
Telep	hone	: 1	1 (330) 255-6000	
Emer	gency telephone	: 1	1-800-424-9300	CHEMTREC
Reco	mmended use of the c	chemio	cal and restriction	ons on use
Reco	mmended use	: 5	Skin-care	
Restr	ictions on use	f s e V c c F a s s e i i	consumers and of oreseeable use. specifically define exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and of ntended-use guid	care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are equirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.

#### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

DANGER	
Appearance	cream
Color	opaque, White to light yellow
Odor	soapy
Hazard Summary	Corrosive Possible birth defect hazard
WHMIS Regulatory status	: This product, material or substance is a WHMIS controlled product per Sections 33 - 66, Part IV of the CPR.
Potential Health Effects Inhalation	: No significant effects expected from a single short-term expo-



Version 1.0	Revision Date: 03/03/2015	MSDS Number: 70390-00001	Date of last issue: - Date of first issue: 03/03/2015
		sure.	
Skin		: No significant in exposure.	ritation expected from a single short-term
Eyes	3	: Causes eye bur May cause pern	ns. nanent eye injury.
Inge	stion	: No significant el exposure.	ffects expected from a single short-term
Chro	nic Exposure	: May cause birth	defects.
	avated Medical dition	: None known.	
Carc	inogenicity:		
IAR	C		is product present at levels greater than or entified as probable, possible or confirmed by IARC.
ACC	ЭН		is product present at levels greater than or entified as a carcinogen or potential carcino-

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Dimethyldioctadecylammonium chloride	107-64-2	>= 5 - < 10
cis-1-(3-Chloroallyl)-3,5,7-triaza-1- azoniaadamantane chloride	51229-78-8	>= 0.1 - < 1

#### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>	
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.	



Version 1.0	Revision Date: 03/03/2015	MSDS Number: 70390-00001	Date of last issue: - Date of first issue: 03/03/2015
		•	move contact lens, if worn. ention immediately.
lf swa	llowed	Get medical atte	D NOT induce vomiting. ention if symptoms occur. proughly with water.
Prote	ction of first-aiders	and use the reco	ders should pay attention to self-protection, ommended personal protective equipment ial for exposure exists.
Notes	to physician	: Treat symptoma	tically and supportively.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)	
Unsuitable extinguishing media	None known.	
Specific hazards during fire fighting	Exposure to combustion products may be a hazard to he	alth.
Hazardous combustion prod- ucts	Carbon oxides Nitrogen oxides (NOx) Chlorine compounds	
Specific extinguishing methods	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area.	
Special protective equipment for fire-fighters	In the event of fire, wear self-contained breathing appara Use personal protective equipment.	atus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/03/2015	70390-00001	Date of first issue: 03/03/2015
	ds and materials for nment and cleaning up	For large spills, p containment to k can be pumped, container. Clean up remain absorbent. Local or national disposal of this m employed in the determine which Sections 13 and	rt absorbent material. provide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and naterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.

#### SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSL CONTROLS/PERSONAL PROTECTION se	
Local/Total ventilation	Jse only with adequate ventilation.	
Advice on safe handling	Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with sl Handle in accordance with good industrial h practice. Keep container tightly closed. Take care to prevent spills, waste and mining environment.	nygiene and safety
Conditions for safe storage	Keep in properly labeled containers. Keep tightly closed. Store in accordance with the particular nation	onal regulations.
Materials to avoid	Do not store with the following product type Strong oxidizing agents	s:

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL



	Revision Date: 03/03/2015	MSDS Number: 70390-00001	Date of las Date of firs	t issue: - t issue: 03/03/20'	15
		I		10 m m m 2	
			STEV (Mist)	10 mg/m3	CA QC C
			TWA (Inhal- able fraction)	5 mg/m3	ACGIH
Glyce	erine	56-81-5	TWA	10 mg/m3	CA BC C
Ciyoc		00010	TWA (Res-	3 mg/m3	CABCC
			pirable)	0 1119/1110	0/100
			TWA (Mist)	10 mg/m3	CA BC C
			TWA (Mist)	10 mg/m3	CA AB C
			TWAEV (Mist)	10 mg/m3	CA QC C
			TWA (Res-	3 mg/m3	CA BC C
			pirable mist)		
		assessment. Particulates dust, 5 mg/m Particles (ins	Relevant limits in Not Otherwise Re 13 - respirable fra soluble or poorly s 3 mg/m3 - respira	ered in workplace nclude: OSHA PE egulated of 15 mg ction; and ACGIH soluble) Not Othe able particles, 10	EL for g/m3 - total I TWA for rwise
	onal protective equip iratory protection	: Use respirate ventilation is	provided or expo	ess adequate loc sure assessment	t demonstrates
		that exposur	es are within reco	ommended expos	ure guidelines
Filt	ter type	: Combined pa	articulates and or	ganic vapor type	
Llond					
	protection				
	protection aterial	: Impervious g	loves		
Ma		: Choose glov on the conce time is not do For special a resistance to gloves with t	es to protect han entration specific t etermined for the applications, we re o chemicals of the	ds against chemic to place of work. I product. Change ecommend clarify aforementioned cturer. Wash hand day.	Breakthrough gloves often! ing the protective
Ma Re	iterial	<ul> <li>Choose glov on the conce time is not de For special a resistance to gloves with t breaks and a</li> <li>Wear the foll Chemical res</li> </ul>	es to protect han entration specific etermined for the applications, we re chemicals of the he glove manufact at the end of work	to place of work. I product. Change ecommend clarify aforementioned cturer. Wash hand day. protective equipment ust be worn.	Breakthrough gloves often! ing the protective ds before



Version 1.0	Revision Date: 03/03/2015		DS Number: 390-00001	Date of last issue: - Date of first issue: 03/03/2015
			clothing (gloves	, aprons, boots, etc).
Hygie	ene measures	:	located close to When using do	flushing systems and safety showers are the working place. not eat, drink or smoke. ated clothing before re-use.
SECTION	9. PHYSICAL AND CH	EMIC	CAL PROPERTI	ES
Appe	arance	:	cream	
Color		:	opaque, White	to light yellow
Odor		:	soapy	
Odor	Threshold	:	No data availat	ble
pН		:	4.5 - 8.5	
Meltir	ng point/freezing point	:	No data availat	ble
Initial range	boiling point and boiling	:	No data availat	ble
Flash	point	:	> 100 °C	
Evap	oration rate	:	No data availat	ble
Flam	mability (solid, gas)	:	Not applicable	
Uppe	r explosion limit	:	No data availat	ble
Lowe	r explosion limit	:	No data availat	ble
Vapo	r pressure	:	No data availat	ble
Relat	ive vapor density	:	No data availat	ble
Dens	ity	:	0.98 g/cm3	
	bility(ies) ater solubility	:	soluble	
	ion coefficient: n- ol/water	:	Not applicable	
Autoi	gnition temperature	:	No data availat	ble
Deco	mposition temperature	:	The substance	or mixture is not classified self-reactive.
Visco Vis	sity scosity, kinematic	:	2,500 - 50,000	mm2/s (20 °C)



Version 1.0	Revision Date: 03/03/2015	MSDS Number: 70390-00001	Date of last issue: - Date of first issue: 03/03/2015	
Explosive properties		: Not explosive	9	
Oxidizing properties		: The substance or mixture is not classified as oxidizing.		
SECTION 10. STABILITY AND REACTIVITY				
Reac	ivity : Not classified as a reactivity hazard.		as a reactivity hazard.	
Chem	nical stability	: Stable under	normal conditions.	

Possibility of hazardous reac- : Can react with strong oxidizing agents. tions	
Conditions to avoid : None known.	
Incompatible materials : Oxidizing agents	
Hazardous decomposition : No hazardous decomposition products are known. products	

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

Ingredients:	
Dimethyldioctadecylammoniu	ım chloride:
Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg
	Assessment: The substance or mixture has no acute dermal toxicity
cis-1-(3-Chloroallvl)-3.5.7-triaz	za-1-azoniaadamantane chloride:
Acute oral toxicity	: LD50 (Rat): 1,552 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.2 mg/l
	Exposure time: 4 h
	Test atmosphere: dust/mist Assessment: The substance or mixture has no acute
	inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): 923 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Result: No skin irritation



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/03/2015	70390-00001	Date of first issue: 03/03/2015
<b>Dime</b> Speci Metho	<u>dients:</u> thyldioctadecylamm ies: Rabbit od: OECD Test Guide lt: No skin irritation		
Resu	It: Skin irritation	-triaza-1-azoniaadama	Intane chloride: U regulation 1272/2008, Annex VI
	eus eye damage/eye es eye burns.	irritation	
Ingre	dients:		
Speci Resu	thyldioctadecylamm ies: Rabbit It: Irreversible effects o od: OECD Test Guide	on the eye	
		-triaza-1-azoniaadama versing within 21 days	intane chloride:
Resp	iratory or skin sensi	tization	
		sified based on availabl lot classified based on a	
Prod	uct:		
Asses	ssment: Does not cau	se skin sensitization.	
Dime Test Route Speci Metho Resu	dients: thyldioctadecylamm Type: Maximization Te es of exposure: Skin c ies: Guinea pig od: OECD Test Guide It: negative arks: Based on data fre	est (GPMT) ontact line 406	
Asses	ssment: Probability or	-triaza-1-azoniaadama evidence of skin sensit nised classification in E	
Germ	cell mutagenicity		
	lassified based on ava	ailable information.	
Dime	dients: thyldioctadecylamm toxicity in vitro	: Test Type: Chro Result: negative	omosome aberration test in vitro e d on data from similar materials
cis-1	-(3-Chloroallyl)-3,5,7 <sup>,</sup>	-triaza-1-azoniaadama	intane chloride:



Version 1.0	Revision Date: 03/03/2015	MSDS Number: 70390-00001	Date of last issue: - Date of first issue: 03/03/2015
Genotoxicity in vitro			romosome aberration test in vitro
Not c <b>Repr</b> e	<b>nogenicity</b> lassified based on avail <b>oductive toxicity</b> cause birth defects.	able information.	
Ingredients: Dimethyldioctadecylammonium chloride:			
	-(3-Chloroallyl)-3,5,7-t ts on fetal development	riaza-1-azoniaadamantane chloride: : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: positive	
Repro sessr	oductive toxicity - As- nent	: Some evidence of adverse effects on development, bas animal experiments.	
Not c	<b>F-single exposure</b> lassified based on avail	able information.	
Not c	F-repeated exposure lassified based on avail ated dose toxicity	able information.	
Ingre Dime Speci NOAI Applie	dients: thyldioctadecylammo ies: Rat EL: 100 mg/kg cation Route: Ingestion sure time: 28 d	nium chloride:	
Aspiration toxicity Not classified based on available information.			

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

# Ingredients: Dimethyldioctadecylammonium chloride: Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 21.3 mg/l Exposure time: 95 h



Versior 1.0	า	Revision Date: 03/03/2015		DS Number: 390-00001	Date of last issue: - Date of first issue: 03/03/2015
		/ to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 0.16 mg/l bh
Тс	oxicity	<i>i</i> to algae	:	NOEC (Selenastro 0.062 mg/l Exposure time: 5	um capricornutum (fresh water algae)): d
	-Fact ty)	or (Acute aquatic tox-	:	1	
	oxicity xicity)	/ to fish (Chronic )	:	Exposure time: 33	es promelas (fathead minnow)): 0.23 mg/l 3 d on data from similar materials
ac	quatic	v to daphnia and other invertebrates ic toxicity)	:	NOEC (Daphnia n Exposure time: 21	nagna (Water flea)): 0.38 mg/l d
	-Fact	or (Chronic aquatic )	:	1	
		<b>3-Chloroallyl)-3,5,7-tri</b> ∕ to fish			acrochirus (Bluegill sunfish)): 26 mg/l
		v to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 25.8 mg/l h
Тс	oxicity	∕ to algae	:	EC50 (Pseudokiro mg/l Exposure time: 72	chneriella subcapitata (green algae)): 1.54 ? h
				NOEC (Pseudokir mg/l Exposure time: 72	chneriella subcapitata (green algae)): 0.63 ? h
ac	quatic	v to daphnia and other invertebrates ic toxicity)	:	NOEC (Daphnia n Exposure time: 21	nagna (Water flea)): 19.8 mg/l d
Тс	oxicity	<i>i</i> to bacteria	:	IC50: 1,870 mg/l Exposure time: 3	h
Pe	ersist	ence and degradabili	ity		
In	gredi	ients:			
Di	imeth	nyldioctadecylammon radability		Result: Not readily Biodegradation: 5 Exposure time: 28	5%
		<b>3-Chloroallyl)-3,5,7-tri</b> radability		-1-azoniaadamant Result: Not readily Biodegradation: 5	/ biodegradable.
				10 / 13	



Version 1.0	Revision Date: 03/03/2015	MSDS Number: 70390-00001	Date of last issue: - Date of first issue: 03/03/2015		
		Exposure time: Method: OECD	28 d Test Guideline 301F		
Bioac	cumulative potentia	I			
Ingree	dients:				
Dimet	thyldioctadecylamm	onium chloride:			
Bioaccumulation		: Species: Leporr	: Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 13		
	on coefficient: n- ol/water	: log Pow: 3.8	: log Pow: 3.8		
cis-1-	(3-Chloroallyl)-3.5.7-	triaza-1-azoniaadama	intane chloride:		
Partiti	on coefficient: n- ol/water	: log Pow: 1.89			
Mobil	ity in soil				
No da	ta available				
Other	adverse effects				
No da	ta available				

## Disposal methods Waste from residues : Dispose of in accordance with local regulations. Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

UNRTDG	
UN number	: UN 3082
Proper shipping name	<ul> <li>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dimethyldioctadecylammonium chloride)</li> </ul>
Class	: 9
Packing group	: 111
Labels	: 9
<b>IATA-DGR</b> UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Dimethyldioctadecylammonium chloride)
Class	: 9



Version 1.0	Revision Date: 03/03/2015	MSDS Number: 70390-00001	Date of last issue: - Date of first issue: 03/03/2015	
Labe Pack aircr Pack	king instruction (cargo	: III : Miscellaneous : 964 : 964	5	
UN r	<b>G-Code</b> number er shipping name	N.O.S.	NTALLY HAZARDOUS SUBSTANCE, LIQUID,	
Labe EmS	king group	: 9 : III : 9 : F-A, S-F : yes		
Tran		-	RPOL 73/78 and the IBC Code	
Dom	nestic regulation			
	i number ver shipping name	: UN 3082 : ENVIRONME N.O.S.	NTALLY HAZARDOUS SUBSTANCE, LIQUID,	
Labe ERG	king group	: 9 : III : 9 : 171	tadecylammonium chloride) dioctadecylammonium chloride)	
SECTION	15. REGULATORY IN	FORMATION		
WHM	<b>IIS Classification</b>	: D2A: Very To E: Corrosive M	xic Material Causing Other Toxic Effects Material	
	product has been class ains all of the informatio		e hazard criteria of the CPR and the MSDS	
	The ingredients of this product are reported in the following inventories:			

The ingredients of this product are reported in the following inventories.			
REACH	:	All ingredients (pre-)registered or exempt.	
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	
DSL	:	All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).	
AICS	:	All ingredients listed or exempt.	



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	03/03/2015	70390-00001	Date of first issue: 03/03/2015

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

Full text of other abbreviations		
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8