



CRC Industries NZ  
Auckland NZ

## ***I. Product Description***

CRC Duster supplies a powerful burst of compressed pure propellant gas to safely remove dust and lint from all delicate precision equipment and hard-to-reach areas.

It is versatile and handy and should be part of every servicing kit – ideal for off-site servicing when compressed air is not available.

## ***II. Features & Benefits***

- Ideal for off-site servicing when compressed air is not available
- Non-abrasive, non-corrosive, moisture-free, leaves no residue
- Safe on all plastics
- Use CRC Duster on: cars, trucks, boats, commercial vehicles, aeroplanes, helicopters, around the workplace, office, home and garage.
- Remove dust from: All electronics – computer boards, fans vents, keyboards, tablets, printers, flash drives, discs, TVs, mobile phones. Cameras, lenses, optics, cases, watch repairs. Engines, wiring, dashboards, display binnacles, and all those tricky little places.
- Extremely Flammable use only when electrical power is disconnected
- RoHS Compliant
- Low Global Warming Potential
- Zero Ozone Depletion Potential

## ***III. Application and Directions***

1. Hold can in upright position.
2. Do not shake can while spraying
3. Make sure electrical equipment is disconnected from power supply
4. Use in short bursts
5. Spray approximately 25cm from surface.
6. For hard to reach areas simply attach extension tube.

## ***IV. Typical Properties and Characteristics***

<b>Appearance</b>	Colourless liquefied gas
<b>Odour</b>	Slight ethereal
<b>Volatile Component (% vol)</b>	100
<b>Solubility</b>	Immiscible in water
<b>Propellant</b>	Blend of Propane and Butane
<b>Flash Point</b>	Negative 100°C

## ***V. Package Description***

**Part Number**

**Size**

2071

250ml Aerosol



CRC Industries NZ  
Auckland NZ

## **VI. Special Precautions**

### **General:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.

Do not use on energised electrical equipment

### **Aerosol Cans:**

Do not puncture, incinerate or store above 50°C. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

### **First Aid:**

Swallowed – Not considered a normal route of entry. Avoid giving milk, oils or alcohol.

Skin – Flush skin and hair with running water (and soap if available).

Eyes – Immediately hold the eyelids apart and flush the eye continuously for at least 15 minutes with fresh running water. Transport to hospital or doctor without delay.

Inhaled – Remove to fresh air. Lay patient down. Keep warm and rested.

Refer to Material Safety Data Sheet for more details.



CRC Industries NZ  
Auckland NZ

**DISCLAIMER:** All information on this data sheet is based on testing by CRC Industries NZ. All products should be tested for suitability on a particular application prior to actual use. CRC Industries makes no representations or warranties of any kind concerning this data.