

# — 4-PERSON OUTDOOR PATIO SECTIONAL — WITH OUSHIONS

# THANK YOU!

We appreciate you for choosing WestinTrends!

Thank you for letting WestinTrends continue to offer accessible luxury trends, inspired by everyone!

# JOIN THE WESTINTRENDS COMMUNITY

Sign up here:

https://westintrends.com/welcome



### **OUESTIONS OR COMMENTS?**

If you have questions reach out to cs@westintrends.com

FOLLOW, SHARE, & LEARN













#### PRODUCT REGISTRATION

https://westintrends.com/apps/product-registration




# TABLE OF CONTENTS

# ASSEMBLY INSTRUCTIONS

Patio Deep Seating Left Arm Chair with Cushions	4
Patio Deep Seating Armless Chair with Cushions	9
Patio deep Seating Corner Chair with Cushions	14
Patio Deep Seating Right Arm Chair with Cushions	18
Combining Sofas	23





# PATIO DEEP SEATING LEFT ARM CHAIR WITH CUSHIONS

### (!) CARE & MAINTENANCE

#### Do not overtighten screws. (Insert all screws before tightening screws)

- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)













JP TO 30 MIN ASSEMBLY

#### **HARDWARE**






24 PCS










#### **PARTS**








# CUSHION



# PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach Part B Backrest to Part A Chair Seat with 4 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.





Attach 2pcs of Part C Chair Arm to Part A Chair Seat with 8 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench.


Make sure to insert all bolts first, then tighten each one evenly to 100%




#### **PRODUCT ASSEMBLY**



Insert 4pcs of **Hardware #4 Foot Nail** to the bottom of legs. Put **Part FLI Seat Cushion** and **Part FL2 Back Cushion** on the seat.







# PATIO DEEP SEATING ARMLESS - CHAIR WITH CUSHIONS

## (!) CARE & MAINTENANCE

#### Do not overtighten screws. (Insert all screws before tightening screws)

- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)













UP TO 30 MIN. ASSEMBLY

#### **HARDWARE**
















#### **PARTS**






# **CUSHION**



# PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach Part B Backrest to Part A Chair Seat with 4 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.






Insert 4pcs of Hardware #4 Foot Nail to the bottom of legs.
Put Part FLI Seat Cushion and Part FL2 Back Cushion on the seat.

Now enjoy your chair.







# PATIO DEEP SEATING CORNER CHAIR WITH CUSHIONS

### (!) CARE & MAINTENANCE

#### Do not overtighten screws. (Insert all screws before tightening screws)

- Be careful when assembling to avoid damaging the surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use. Do not use any part of this item as a step ladder.
- Make sure that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)













UP TO 30 MIN. ASSEMBLY

#### **HARDWARE**










NUT


M6






#### **PARTS**






# CUSHION




# PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.





Attach 2 pcs of **Part B Backrest** to **Part A Chair Seat** with 8 sets of **Hardware (1pc of # 1 Bolt+2pc of #2 Washer + 1pc of #3 Nut)** by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.




#### **PRODUCT ASSEMBLY**




Insert 4pcs of Hardware #4 Foot Nail to the bottom of legs.
Put Part FLI Seat Cushion, Part FL2 Back Cushion and Part FL3 Back Cushion on the seat.

Now enjoy your chair.







# PATIO DEEP SEATING RIGHT - ARM CHAIR WITH CUSHIONS

## (!) CARE & MAINTENANCE

#### Do not overtighten screws. (Insert all screws before tightening screws)

Be careful when assembling to avoid damaging the surface.

Clean the chair with lukewarm water, mild detergent & soft cloth.

Firmly secure all bolts before use. Do not use any part of this item as a step ladder.

Make sure that all bolts, screws, and nuts are secure every 90 days.

Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.

Be aware that some parts are heavy and have sharp edges.

Do not overtighten screws. (Insert all screws before tighten screws.)









PERSON



ASSEMBLY

#### **HARDWARE**






24 PCS










#### **PARTS**








# **CUSHION**




# PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.






Attach Part B Backrest to Part A Chair Seat with 4 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench. Make sure to insert all bolts first, then tighten each one evenly to 100%.



2

Attach 2pcs of Part C Chair Arm to Part A Chair Seat with 4 sets of Hardware (1pc of #1 Bolt + 2pc of #2 Washer + 1pc of #3 Nut) by using Allen Wrench & Socket Wrench.

Make sure to insert all bolts first, then tighten each one evenly to 100%




#### **PRODUCT ASSEMBLY**




Insert 4pcs of **Hardware #4 Foot Nail** to the bottom of legs. Put **Part FLI Seat Cushion** and **Part FL2 Back Cushion** on the seat.

Now enjoy your chair.





Installation of sectional sofa is shown as below if you purchase a set of sofa. There are two connecting holes on side of Part A Chair Seat. Use 1 set of Hardware (2pcs of #5 Connecting Piece + 2pcs of #1 Bolt + 4pcs of #2 Washer + 2pcs of #3 Nut) for each connecting hole to lock the chairs.



# **REGISTRATION & REFUND POLICY**

https://westintrends.com/apps/product-registration



https://westintrends.com/policies/refund-policy



#### **HAVING TROUBLE**

Not sure how to assemble or missing pieces?
 Please contact our Customer Service Team for assistance at cs@westintrends.com

Have Order #, Part # or SKU ready to speed up customer service!

#### **CLEANING TIPS**

**REGULAR CLEAN:** Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

**QUICK CLEAN:** You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture but also helps extend its lifespan.