
# Warm Shaker / Norfolk / Lexington

60 inch TV Media Stand

Model # AXCWSH60-LGB



brooklyn + max






# It's time to register your product warranty.

It's quick and easy. And you'll be happy you did.



- ✓ Activate your 1-year warranty
- ✓ Automatic entry to win a \$500 gift certificate
- ✓ Earn instant rewards and save




simpli-home.com/product-registration

# Review your product and collect rewards!

Thank you for your purchase! We hope you enjoy it. We'd love your feedback. Please share a review and get instant rewards!










# Share photos and get your cash back!



Send us images or share them on social and qualify for instant rewards. You may even receive store credit on your entire purchase!





simpli-home.com/share-images

### **For Fastest Customer Service:**



- 1. Open your phone's camera.
- 2. Point your phone's camera at the QR code to scan.
- 3. Click on the pop up.
- 4. You'll be taken to our customer service page.
- 5. Fill the form with your order information and issue.
- 6. Submit form.
- 7. A customer service associate will contact you.

#### Other ways to contact us...



#### **Email Us**

customer service@simpli-home.com



#### **Visit Us**

Visit our site directly at www.simpli-home.com



#### Call Us

1-866-518-0120 Monday to Friday 9am to 5pm EST

\*If you've purchased from a retailer and you wish to return the product, please contact the retailer directly.

**IMPORTANT**: Please read this manual carefully before beginning assembly of this product. Keep this manual for future reference.

## **Safety Information**

**CAUTION**: Injuries and damage can occur from furniture tip over if product is not properly anchored to the wall. Use the Furniture Anti-Tipping Restraint provided with the product. Consult our assembly instructions for help.

If the Furniture Anti-Tipping Restraint kit is not in the box, please contact our customer service department in order to obtain another kit before using the furniture.

Identify all the parts and hardware. Do not discard of the packaging until you have checked that you have all of the parts and hardware required. Hardware package may have spare parts.

**WARNING:** This item contains small parts which can be swallowed by children and pets. Keep children and pets away during assembly. To avoid danger of suffocation, always keep plastic bags away from children and pets. We recommend that you assemble this unit on a carpeted floor to avoid scratches. If using power tools, set the tool to low torque to avoid damage.

May require 2 people for ease of assembly.

# **Care & Maintenance**

#### This furniture is designed for indoor use.

Perhaps the greatest environmental damage to wood furniture comes from wide swings in relative humidity (RH) in our homes. Wood absorbs and desorbs water as relative humidity rises and falls, and in doing so it swells and shrinks. Making matters worse, it expands and contracts unequally along different grain directions. As humidity changes, the components of wooden objects are continually pushing and pulling against each other. This pressure often results in parts of furniture no longer fitting together closely or becoming distorted or breaking from their own internal stresses.

The response to relative humidity changes begins with determining the annual average RH for your particular space. Then try to keep the RH in the space where your furniture is as close to that average as possible, generally within about 10% up or down. De-humidify in the summer and humidify in the winter.

Be aware that raising the temperature lowers the humidity and vice versa. Thus, modern heating systems, which can drive down interior RH in the winter, almost invariably cause problems for furniture. To counteract their effect, you can either modify the RH by keeping furniture containing spaces cooler in the winter or most importantly, have a good working humidifier for your home. A humidistat automatically works to balance the humidity in your home so it is constant. Dry indoor air can suck enough moisture from its surroundings to do permanent damage to wood, causing it to crack or split.

Remember, that not all woods are created equal. Two factors that help determine how rapidly a wood will lose moisture are pore size and surface hardness. A piece made from a dense and hard wood will dry less rapidly than pieces made from softer woods.

Furniture that is sealed and lacquered will lose moisture more slowly than an unfinished piece while pieces with veneer finishes are not only stronger but lose moisture more slowly than other finishes.


#### To help protect your wood furniture, take these steps:

- Use a humidifier, preferably one with an automatic control system that can sense the humidity level and adjust itself accordingly
- Don't over-humidify; that can damage wood by causing it to expand and contract
- Keep furniture out of direct sunlight, which can cause it to dry out, crack and warp
- If you can avoid it, don't put furniture near heating vents; if you can't, keep the item 3 to 4 inches away from the wall, giving the heat and air space to circulate
- Dust with soft dry cloth
- Do not use liquid or aerosol products
- To avoid marking, do not place rubber on surface (foot pads, etc.)
- For soil build-up, wipe with damp cloth & dry
- Do not use abrasive cleaners

## **WARNING**

The maximum diagonal CRT television screen size is 25 inch to 27 inch (63.50 cm to 68.58 cm). For use with televisions weighing 130 lbs or less. Using larger or heavier televisions may cause instability or tip over which can lead to serious injury or even death.

The recommended maximum width of the television intended for use is 66 inch (167.64 cm).





**WARNING** Do not place toys, food, etc. on the top shelves or upper drawers. Serious injury or death may occur when children climb on furniture. A remote control or items placed on the furniture may encourage a child to climb on the furniture and as a result make it top-heavy and cause it to tip over on the child.



**WARNING** Do not place a TV that exceeds the weight limits or size guidelines shown in the instructions specified for the furniture. Do not overload shelves or place heavy items on top shelves or drawers.

Improper use of furniture to support TVs may result in serious injury or death.



**WARNING** Do not relocate audio and/or video equipment to furniture not specifically designed to support audio and/or video equipment. Do not move furniture without shelves or drawers unloaded. Furniture can collapse or tip over onto a child and cause physical injury or death.


This TV Stand does not come with legible instructions pertaining to the risk of fire and electric shock that is associated with the use of electrical components such as operation, user-maintenance, loading, storage and as applicable electrical issues including grounding or double-insulation.

Any use of this item other than that recommended by the manufacturer in this manual may cause fire, burns, electric shock and/or serious injuries or death.



For use with televisions weighing 130 lbs or less. Use with heavier televisions may result in instability causing tip over resulting in death or serious injury.

If a customer wants to use this unit as a TV stand, you must install the TV at position 4 inches from the front edge of console to prevent it from tipping over. Do not place TV in front of this position.




MODEL#: AXCWSH60-LGB

DISTRIBUTION: SIMPLI HOME

ADDRESS: Tumwater, WA 98512-0410- USA

COUNTRY OF ORIGIN: VIET NAM

# **Pre-Assembly Information** Model # AXCWSH60-LGB **Part Description** BL BR LEFT SIDE TOP **RIGHT SIDE** QTY 1 QTY 1 QTY 1 $\mathsf{CL}$ CR LEFT DIVIDER RIGHT DIVIDER **BOTTOM SHELF** QTY 1 QTY 1 QTY 1 Ε G **CENTRE SHELF** SMALL SHELF LARGE SHELF QTY 1 QTY 1 QTY 2



### **Pre-Assembly Information**

#### **Model # AXCWSH60-LGB**

#### **Hardware Description**





ALLEN KEY BOLT M6 X 40mm QTY 4



**ALLEN KEY SCREW** M6 X 30mm **QTY 12** 

3



**CAM LOCK PIN** CAM LOCK QTY 16 SETS



WOOD DOWEL Ø8 X 30mm QTY 2

5



ALLEN KEY QTY 1

6




PHILLIPS SCREW **ROUND HEAD** M4 X 40mm QTY 4



PLASTIC CROSS NUT Ø9 X 10mm QTY 4

8



**HANDLE** M4 X 25 mm QTY 4 SETS

9




PHILLIPS SCREW M4 X 25mm QTY 4

10



PHILLIPS SCREW **ROUND HEAD** M4 X 15mm **QTY 22** 

11



MAGNET AND PLATE QTY 2 SETS

12



PHILLIPS SCREW M3 X 15mm QTY8

13



**ADJUSTABLE HINGE** QTY 4

14



PHILLIPS SCREW M4 X 15mm **QTY 24** 



SHELF SUPPORT **QTY 18** 


16



M4 X 25mm - QTY 2 (1 is extra) b. M4 X 15mm - QTY 1


c. M4 X 25mm - QTY 1


FURNITURE TIP OVER **RESTRAINT** QTY 1 SET




Required -Flathead screwdriver Phillips screwdriver Rubber mallet **Not Included** 












- 1. Attach four Cam Lock Pins (3) into pre-drilled holes on back of Drawer Front (K).
- 2. Use Phillips screwdriver to secure Cam Lock Pins. Do not over-tighten.



- 1. Align Cam Lock Pins with guide holes and attach Drawer Sides (L), (R).
- 2. Insert two Cam Locks ③ into guided holes on each Drawer Side (LL),(LR).
- 3. Use Phillips screwdriver to secure Cam Locks. Do not over-tighten.





1. Slide Drawer Bottom (N) firmly into slots on Drawer Sides (L), (R) and Drawer Front (K).




- 2. Align Drawer Back with Drawer Bottom and press firmly into slot.
- 3. Attach Drawer Back using two Phillips Screw Round Head 6 and Plastic Cross Nuts 7 through guide holes on each Drawer Side (L), (R).
- 4. Use Phillips screwdriver to secure Screw. Do not over-tighten.

Step 4







1. Use Phillips screwdriver to attach Handles 8 to Drawer Front K.




- 1. Attach three Cam Lock Pins (3) into pre-drilled holes on each Side (BL), (BR) and Divider (CL), (CR).
- 2. Use Phillips screwdriver to secure Cam Lock Pins. Do not over-tighten.
- 3. Insert one Wood Dowels 4 into guide holes on each Side (BL), (BR).
- 4. Use rubber mallet to tap Dowels 4 into bottom of holes securely. 1/3 length of Dowels should be exposed.






- 1. Align Cam Lock Pins with guide holes and attach Centre Shelf (E) to Dividers (C), (CR).
- 2. Insert six Cam Locks ③ into guided holes on Centre Shelf 🗈.
- 3. Use Phillips screwdriver to secure Cam Locks. Do not over-tighten.


## Model # AXCWSH60-LGB



- 1. Attach Dividers (L), (R) to Bottom Shelf (D) using six Allen Key Screws (2) through guide holes.
- 2. Use Allen Key (5) to tighten screws. Do not over-tighten.





3. Align Bottom Support Leg ① with pre-drilled holes on back of Bottom Shelf ②. Use Phillips Screwdriver to tighten four Phillips Screws ②.



- 1. Align Cam Lock Pins with guide holes and attach Sides (BL), (BR) to Bottom Shelf (D).
- 2. Insert six Cam Locks ③ into guided holes on Bottom Shelf ⑥.
- 3. Use Phillips screwdriver to secure Cam Locks. Do not over-tighten.








- 1. Align Wood Dowels with guide holes and attach Top (A) to Sides (BL), (BR).
- 2. Use two Allen Key Bolts 1 to attach each Side BL, BR through guide holes.
- 3. Use three Allen Key Screws 2 to attach each Divider CL), CR through guide holes from Dividers CL), CR to pre-drilled holes of Top (A).
- 4. Use Allen Key 5 to tighten Bolts. Do not over-tighten.

# Model # AXCWSH60-LGB


# Step 10

#### Note:


The back of the TV frame does not have pre-drilled holes to attach the back panel.




- 1. Attach Back Panel ① to back frame by using Phillips Screws Round Head ①.
- 2. Use Phillips Screwdriver to tighten screws. Do not over-tighten.



1. Attach Adjustable Hinges (13) to Doors (H) using Phillips Screws (14) into pre-drilled holes on Doors (H).




- 2. Attach Adjustable Hinges (13) on Doors (H) to parts (BL), (BR) using Phillips Screws (14) into pre-drilled holes on Sides (BL), (BR).
- 3. Use Phillips Screwdriver to tighten screws. Do not over-tighten.




- 1. Attach Magnets 11 to Dividers CL, CR using Phillips Screws 12 into pre-drilled holes on Dividers CL, CR.
- 2. Attach Magnet Plates 11 using Phillips Screws 12 into pre-drilled holes on Doors (H).
- 3. Use Phillips screwdriver to attach Handle (8) to Doors (H) through guide hole.
- 4. Use Phillips Screwdriver to tighten screws. Do not over-tighten.

#### **Step 13**




Tighten the Screw marked (I) to fasten hinge. The door may need to be adjusted so that all the spaces between the door and the unit sides are equal. To adjust, follow instructions:

- 1. Side adjustment 4 mm
  - To move the door towards the side panel, loosen screw (I) and tighten screw (I). To move the door away from the side panel, loosen screw (II) and tighten screw (I).
- 2. Depth adjustment 4 mm Loosen screw(II)( just one turn ), adjust door to desired position, re-tighten screw.
- 3. Height adjustment Loosen screw (14), adjust door to desired position, re-tighten screw.



- 1. Use four Shelf Supports (15) for each Cabinet Shelf (F), (G) in desired location.
- 2. Two Shelf Supports (15) may be used on back top of each Cabinet Shelf (F), (G) as a tipping restraint.

Step 15




1. Insert assembled drawer into glides on assembled TV.

# **Furniture Tip Over Restraint Assembly**




#### WARNING

Serious or fatal crushing injuries can occur from furniture tip-over. If the furniture tip over restraint kit is not in the box, please contact our customer service department in order to obtain another kit before using the furniture.




# **Furniture Anti-Tipping Restraint Instructions**


1. Attach one of the mounting brackets securely to the back edge of the furniture. Use the shorter screw.



2. Determine where furniture is to be placed and mark location on the wall for mounting bracket screw hole approximately 2 inches below the bracket mounted to the furniture.



- 3. Drill a 3/16 inch hole in the wall. Press the plastic anchor into the hole and gently tap until the flange on the anchor is against the wall surface.
- 4. Position the bracket over the anchor and use the longer screw to securely attach the bracket to the wall.
- 5. Place the furniture so the back edge is in line with the bracket on the wall.
- 6. Lace an end of the nylon zip-tie strap down through each bracket. Bring both ends together and slide the smooth side upright through the square-shaped end and pull through to create the "locked" position.
- 7. Check to make sure the strap is securely laced and locked to the brackets.



- **DO NOT** place heavy objects in top drawers or on top shelves
- **DO NOT** let children climb or hang on drawers, doors or shelves