



1. Identification

| Product identifier | Moly-Graph® Extreme Pressure Multi-Purpose Grease - 7 lb |
|--|--|
| Other means of identification | |
| Product Code | No. SL3146 (Item# 1007871) |
| Recommended use | Lubricating grease |
| Recommended restrictions | None known. |
| Manufacturer/Importer/Supplier/ | Distributor information |
| Manufactured or sold by: | |
| Company name | CRC Industries, Inc. |
| Address | 885 Louis Dr. |
| | Warminster, PA 18974 US |
| Telephone | |
| General Information | 215-674-4300 |
| Technical Assistance | 800-521-3168 |
| Customer Service | 800-272-4620 |
| 24-Hour Emergency (CHEMTREC) | 800-424-9300 (US) |
| Website | www.crcindustries.com |
| 2. Hazard(s) identification | |
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | The mixture does not meet the criteria for classification. |
| Precautionary statement | |
| Prevention | Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. Observe good industrial hygiene practices. |
| Response | Wash hands after handling. |
| Storage | Store away from incompatible materials. |
| Disposal | Dispose of waste and residues in accordance with local authority requirements. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | None. |

3. Composition/information on ingredients

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|---------|
| distillates (petroleum), hydrotreated heavy naphthenic | | 64742-52-5 | 50 - 60 |
| distillates (petroleum), solvent-dewaxed heavy paraffinic | | 64742-65-0 | 30 - 40 |
| calcium bis(dinonylnaphthalenesulphonate) | | 57855-77-3 | 0.1 - 1 |

| Chemical name | Common name and synonyms | CAS number | % |
|--|--|------------------------------------|--------------|
| distillates (petroleum), hydrotrea light naphthenic | ated | 64742-53-6 | 0.1 - 1 |
| graphite | | 7782-42-5 | 0.1 - 1 |
| Specific chemical identity and/or pe | ercentage of composition has been withheld as | s a trade secret. | |
| 4. First-aid measures | | | |
| Inhalation | Move to fresh air. Call a physician if sympton | ns develop or persist. | |
| Skin contact | Wash off with soap and water. Get medical a | ttention if irritation develops ar | nd persists. |
| Eye contact | Rinse with water. Get medical attention if irrit | ation develops and persists. | |
| Ingestion | Rinse mouth. Get medical attention if sympto | oms occur. | |
| Most important symptoms/effects, acute and delayed | Direct contact with eyes may cause temporary irritation. | | |
| Indication of immediate medical attention and special treatment needed | Treat symptomatically. | | |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. | | |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carl | oon dioxide (CO2). | |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. | | |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. | | |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | | |
| Fire-fighting equipment/instructions | Use standard firefighting procedures and consider the hazards of other involved materials. | | |
| General fire hazards | No unusual fire or explosion hazards noted. | | |
| 6. Accidental release mea | sures | | |
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. For pers | onal protection, see section 8 | of the SDS. |
| Methods and materials for containment and cleaning up | The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. | | |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. | | |

7. Handling and storage

Precautions for safe handlingObserve good industrial hygiene practices. For product usage instructions, see the product label.Conditions for safe storage,
including any incompatibilitiesStore in a cool, dry place out of direct sunlight. Store in tightly closed container. Store away from
incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components | Туре | Value | Form |
|--|------|------------|-------|
| distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | PEL | 5 mg/m3 | Mist. |
| | | 2000 mg/m3 | |
| | | 500 ppm | |

| Components | Туре | Value | Form |
|--|---|------------|----------------------|
| distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) | PEL | 5 mg/m3 | Mist. |
| | | 2000 mg/m3 | |
| | | 500 ppm | |
| distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) | PEL | 5 mg/m3 | Mist. |
| | | 2000 mg/m3 | |
| | | 500 ppm | |
| graphite (CAS 7782-42-5) | PEL | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| US. OSHA Table Z-3 (29 CFF | R 1910.1000) | | |
| Components | Туре | Value | |
| graphite (CAS 7782-42-5) | TWA | 15 mppcf | |
| US. ACGIH Threshold Limit | Values | | |
| Components | Туре | Value | Form |
| distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TWA | 5 mg/m3 | Inhalable fraction. |
| distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) | TWA | 5 mg/m3 | Inhalable fraction. |
| distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) | TWA | 5 mg/m3 | Inhalable fraction. |
| graphite (CAS 7782-42-5) | TWA | 2 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide to | Chemical Hazards | | |
| Components | Туре | Value | Form |
| distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | Ceiling | 1800 mg/m3 | |
| | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) | Ceiling | 1800 mg/m3 | |
| | STEL | 10 mg/m3 | Mist. |
| distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) | Ceiling | 1800 mg/m3 | |
| | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| graphite (CAS 7782-42-5) | TWA | 2.5 mg/m3 | Respirable. |
| ogical limit values | No biological exposure limits noted for the | | |

| Appropriate engineering controls | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
|-------------------------------------|---|
| Individual protection measures, | such as personal protective equipment |
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Skin protection Hand protection | Wear protective gloves such as: Rubber gloves. Latex gloves. |
| Other | Wear suitable protective clothing. |
| Respiratory protection | If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with a particulate cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

9. Physical and chemical properties

| Appearance | |
|--|-------------------------------|
| Physical state | Solid. |
| Form | Grease. |
| Color | Gray. |
| Odor | Mild petroleum. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | 680 °F (360 °C) estimated |
| Flash point | 275.0 °F (135.0 °C) estimated |
| Evaporation rate | Slow. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Vapor pressure | 45292.3 hPa estimated |
| Vapor density | > 1 (air = 1) |
| Relative density | 0.9 |
| Solubility(ies) | |
| Solubility (water) | Insoluble. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | 500 °F (260 °C) estimated |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Percent volatile | Not available. |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |

Contact with incompatible materials. Strong oxidizing agents. No hazardous decomposition products are known.

11. Toxicological information

| Information on likely route | es of exposure |
|-----------------------------|----------------|
|-----------------------------|----------------|

| Inhalation | Based on available data, the classification criteria are not met. |
|--|---|
| Skin contact | Based on available data, the classification criteria are not met. |
| Eye contact | Based on available data, the classification criteria are not met. |
| Ingestion | Based on available data, the classification criteria are not met. |
| Symptoms related to the physical, chemical and | Direct contact with eyes may cause temporary irritation. |

toxicological characteristics

Information on toxicological effects

| Acute toxicity | Not known. | | |
|--|--|---|--|
| Components | Species | Test Results | |
| distillates (petroleum), hydrotreate | d heavy naphthenic (CAS 64742-52-5) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | > 2000 mg/kg | |
| Oral | | | |
| LD50 | Rat | > 5000 mg/kg | |
| distillates (petroleum), hydrotreate | d light naphthenic (CAS 64742-53-6) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | > 5000 mg/kg | |
| Inhalation | | | |
| LC50 | Rat | 2180 mg/m³, 4 hours | |
| Oral | | | |
| LD50 | Rat | > 5000 mg/kg | |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. | | |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. | | |
| Respiratory or skin sensitizatio | n | | |
| Respiratory sensitization | Not a respiratory sensitizer. | | |
| Skin sensitization | This product is not expected to cause sl | kin sensitization. | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | |
| Carcinogenicity | Not classifiable as to carcinogenicity to | humans. | |
| IARC Monographs. Overall | Evaluation of Carcinogenicity | | |
| distillates (petroleum), sc (CAS 64742-65-0) | lvent-dewaxed heavy paraffinic 3 Not cl | assifiable as to carcinogenicity to humans. | |
| OSHA Specifically Regulate | ed Substances (29 CFR 1910.1001-1053) | | |
| Not listed. | | | |
| | ogram (NTP) Report on Carcinogens | | |
| Not listed. | | · · · · · · · · · · · · | |
| Reproductive toxicity | This product is not expected to cause re | eproductive or developmental effects. | |
| Specific target organ toxicity - single exposure | Not classified. | | |
| Specific target organ toxicity - repeated exposure | Not classified. | | |

| Aspiration hazard | Not an aspiration hazard. | | |
|-------------------------------|--|--|--|
| Further information | This product has no known adverse effect on human health. | | |
| 12. Ecological informatio | n | | |
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. | | |
| Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. | | |
| Bioaccumulative potential | | | |
| Mobility in soil | No data available. | | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | |
| 13. Disposal consideration | ons | | |
| Disposal instructions | This product is not a RCRA bazardous waste (See 40 CER Part 261 20 – 261 33) Empty | | |

| Disposal instructions | This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. |
|------------------------|---|
| Hazardous waste code | Not regulated. |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

Not regulated.

Food and Drug Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

graphite (CAS 7782-42-5)

US. Massachusetts RTK - Substance List

distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) graphite (CAS 7782-42-5)

US. Pennsylvania Worker and Community Right-to-Know Law

graphite (CAS 7782-42-5)

US. Rhode Island RTK

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) graphite (CAS 7782-42-5)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

Volatile organic compounds (VOC) regulations

EPA

| VOC content (40 CFR 51.100(s)) | Not determined |
|--|----------------|
| Consumer products (40 CFR 59, Subpt. C) | Not regulated |
| State Consumer products | Not regulated |

0 %

0 %

VOC content (CA) VOC content (OTC)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | No |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| | | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date Prepared by Version # | 11-03-2020 Allison Yoon 01 |
|--|--|
| Disclaimer | The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc |
| Revision information | This document has undergone significant changes and should be reviewed in its entirety. |