



ATTESTATION of conformity with UK legislation

Product: Portable luminaires

Reference: 82056485, 82069071, 82058473, 82069080, 82068019, 82068328, 82068329, 82068330, 82068331, 82068674, 82068677, 82068686

Issued to: Bloomingville A/S

Address: Lene Haus Vej 3-5 DK-7430 Ikast Denmark

Manufacturer: Bloomingville A/S

Technical characteristics: 220-240 V~, 50 Hz, Class II, IP20, Suitable for direct mounting on normally flammable surface; refer to next page for detail information.

The submitted sample of the above equipment has been tested for the below regulation(s):

- Electrical Equipment (Safety) Regulations 2016

Standards	Report number	Report date
BS EN IEC 60598-1:2021+A11:2022 BS EN 60598-2-4:2018 BS EN 62493: 2015+A1:2022	ADLO-EGZ-P25040278	May 27, 2025

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of conformity with the principle elements of the safety objectives covered by that standards

This verification does not imply assessment of the production of the product
The UKCA marking may be affixed on the product if all relevant UK legislations are fulfilled

Guangzhou, May 27, 2025



Eric TANG
Assistant Manager

This document shall not be reproduced, except in full, without the written approval of BV GZ. Information given in this document, are related to the tested specimen of the described electrical sample.

Bureau Veritas Consumer Products
Services (Guangzhou) Co., Ltd. Science City
Branch

Rm.101,G5 Building, South China Advanced
Materials Innovation Park, NO.31 Kefeng Rd,
Guangzhou Science City, Guangzhou,
510663 China

Tel: +86 20-87148500
Fax: +86 20-87148528

Model	Input	Power	Lampholder	Picture
82056485	220-240 V~, 50 Hz	1 x Max. 5 W self-ballasted LED lamp or 1 x Max. 11 W for CFL or 1 x Max. 40 W for incandescent lamp	E27	
82069071				
82069080				
82068019				
82058473	220-240 V~, 50 Hz	1 x Max. 2 W self-ballasted LED lamp or 1 x Max. 7 W for CFL or 1 x Max. 25 W for incandescent lamp	E27	
82068330				
82068328		1 x Max. 5 W self-ballasted LED lamp or 1 x Max. 11 W for CFL or 1 x Max. 40 W for incandescent lamp		
82068329				
82068331				
82068674		2 x Max. 2 W self-ballasted LED lamp or 2 x Max. 7 W for CFL or 2 x Max. 25 W for incandescent		E14

This document shall not be reproduced, except in full, without the written approval of BV GZ. Information given in this document, are related to the tested specimen of the described electrical sample.

Model	Input	Power	Lampholder	Picture
		lamp		
82068677		1 x Max. 2 W self-ballasted LED lamp or 1 x Max. 7 W for CFL or 1 x Max. 25 W for incandescent lam	E27	
82068686		1 x Max. 2 W self-ballasted LED lamp or 1 x Max. 7 W for CFL or 1 x Max. 25 W for incandescent lamp	E14	

This document shall not be reproduced, except in full, without the written approval of BV GZ. Information given in this document, are related to the tested specimen of the described electrical sample.