

QUESTION

1. A patient with a long history of alcohol abuse presents with a 2-week history of weight loss, anorexia, and weakness. The patient has a history of chronic liver disease and is currently on a low-fat diet. The patient's physical examination is notable for a 2-cm, firm, nontender, subcutaneous nodule in the right upper quadrant. The patient's laboratory studies are as follows:

Test	Result
White blood cell count	12,000/mm ³
Hemoglobin	10 g/dL
Hematocrit	30%
Platelets	150,000/mm ³
Prothrombin time	15 sec
Partial thromboplastin time	35 sec
Bilirubin	2.5 mg/dL
Alanine aminotransferase	150 U/L
Aspartate aminotransferase	180 U/L
Gamma-glutamyl transaminase	250 U/L
Alkaline phosphatase	1,200 U/L
Ammonia	100 μmol/L
Urea nitrogen	10 mg/dL
Creatinine	1.5 mg/dL

2. A 65-year-old man with a long history of alcohol abuse presents with a 2-week history of weight loss, anorexia, and weakness. The patient has a history of chronic liver disease and is currently on a low-fat diet. The patient's physical examination is notable for a 2-cm, firm, nontender, subcutaneous nodule in the right upper quadrant. The patient's laboratory studies are as follows:

Test	Result
White blood cell count	12,000/mm ³
Hemoglobin	10 g/dL
Hematocrit	30%
Platelets	150,000/mm ³
Prothrombin time	15 sec
Partial thromboplastin time	35 sec
Bilirubin	2.5 mg/dL
Alanine aminotransferase	150 U/L
Aspartate aminotransferase	180 U/L
Gamma-glutamyl transaminase	250 U/L
Alkaline phosphatase	1,200 U/L
Ammonia	100 μmol/L
Urea nitrogen	10 mg/dL
Creatinine	1.5 mg/dL

3. A patient with a long history of alcohol abuse presents with a 2-week history of weight loss, anorexia, and weakness. The patient has a history of chronic liver disease and is currently on a low-fat diet. The patient's physical examination is notable for a 2-cm, firm, nontender, subcutaneous nodule in the right upper quadrant. The patient's laboratory studies are as follows:

ANSWERS



4. A patient with a long history of alcohol abuse presents with a 2-week history of weight loss, anorexia, and weakness. The patient has a history of chronic liver disease and is currently on a low-fat diet. The patient's physical examination is notable for a 2-cm, firm, nontender, subcutaneous nodule in the right upper quadrant. The patient's laboratory studies are as follows: