

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Ultra-Lite 3-36® - 5 gallon	
Other means of identification		
Product Code	No. 03162 (Item# 1003430)	
Recommended use	Dry film lubricant	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Manufactured or sold by:		
Company name	CRC Industries, Inc.	
Address	885 Louis Dr.	
	Warminster, PA 18974 US	
Telephone		
General Information	215-674-4300	
Technical Assistance	800-521-3168	
Customer Service	800-272-4620	
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)	
Website	www.crcindustries.com	
2. Hazard(s) identification	1	
Physical hazards	Flammable liquids	Cated

Physical hazards	Flammable liquids	Category 4
Health hazards	Skin corrosion/irritation	Category 2
	Sensitization, skin	Category 1
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement		and enters airways. Causes skin irritation. May wsiness or dizziness. Toxic to aquatic life. Toxic
Precautionary statement		

Keep away from flames and hot surfaces-No smoking. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection. Avoid release to the environment.

If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash Response with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. In case of fire: Do not use water jet as an extinguisher, as this will spread the fire. Collect spillage.

Prevention

aquatic life. Toxic to

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), hydrotreated light		64742-47-8	80 - 90
calcium bis(dinonylnaphthalenesulphonate)		57855-77-3	< 1
calcium carbonate		471-34-1	< 0.3
Vanilla fragrances		Proprietary	< 0.3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Diarrhea. Direct contact with eyes may cause temporary irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	Combustible liquid. Will burn if involved in a fire.	

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Occupational exposure limits US. OSHA Table Z-1 Limits 1 Components	or Air Contaminants (29 CFR 1910.1000) Type	Value	Form
8. Exposure controls/pers	onal protection		
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).		
7. Handling and storage Precautions for safe handling	Keep away from open flames, hot surfaces and Avoid breathing vapors. Avoid contact with eye contact with skin. Avoid prolonged exposure. U personal protective equipment. Wash hands the environment. Observe good industrial hygiene product label.	s, skin, and clothing. se only in well-ventila proughly after handlii	Avoid prolonged or repeated ated areas. Wear appropriate ng. Avoid release to the
Environmental precautions	Never return spills to original containers for re-u Avoid release to the environment. Inform appro environmental releases. Prevent further leakag drains, water courses or onto the ground.	priate managerial or	supervisory personnel of all
	Small Spills: Absorb with earth, sand or other n for later disposal. Wipe up with absorbent mate remove residual contamination.	rial (e.g. cloth, fleece	e). Clean surface thoroughly to
	Large Spills: Stop the flow of material, if this is possible. Use a non-combustible material like v and place into a container for later disposal. Fo	ermiculite, sand or e	arth to soak up the product
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vap smoking, flares, sparks, or flames in immediate away from spilled material. This product is mise	area). Keep combus	stibles (wood, paper, oil, etc.)

calcium carbonate (CAS 471-34-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
calcium carbonate (CAS 471-34-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	100 mg/m3	
Biological limit values	No biological exposure limits noted f	or the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product.		res, local exhaust ventilation, mmended exposure limits. If to an acceptable level. Eye
Individual protection measures	s, such as personal protective equipn		
Eye/face protection	Wear safety glasses with side shield	s (or goggles).	
Skin protection Hand protection	Wear protective gloves such as: Nitr	ile. Neoprene.	
Other	Wear appropriate chemical resistant	clothing. Use of an impervious	apron is recommended.
Respiratory protection	If engineering controls are not feasib NIOSH-approved cartridge respirato breathing apparatus in confined space determine actual employee exposure	r with an organic vapor cartridge ces and for emergencies. Air me	e. Use a self-contained
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

Appearance
------------

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Amber.
Odor	Petroleum.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-56.2 °F (-49 °C) estimated
Initial boiling point and boiling range	360 °F (182.2 °C) estimated
Flash point	172 °F (77.8 °C) Setaflash
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	0.6 % estimated
Flammability limit - upper (%)	5.5 % estimated
Vapor pressure	0.5 hPa estimated
Vapor density	> 1 (air = 1)
Relative density	0.8
Solubility(ies)	
Solubility (water)	Negligible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	428 °F (220 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	90.1 % estimated
10. Stability and reactivity	1
-	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.	
Skin contact	Causes skin irritation. May cause an allergic skin reaction.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.	

Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Diarrhea. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

### Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

Acute toxicity	May be fatal if swallowed and enters airways.	
Components	Species	Test Results
calcium bis(dinonylnaphthalenesu	phonate) (CAS 57855-77-3)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 20 g/kg
Oral		
LD50	Rat	> 5000 mg/kg
calcium carbonate (CAS 471-34-1	)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
LC50	Rat	> 3 mg/l
Oral		
LD50	Rat	6450 mg/kg
distillates (petroleum), hydrotreate	d light (CAS 64742-47-8)	
<u>Acute</u>		
Dermal	- /	
LD50	Rat	> 2000 mg/kg
Inhalation	- /	
LC50	Rat	> 5.2 mg/l, 4 hours
Oral		
LD50	Rat	> 5000 mg/kg, 2.5 hours
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye rritation	Direct contact with eyes may cause temporary irrita	ation.
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed. OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1052)	
	ogram (NTP) Report on Carcinogens	
Not listed.	This product is not expected to cause conseductive	or developmental effects
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects. May cause drowsiness and dizziness.	
Specific target organ toxicity - single exposure		
Specific target organ toxicity - epeated exposure	Not classified.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
Chronic effects	Prolonged inhalation may be harmful.	
Chronic effects 12. Ecological information	Prolonged inhalation may be harmful.	


Ecotoxicity

Toxic to aquatic life with long lasting effects.

Components		Species	Test Results	
calcium carbonate (CAS 471-	34-1)			
Aquatic				
Acute				
Fish	LC50	Western mosquitofish (Gambusia affin	is) > 56000 mg/l, 96 hours	
distillates (petroleum), hydroti	reated light (CAS			
Aquatic				
Acute				
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours	
			0.7	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 1000 mg/l, 96 hours	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.			
Bioaccumulative potential	No data available.			
Mobility in soil	No data available.			
Other adverse effects				
Other adverse enects	potential.	The product contains volatile organic compounds which have a photochemical ozone creation potential.		
13. Disposal consideratio	ons			
Disposal instructions	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.			
Hazardous waste code	Not regulated.			
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after containe emptied.			
14. Transport information	1			
рот				
Road				
Not regulated as dangerous g	loods by around			
DOT	joods by ground			
Air				
Not regulated as dangerous g	loods by air			
DOT	joods by all.			
Maritime				
UN number	UN3082			
UN proper shipping name			distillates (petroleum), hydrotreated light),	
Transport hazard class(es)				
Class	9			
Subsidiary risk	-			
Label(s)	9			
Packing group Environmental hazards	III			
Marine pollutant	Yes			
-	r Read safety ir	structions, SDS and emergency proced	ures before handling.	
Special provisions	8, 146, 335, IE	33, T4, TP1, TP29		
Packaging exceptions	155			
Packaging non bulk	203			
Packaging bulk	241			
IATA UN number	UN3082			
UN proper shipping name		lly hazardous substance, liquid, n.o.s. (d	istillates (petroleum), hydrotreated light)	
Transport hazard class(es)			istinates (periorean), nyarotreated light)	
Class	9			
Subsidiary risk	-			
Packing group	111			

ERG Code Special precautions for user Other information	9L Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (distillates (petroleum), hydrotreated light), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

DOT Maritime; IATA; IMDG



Marine pollutant



# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

# **CERCLA Hazardous Substances: Reportable quantity**

### Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

# 0

Other federal regulations		
-	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)	
Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Respiratory or skin sensitization Specific target organ toxicity (single or repeated exposure) Aspiration hazard	
SARA 302 Extremely hazar	dous substance	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
SARA 313 (TRI reporting) Not regulated.		
US state regulations		
•	d Community Right-to-Know Act	
calcium carbonate (CAS		
US. Massachusetts RTK - S	ubstance List	
-	nd Community Right-to-Know Law	
calcium carbonate (CAS distillates (petroleum), hy US. Rhode Island RTK	471-34-1) /drotreated light (CAS 64742-47-8)	
calcium carbonate (CAS distillates (petroleum), hy	471-34-1) /drotreated light (CAS 64742-47-8)	
California Proposition 65		
is not known to contain a	Water and Toxic Enforcement Act of 2016 (Proposition 65): This material iny chemicals currently listed as carcinogens or reproductive toxins. For ww.P65Warnings.ca.gov.	
US. California. Candida subd. (a))	te Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,	
distillates (petroleun	n), hydrotreated light (CAS 64742-47-8)	
Volatile organic compounds (Vo EPA	C) regulations	
VOC content (40 CFR 51.100(s))	90.1 %	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	Not regulated	
VOC content (CA)	45.1 %	
VOC content (OTC)	45.1 %	
International Inventories		

Country(s) or region Australia	Inventory name Australian Inventory of Chemical Substances (AICS)	On inventory (yes/no)* Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region	Inventory name On invento	ry (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date Prepared by Version # Further information	04-22-2019 Allison Yoon 01 CRC # 559A/1002577
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	Product and Company Identification: Product Codes Hazard(s) identification: Prevention Accidental release measures: Personal precautions, protective equipment and emergency procedures Handling and storage: Precautions for safe handling