

5.625 2.25" 13.5" 8.875 15.625"

Finish Option(s)



(TB)





(NB)







Shade Option(s)

Opal Glass

Polished Nickel (PN)

Newbury 6", 16" Belt Shade

Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 150 W **Voltage:** 120/220 V Location Rating: Damp

Dimensions:

Overall: 13.5" H x 15.625" W x 15.625" D Shade: 8.875'' H x 15.625'' W x 15625'' DCanopy: 2.25" H x 5.625" W x 5.625" D

Fitter Size: 6"

Materials: Brass, Glass



5.625 2.25" 11.75" 7.25" 11.625"

Newbury 6", Drum Shade

Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 150 W **Voltage:** 120/220 V Location Rating: Damp

Dimensions:

Overall: 11.75" H x 11.625" W x 11.625" D Shade: 7.25" H x 11.625" W x 11.625" D Canopy: 2.25" H x 5.625" W x 5.625" D

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee

Finish Option(s)







Natural Brass

(NB)



Satin Nickel



Multicolor

(MULT)



(BPS)






(OP)



Gray Bands (GB)



True Black (TB)



5.625" 9.875" 12.5"

Finish Option(s)











True Black





Shade Option(s)





Natural Brass (NB)

Newbury 6", Ellipse Shade

Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 150 W **Voltage:** 120/220 V Location Rating: Damp

Dimensions:

Overall: 9.875" H x 12.5" W x 12.5" D Shade: $5.25'' H \times 12.5'' W \times 12.5'' D$ Canopy: 2.25" H x 5.625" W x 5.625" D

Fitter Size: 6"

Materials: Brass, Glass



5.625" 2.25" 11" 6.5 16.5"

Finish Option(s)



(NB)





(PN)











Opal Glass



True Black (TB)

Newbury 6", Fluted Deco Shade

Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 150 W **Voltage:** 120/220 V Location Rating: Damp


Dimensions:

Overall: 11" H x 16.5" W x 16.5" D Shade: 6.5" H x 16.5" W x 16.5" D Canopy: 2.25" H x 5.625" W x 5.625" D

Fitter Size: 6"

Materials: Brass, Glass





Finish Option(s)









(NB)









Opal Glass Gray Bands (GB)

Newbury 6", Ogee Shade

Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 150 W **Voltage:** 120/220 V Location Rating: Damp

Dimensions:

Overall: 12.125" H x 11" W x 11" D Shade: $7.625'' H \times 11'' W \times 11'' D$ Canopy: 2.25" H x 5.625" W x 5.625" D

Fitter Size: 6"

Materials: Brass, Glass



Satin Nickel (SN)



5.625 2.25" 13.625" 9.125 15.75

Finish Option(s)













Polished Nickel

Natural Brass (NB)

Satin Nickel

Black Pinstripe

Opal Glass



True Black (TB)

Newbury 6", 16" Traditional Schoolhouse Shade

Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 150 W **Voltage:** 120/220 V Location Rating: Damp

Dimensions:

Overall: 13.625" H x 15.75" W x 15.75" D Shade: 9.125'' H x 15.75'' W x 15.75'' DCanopy: 2.25" H x 5.625" W x 5.625" D

Fitter Size: 6"

Materials: Brass, Glass



5.625 2.25" 12.375" 7.875" 13.5"

Finish Option(s)



(TB)





(NB)





Satin Nickel



Shade Option(s)

Opal Glass



Polished Nickel (PN)

Newbury 6", 14" Belt Shade

Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 150 W **Voltage:** 120/220 V Location Rating: Damp

Dimensions:

Overall: 12.375" H x 13.5" W x 13.5" D Shade: 7.875" H x 13.5" W x 13.5" D Canopy: 2.25" H x 5.625" W x 5.625" D Fitter Size: 6"

Materials: Brass, Glass



5.625 2.25" 12.375" 7.875 13.75"

Finish Option(s)







(TB)









(PN)

Newbury 6", 14" Traditional Schoolhouse Shade

Application: Surface Mount

Product Origin: Processed and assembled in Portland, Oregon using ethically-sourced domestic and global components.

UL Listed: Yes

Max Wattage: 150 W **Voltage:** 120/220 V Location Rating: Damp

Dimensions:

Overall: 12.375" H x 13.75" W x 13.75" D Shade: 7.875" H x 13.75" W x 13.75" D Canopy: 2.25" H x 5.625" W x 5.625" D

Fitter Size: 6"

Materials: Brass, Glass

One year guarantee









Shade Option(s)





Natural Brass (NB)