







FLAME RESISTANT **PROTECTIVE WEAR** FOR HAZARDOUS **ENVIRONMENTS**

STANDARDS

ASTM 1506

Requires material testing and garment testing to insure they are constructed from compliant materials. The fabric or fabric system is tested and the incident energy measured in cal/cm2 that has a 50% probability of causing second degree burns. It is then assigned an ATPV or EBT value.

INCLUDES VERTICAL FLAME TEST:

- Unwashed fabric
- home-laundered 25 times
- Char length = 6"
- After flame = 2 seconds

NFPA 2112

Standard on Flame-Resistant Garments for Protection of Industrial Personnel Against Flash Fire specifies the minimum design, performance, certification, and testing requirements for flame-resistant fabric and garments for use in areas at risk from flash fires.

NFPA 70E

Essential for manufacturers and certifying agencies, this standard protects workers from flash fire exposure and injury by specifying performance requirements and test methods for flame-resistant fabric and garments.

INDUSTRY TERMS

- Flame Resistant (FR) A fabric or product that resists ignition and self extinguishes after removal of the ignition source
- Arc Rated (AR) Value describing a fabric's performance under exposure to an electrical arc discharge
- Flame Retardant A chemical treatment applied to a flammable base fabric that gives it FR properties
- Inherent An FR fabric that is made of fibers that are flame resistant due to the chemical structure of the fibers and has not been chemically treated
- Treated An FR fabric in which flame-retardant chemicals are added to the fabric after it has been woven or knitted
- **Self Extinguishing (SE)** A treated fabric (polyester) that burns if exposed to flame, but won't continue to burn after the source of ignition is removed as defined by ASTM D6413 Standard



PPE REQUIRED FOR HRC1-4

Hazard/Risk Category (HRC)

Minimum Arc Rating (Cal/CM²)

Arc-Rated Clothing



4 Cal/CM²

Arc-rated FR shirt and FR pants or FR coverall (1 layer)



8 Cal/CM²

Arc-rated FR shirt and FR pants or FR coverall (2 layers)



25 Cal/CM²

Arc-rated FR shirt and FR pants or FR coverall, and arc flash suit selected so that the system arc rating meets the required minimum (2 or 3 layers)



40 Cal/CM²

Arc-rated FR shirt and FR pants or FR coverall, and arc flash suit selected so that the system arc rating meets the required minimum (3 or more layers)



VolCore FR products proudly use imported fabrics and components that are manufactured into high-quality, price competitive garments. Same price, all sizes, all the time! (Small-6X, Excluding Tall sizes)

VolCore - 2 fabrics, 4 colors, 2 weights

- Fabrics: 88/12 & 100% cotton
- Colors: Navy, Khaki, Gray & Denim
- Weights: 7oz, 13oz (denim)



NeeseWearFR proudly sources domestic fabrics by Westex including Nomex. DH. Indura and Ultra-Soft that are manufactured into high-quality finished garments.

Neese – 4 fabrics, 8 colors, 5 weights

- Fabrics: Nomex, Indura, Ultra-Soft & DH
- Colors: Navy, Khaki, Gray, Orange, Red, Royal Blue, Cobalt, Green
- Weights: 4.5oz, 6oz, 7oz & 9oz

COLOR CROSS REFERENCE

Material	Navy	Khaki	Gray	Royal	Red	Orange	Dark Green	Cobalt
7oz Indura	Х	X		X		X		
9oz Indura	X	X	X	X		X		
7oz Ultra-Soft	X	X	X	X	X	X		
8oz Ultra-Soft	X							
4.5oz Nomex	Х	X	X	X	X		X	
6oz Nomex	X	X				X	X	
5.5oz DH Air	Х	X	X					X





VM7CA3FY S-6XL

FR HI-VIS CLASS 3 COVERALL

- ATPV = 8.6 cal/cm2 (CAT 2)
- Inherently FR Modacrylic Fabric
- 2" Silver Reflective Tape
- . Meets High Visibility ANSI/ISEA 107-2020 (Class 3)
- D-Ring Access Port on Upper Back
- Seven Double Stitched Pockets
- Elastic Waist
- Nomex® IIIA Zipper Front & Lower **Leg Closures**
- Non-Sparking Covered Snaps
- Bar Tacked Stress Points
- One-Piece Action Back Design









Leaf collar • Double-stitched pockets (2 chest, 2 rear, 2 hip, 1 tool) · Wide elastic waist • FR zipper front closure • Non-sparking covered snaps **Bar tacked stress points** Action-back design CHECK CROSS REFERENCE FOR COLORS Description VI7CA Indura 7 oz Cotton FR fabric - (CAT 2) - 8 Cal/CM2 VI9CA Indura 9 oz Cotton FR fabric - (CAT 2) - 11.5 Cal/CM2 VU7CA Ultra-Soft 88% Cotton/12% Nylon - (CAT 2) - 8.5 Cal/CM2 VU9CA Ultra-Soft 88% Cotton/12% Nylon - (CAT 2) - 12.4 Cal/CM2 VN4CA Nomex 4.5 oz - (CAT 1) - 4.6 Cal/CM2

FR COVERALLS S-6XL

FR EXTRICATION COVERALL S-6XL

- 2" Lime-Yellow/Silver Tape (Upper Arms, Lower Legs, & Upper Back)
- Stand-Up Protective Collar with Neck Closure
- One-Piece Action Back Design with Elastic Waist
- FR Zipper Front & Lower Zipper Leg Closures
- Front Hook & Loop Flap Closure
- 9" Radio Pocket with Flap & Microphone Tab
- Right Breast Pocket with Flap Closure
- · Pen & Mini Flashlight Pocket on Upper Left Sleeve
- Multi-Cargo "5 in 1" Pocket on Right Leg
- Slant-Cargo Pocket on Left Leg
- Two Waist Side Pockets with Pass-Through
- Two Rear Patch Pockets with Flap Closure



CHECK CROSS REFERENCE FOR COLORS


	Part No.	Description
	VI9CAE	Indura 9 oz Cotton FR fabric - (CAT 2) - 11.5Cal/CM2
	VN4CAE	Nomex 4.5 oz - (CAT 1) - 4.6 Cal/CM2
	VU7CAE	Ultra-Soft 7 oz 88% Cotton/12% Nylon - (CAT 2) - 8.5 Cal/CM2





• Ultra-Soft 88% Cotton, 12% Nylon (CAT 2) 8.5 Cal/cm2 . Designed for Women's Comfort Fit • FR Zipper Front, Non-Sparking Covered Snaps • Elastic Waist • 7 Double-Stitched Pockets (2 chest, 2 rear, 2 hips, 1 tool) • Leaf Collar, Bar Tacked Stress Points, Gusseted

• FR/ARC Rated: NFPA 70E, NFPA 2112, ASTM F1506



Nomex 6 oz - (CAT 1) - 5.8 Cal/CM2

XS - 3XL

• Made in USA Westex® 7oz. Ultra-Soft fabric

VN6CA

VU7LCA

WOMEN'S FR COVERALL









FRCA-001

S-6XL

Vented Back

88% COTTON, 12% NYLON FR COVERALL

• AR/FR 7oz. Long Sleeve Vented Coverall

- Soft and Comfortable 88% Cotton / 12% Nylon
- ATPV 8.9 Cal/cm²
- ASTM F1506 & NFPA 2112
- UL Certified
- NFPA 70E PPE CAT 2
- 2 Chest Pockets with Flaps and 1 Pencil/Pen Slot
- Heavy Duty, 2-way Quick Release FR Brass Zipper
- Heavy Duty Covered Internal Snaps on Placket
- 2 Side Pockets with Internal Pass-Thru Access
- Reflective Piping On Chest and Back Pockets
- 2 Back Hip Pockets with Flaps
- Comfortable Elasticized Back Waistband
- Adjustable Snap Sleeve Cuffs
- Vented Mesh Back
- Navy, Khaki or Gray



FRCA-002 S-6XL 100% COTTON FR COVERALL

FRCAT-002 (TALL)
KHAKI ONLY



- AR/FR 7oz. Long Sleeve Coverall
- Soft and Comfortable 100% Cotton
- ATPV 8.5 Cal/cm²
- ASTM F1506 & NFPA 2112
- UL Certified
- NFPA 70E PPE CAT 2
- 2 Chest Pockets with 1 Pencil/Pen Slot
- Heavy Duty, 2-way Quick Release FR Brass Zipper
- Heavy Duty Covered Internal Snaps on Placket
- 2 Side Pockets with Internal Pass-Thru Access
- Comfortable Elasticized Back Waistband
- 2 Back Hip Pockets
- Adjustable Snap Sleeve Cuffs
- · Navy, Khaki or Gray















TALL SIZES AVAILABLE

7 OZ 100% COTTON FR COVERALL

- Soft and Comfortable 100% 7oz. Cotton
- ATPV 8.5 Cal/cm²
- ASTM F1506 & NFPA 2112
- UL Certified
- NFPA 70E PPE CAT 2
- 2 Chest Pockets with Velcro Flap Closure and 1 Pencil/Pen Slot
- Heavy Duty Covered Snaps on Placket
- 2 Side Pockets with Internal Pass-Thru Access
- 2 Back Hip Pockets
- Comfortable Elasticized Back Waistband
- Adjustable Snap Sleeve Cuffs
- . Adjustable Snaps on Lower Leg Opening
- Navy, Khaki or Gray











TALL SIZES AVAILABLE

9 OZ 100% COTTON FR COVERALL

- Soft and Comfortable 100% 9oz. Cotton
- ATPV 9.2 Cal/cm²
- ASTM F1506 & NFPA 2112
- UL Certified
- NFPA 70E PPE CAT 2
- 2 Chest Pockets and 1 Pencil/Pen Slot
- Heavy Duty, 2-Way Quick Release FR Brass Zipper
- Heavy Duty Internal Covered Snaps on Placket
- 2 Side Pockets with Internal Pass-Thru Access
- 2 Back Hip Pockets
- Comfortable Elasticized Back Waistband
- Adjustable Snap Sleeve Cuffs
- Khaki Only



















VDH5VSH S-5XL

5.5 OZ DH AIR VENTED **BACK FR WORKSHIRT**

• 5.5oz. Westex DH Air Fabric with Modacrylic **Mesh Vented Back Panel**

• Breathable, Moisture Wicking Technology

ATPV 9.1 Cal/cm²

• Dual Hazard Protection - NFPA 2112, ASTM F1506

• NFPA 70E PPE CAT 2

• Double Chest Pockets

• Left Sleeve Instrument Pocket

• Radio/Badge Loop on Right Chest Pocket

• Button Down Collar

• Adjustable Sleeve Placket

• Bar Tacked Stress Points

· Navy, Cobalt, Gray or Khaki















S-5XL

Westex* DH Air

5.5 OZ DH AIR CLASSIC FR WORKSHIRT

• 5.5oz. Westex DH Air fabric

• Breathable, Moisture Wicking Technology

• ATPV 9.1 Cal/cm²

• Dual Hazard Protection - NFPA 2112, ASTM F1506

• NFPA 70E PPE CAT 2

• Classic Button Front Styling

• Left Chest Pocket

Button Down Collar and Ease Pleat Back

• Adjustable Sleeve Jacket

• Bar Tacked Stress Points

· Navy, Cobalt, Gray or Khaki









S-5XL



FR WORK SHIRTS S-6XL

• Classic tapered styling with an ease pleat back

• Breast pockets, button down collar, tapered sleeves, and adjustable cuffs

• Garment Fabric and Components

NFPA 2112 Certified and Listed by UL











CHECK CROSS REFERENCE FOR COLORS

Part No.	Description
VI7SH	Indura 7 oz Cotton FR fabric - (CAT 2) - 8 Cal/CM2
VI9SH	Indura 9 oz Cotton FR fabric - (CAT 2) - 11.5 Cal/CM2
VU7SH	7 oz 88% Cotton/12% Nylon - (CAT 2) - 8.5 Cal/CM2
VN4SH	Nomex 4.5 oz - (CAT 1) - 4.6 Cal/CM2
VN6SH	Nomex 6 oz - (CAT 1) - 5.8 Cal/CM2

VU7SH3

FR HI-VIS CLASS 3 SHIRT

- 7oz. Ultra Soft 88% Cotton/12% Nylon
- Classic Work Shirt Styling
- Silver 2" 3M Segmented Reflective Tape
- ANSI/ISEA 107-2020 (Class 3)
- Button Down Collar & Ease Pleat Back
- Placket Front with Button-Up Front Closure
- Breast Pockets with Flap Closures
- Tapered Sleeves
- Sleeve Placket with Two Button Cuffs
- Bar Tacked Stress Points
- Rounded Tail & Hemmed Bottom
- Hi-Vis Lime











FRS-001 M-5XL

88% COTTON 12% NYLON LONG SLEEVE BUTTON DOWN FR SHIRT

• 88% Cotton 12% Nylon Soft Woven Twill

• AR/FR 7oz. Button down work shirt

- ATPV 8.9 Cal/cm²
- ASTM F1506 & NFPA 2112
- UL Certified
- NFPA 70E PPE CAT 2
- 2 chest pockets with velcro flaps
- Navy or Khaki



Reflective Piping













FRS-002 M-5XL

Soft and Comfortable 100%

Cotton Interlock Knit

• AR/FR 6.5oz Cotton

• ATPV 11 Cal/cm²

UL Certified

Long Sleeve Henley

• NFPA 70E PPE CAT 2

• Left Chest Pocket

with Pencil Slot • Dual Pencil/Pen Pocket on Upper Left Sleeve · Navy, Khaki or Gray

• ASTM F1506 & NFPA 2112



ARØFR CAT® NFPA 2118



AR/FR 6.50Z 100% PRESHRUNK

COTTON LONG SLEEVE HENLEY

FRS-003 M-5XL

AR/FR 7 OZ BUTTON DOWN **WORK SHIRT**



- 100% Cotton Soft Woven Twill
- ATPV 8.5 Cal/cm²
- ASTM F1506 & NFPA 2112
- UL Certified
- NFPA 70E PPE CAT 2
- 2 Chest Pockets with Flaps
- 1 Piece Under Sleeve and Side Panel
- · Navy, Gray or Khaki







VI6HS

AR/FR 60Z 100% COTTON S-6XL**LONG SLEEVE HENLEY**

- · Classic Henley Shirt Styling
- AR/FR 6oz Cotton **Long Sleeve Henley**
- ATPV 8.7 Cal/cm²
- ASTM F1506 & NFPA 2112
- UL Certified
- NFPA 70E PPE CAT 2
- Raglan Sleeve Design
- Banded Collar
- Three Button Front Opening
- Tapered Sleeves
- Elastic Cuff Sleeves
- Straight Hemmed Bottom
- · Navy, Khaki or Gray























VM7JBL3FY

CAT 4 HIGH VISIBILITY FR JACKET WITH FR INSULAIR QUILTED LINING

- 2" Silver Reflective Tape
- Heavy Duty Brass Zip Front With Snap Placket
- Adjustable Snap Sleeve Cuffs
- Front Patch Pockets With Outer Side Entry Pockets
- Interior Tablet Pocket
- Lower Elastic Waist
- 7 oz Modacrvlic Shell
- 10 oz FR InsulAir® Quilted Lining
- ASTm F1506 & Nfpa 2112
- NFPA 70E PPE CAT 4
- 52 Cal/Cm2 Atpv
- ANSI/ISEA 107-2020 (Class 3)







FR LAB COAT

- Classic Lab Coat Styling
- Leaf Collar
- Snap-Up Front Closure with **Covered Snaps**
- Left Breast Pocket with Pen Slot
- Lower Hip Side Pockets with **Reinforced Bottoms**
- Wrist Cuffs with Take-Up Snaps



CHECK CROSS REFERENCE FOR COLORS

Part No.	Description
VI9LC	9 oz INDURA - ATPV=11.5 cal/cm2 (CAT 2)
VN4LC	Nomex 4 oz - (CAT 1) - 4.6 Cal/CM2









FR WORK TROUSERS 32-48 Waist

- Classic Work Pant Styling
- Side Slash Front Pockets
- Two Rear Pockets
- Single Button Waist Front Closure
- FR NOMEX® Zipper Front Flyer
- Standard Belt Loops
- Custom Sizes Available!



CHECK CROSS REFERENCE FOR COLORS

Part No.	Description
VI7PT	7 oz Cotton FR fabric - (CAT 2) - 8 Cal/CM2
VI9PT	9 oz Cotton FR fabric - (CAT 2) - 11.5Cal/CM2
VU7PT	7 oz 88% Cotton/12% Nylon - (CAT 2) - 8.5 Cal/CM2
VN4PT	Nomex 4.5 oz - (CAT 1) - 4.6 Cal/CM2
VN6PT	Nomex 6 oz - (CAT 1) - 5.8 Cal/CM2

FR CARGO TROUSERS 32-48 Waist

- Ease Tapered Seat Styling
- Comfortable Relaxed Fit
- Welt Back Pockets (2)
- Button Secure Closure on Left **Welt Back Pocket**
- Side Slash Front Pockets
- Side Expanding Cargo Style **Pockets**
- FR NOMEX® Zipper Front Fly
- Single Button Waist Front Closure
- Standard Belt Loops
- Custom Sizes Available!





CHECK CROSS REFERENCE FOR COLORS

Part No.	Description			
VI9PTC	9 oz INDURA - ATPV=11.5 cal/cm2 (CAT 2)			
VU8PTC	INDURA Ultra-Soft 8 oz - ATPV=9.87 cal/cm2 (CAT 2)			



WARNING: Cancer and reproductive harm - www.P65warnings.ca.gov

FRD-001D 30-50 Waist/32-38 Inseam

- AR/FR 13oz Cotton Blue Jeans
- Prewashed Soft and Comfortable Dark Blue Denim
- Reflective Piping Along Middle of Back Pockets
- ATPV 16.4 Cal/cm²
- ASTM F1506 & NFPA 2112
- UL Certified
- NFPA 70E PPE CAT 2
- Button Front and Zipper Fly
- Five Pocket Styling w/Coin **Pocket on Right Side**
- Custom Sizes Available!





On Back Pockets





FR RAINWEAR

PETRO ARC SERIES

The Petro Arc Series offers a unique protective wear solution for the many challenging environments of incidental chemical splash, flash fire, electrical arc flash, and harsh weather conditions. When the job calls for more than just your basic rain suit, Petro Arc will provide the protection that you need to get the job done safely each time, every time.

Chemical Splash/ Arc Flash/Flash Fire



207 AJ

JACKET WITH TUCK-AWAY HOOD

- Neoprene on woven Nomex®
- Non-conductive zipper front closure
- · Storm flap front with hook and loop closure
- Vented NOMEX® mesh back
- "D" ring access port
- 2" 3M[™] Scotchlite[™] reflective tape (ANSI/ISEA 107-2020 Class 3)
- Outside patch pockets (2) with upper flap closures
- Take-up tabs on wrists

Part No.	Description
20207-00	NEOPRENE/NOMEX - CAT 2 - 13.3Cal/CM2




207 BT

BIB STYLE TROUSERS

- Neoprene on woven Nomex®
- · Wide leg design with reinforced seams
- Take-up tabs on lower legs
- Elastic adjustable suspenders
- 2" 3M™ Scotchlite™ reflective tape (ANSI/ISEA 107-2020 Class E)

Part No.	Description
20207-12	NEOPRENE/NOMEX - CAT 2 - 13.3Cal/CM2
Ot- a	li Calauri



Petro Arc meets:

- ASTM F2733 = Flash Fire
- ASTM F903 = Liquid Penetration
- ASTM F1891 = Arc Flash Rated 13.3 Cal/cm² (CAT 2) EBTAS: 40.8 Cal/cm²



Reflective Material





FLEX ARC SERIES (®





Arc Flash/Flash Fire/High Visibility FR Cont

The NeeseArc FlexArc products are made from a unique polyurethane on a weft knitted FR treated cotton and designed especially for utility workers exposed to electrical arc hazard.

217 AJ

JACKET WITH TUCK-AWAY HOOD

SIZES: S, M, L, XL, 2X, 3X, 4X, 5X, 6X

- Polyurethane on FR cotton
- Non-conductive zipper front closure
- Storm flap front with hook and loop closure
- Vented NOMEX® mesh back
- "D" ring access port
- 2" 3M™ Scotchlite™ reflective tape (ANSI/ISEA 107-2020 Class 3)
- Outside patch pockets (2) with upper flap closures
- · Take-up tabs on wrists

Part No.	Description
21217-00	POLYURETHANE/FR COTTON

217 BT

BIB STYLE TROUSERS

SIZES: S, M, L, XL, 2X, 3X, 4X, 5X, 6X

- Polyurethane on FR cotton
- · Wide leg design with reinforced seams
- · Take-up tabs on lower legs with hook and loop
- Elastic adjustable suspenders
- 2" 3M™ Scotchlite™ reflective tape (ANSI/ISEA 107-2020 Class E)

Part No.	Description	
21217-12	POLYURETHANE/FR COTTON	











Flex Arc meets:

- ASTM F2733 = Flash Fire
- ASTM F1891 = Arc Flash Rated (CAT 2)
- ANSI/ISEA 107-2015 = High Visibility

FL. Yellow: 19.0 Cal/cm² FL Orange: 17.6 Cal/cm² FL Yellow: 33.2 Cal/cm² FL Orange: 31 Cal/cm² EBTAS:



Reflective Material





DURA ARC I



NeeseArcs original entry into Arc protective rainwear arena remains a great product for protecting workers from Arc hazards. Integrating PVC on Dupont Nomex brings workers Arc flash safety, hi visibility and waterproof protection.

227 AJ

JACKET WITH TUCK-AWAY HOOD

SIZES: S, M, L, XL, 2X, 3X, 4X, 5X, 6X

- PVC on NOMEX®
- Non-conductive zipper front closure
- · Storm flap front with non-conductive snaps
- Vented NOMEX® mesh back
- "D" ring access port
- 2" 3M™ Scotchlite™ reflective tape (ANSI/ISEA 107-2020 Class 3)
- Outside patch pockets (2) with upper flap closures

Part No.	Description	
22227-00	PVC/NOMEX	

227 BT

BIB STYLE TROUSERS

SIZES: S, M, L, XL, 2X, 3X, 4X, 5X, 6X

- PVC on Nomex®
- · Wide leg design with reinforced seams
- Take-up tabs on lower legs
- Elastic adjustable suspenders
- 2" 3M™ Scotchlite™ reflective tape (ANSI/ISEA 107-2020 Class E)

Part No.	Description	
22227-12	PVC/NOMEX	













DURA ARC I MEETS:

• ASTM F1891 = Arc Flash Rated (CAT 1) ANSI/ISEA 107-2015 = High Visibility

ATPV: FL Yellow: 5.4 Cal/cm² EBTAS: FL Yellow: 28.9 Cal/cm²





DURA ARC II



Woven Modacrylic DuraArc II is designed and engineered from the proven materials especially for utility workers exposed to electrical arc hazard and flash fire.

267 AJ

JACKET WITH TUCK-AWAY HOOD

SIZES: S, M, L, XL, 2X, 3X, 4X, 5X, 6X

- PVC on Woven Modacrylic
- Non-conductive zipper front closure
- Storm flap front with non-conductive snaps
- Vented NOMEX® mesh back
- "D" ring access port
- 2" 3M[™] Scotchlite[™] reflective tape (ANSI/ISEA 107-2020 Class 3)
- · Outside patch pockets (2) with upper flap closures

	•
Part No.	Description
26267-00	PVC/WOVEN MODACRYLIC

267 BT

BIB STYLE TROUSERS

SIZES: S, M, L, XL, 2X, 3X, 4X, 5X, 6X

- PVC on Woven Modacrylic
- · Wide leg design with reinforced seams
- Take-up tabs on lower legs
- Elastic adjustable suspenders
- 2" 3M™ Scotchlite™ reflective tape (ANSI/ISEA 107-2020 Class E)

Part No.	Description
26267-12	PVC/WOVEN MODACRYLIC



Reflective Material



DURA ARC II MEETS:



- ASTM F1891 = Arc Flash Rated (CAT 2)
- ASTM/ISEA 107-2015 = High Visibility

ATPV: FL Yellow: 8.5 Cal/cm² (CAT 2)

FL Yellow: 36 Cal/cm² EBTAS:

Flash Fire: 11.75% 2nd Degree & 6.83% 3rd Degree







FR HIGH VISIBILITY





M - 5XL



VOLCORE™ CUSTOM VEST Ready in Two Weeks

- Two-Tone Contrast Trim
- Westex Indura 7oz. FR 100% Cotton
- ASTM F1506
- 70e AR PPE Cat2 (HRC 2)
- ATPV: 8.0
- 1 Outside & 1 Inside Chest Pocket
- D-Ring Pass Through
- 3M® 8712 Laminated Reflective Tape
- ANSI 107-2020
- Zipper Closure



SV92EJ-2ZGS



JERSEY MODACRYLIC FR VEST

- AR/FR High-Visibility
- ANSI/ISEA 107-2020
- Jersey Modacrylic
- 3M® Laminated Reflective Tape
- Zipper Closure
- No Pockets
- ATPV: 9.6
- NFPA 70e CAT2
- ASTMF1506
- 25 Wash Max













SV92E

M - 5XL

MODACRYLIC FR CLASS 2 VEST

- AR/FR High-Visibility Green
- ANSI/ISEA 107-2020
- Woven Modacrylic
- 3M® Laminated Reflective Tape
- . Hook & Loop Closure
- No Pockets
- ATPV: 5.5
- NFPA 70e CAT1
- ASTMF1506
- 25 Wash Max

3M Scotchlite



















SV92JZ-2ZGS3P





FR HIGH VISIBILITY







M - 5XL



PREMIUM MESH MODACRYLIC FR VEST

- . Hook & Loop Closure
- 5.8 oz. Modacrylic Aramid Blend
- 3M® Scotchlite™ FR Reflective Tape
- 1 Inside, 1 Outside Pocket
- D-Ring Pass Through on Back for Fall Protection
- Meets ASTM F1506
- Fabric Certified to ANSI 107-2020
- . Retro Reflective Material Certified to ANSI 107-2020
- ARC Rating 4.6 Cal/CM2
- 50 Wash Max









SV92-M2 M-5XL

BASIC MODACRYLIC FR CLASS 2 VEST

- · Hook & Loop Closure
- · Available in High-Visibility Orange and High-Visibility Green
- 6.2 oz. Modacrylic Aramid Blend
- 3M® Scotchlite™ FR Reflective Tape
- Meets ASTM F1506
- Fabric Certified to ANSI 107-2020
- · Retro Reflective Material Certified to ANSI 107-2020
- ARC Rating 5.5 Cal/CM2
- 50 Wash Max











SV97-M3 M-5XLPREMIUM MESH MODACRYLIC FR VEST

- . Hook & Loop Closure
- 5.8 oz. Modacrylic Aramid Blend
- 3M® Scotchlite™ FR Reflective Tape
- 1 Inside, 1 Outside Pocket
- Horizontal Pass Through on Back for Fall Protection
- Meets ASTM F1506
- . Fabric Certified to ANSI 107-2020
- . Retro Reflective Material Certified to ANSI 107-2020
- ARC Rating 4.6 Cal/CM2
- 50 Wash Max









COLOR BLOCKED BASIC

- **MODACRYLIC FR CLASS 2 VEST**
 - NFPA 70E CAT 1
 - Black Color Blocking
 - Zip Front Closure
 - 6.2 Oz Modacrylic Aramid Blend / Black 7 Oz Westex Ultrasoft 88/12
 - 3M Scotchlite Fr Reflective Tape
 - Meets ASTM F1506
 - Class 2 ANSI 107-2020
 - 5.5 Cal Atpv
 - 50 Wash Max

















PREMIUM SOLID MODACRYLIC FR VEST

- NFPA 70E CAT 1
- · Zip front closure
- . D-Ring Pass Through on Back for Fall Protection
- Class 2 ANSI 107-2020
- 6.6 Cal ATPV
- 3M Scotchlite Reflective Tape
- · 2 exterior pockets
- 1 interior pocket
- ASTM F1506 & NFPA 2112
- UL Certified
- 50 Wash Max











- Westex
- 3M Scotchlite





- 1 interior pocket ASTM F1506 & NFPA 2112 UL Certified • 50 Wash Max

· 2 exterior pockets

NFPA 70E CAT 1

· Zip front closure

• 6.6 Cal ATPV

for Fall Protection

• Class 3 ANSI 107-2020

• 3M Scotchlite Reflective Tape





SOLII

