

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/16/2015 Version: 1.0

TECHNICAL CONCEPTS

SECTION 4. Identification of	the substance within and of the company lundertaking
1.1. Product identification of	the substance/mixture and of the company/undertaking
Product name	: AJAN LINEN FRESH
Product code	: 1818046
SKU #	: FG400978
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Use of the substance/mixture	: For professional use only Container fitted with a sealed spray attachment Detergent Odour agents
1.3. Details of the supplier of t	he safety data sheet
Rubbermaid Commercial Products LL 3124 Valley Avenue Winchester, VA 22601-2694 - USA T (540) 6678700 www.rubbermaidcommercial.com	c
1.4. Emergency telephone num	nber
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063
SECTION 2: Hazards identifi	cation
2.1. Classification of the subst	tance or mixture
GHS-US classification Flam. Liq. 3 H226 Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317 Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	: GHS02 GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H226 - Flammable liquid and vapour H315 - Causes skin irritation

H319 - Causes serious eye irritation : P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking Precautionary statements (GHS-US)

H317 - May cause an allergic skin reaction

P280 - Wear protective gloves P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention

2.3. **Other hazards**

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2.	Mixture
Name	
Alcohol	

Alcohol	(CAS No) 64-17-5	10 - 20	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Neodol 91-6		1 - 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332
ACETYL CEDRENE	(CAS No) 32388-55-9	0,1 - 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZYL SALICYLATE	(CAS No) 118-58-1	0,1 - 1	Skin Sens. 1, H317
LIMONENE	(CAS No) 5989-27-5	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PINENES	(CAS No) 127-91-3	< 0,1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
L-BETA-PINENE	(CAS No) 18172-67-3	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
OCIMENE - MAINLY 3,7-DIMETHYLOCTA 1,3,6-TRIENE	(CAS No) 13877-91-3	< 0,1	Asp. Tox. 1, H304
BETA-CARYOPHYLLENE	(CAS No) 87-44-5	< 0,1	Asp. Tox. 1, H304
3-CARENE	(CAS No) 13466-78-9	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
MYRCENE	(CAS No) 123-35-3	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
LONGIFOLENE	(CAS No) 475-20-7	< 0,1	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
GAMMA-TERPINENE	(CAS No) 99-85-4	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304

Product identifier

%

GHS-US classification

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general :	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation :	Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact :	If skin irritation persists, take medical advice. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact :	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion :	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/injuries after inhalation :	May cause an allergic skin reaction.
Symptoms/injuries after skin contact :	Causes skin irritation.
Symptoms/injuries after eye contact :	Causes serious eye irritation.
4.3. Indication of any immediate medical at	ttention and special treatment needed
No additional information available	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, Ma	arch 26, 2012 / Rules and Regulations
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media :	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media :	Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard :	Flammable liquid and vapour.
Explosion hazard :	May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Firefighting instructions :	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting :	Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measu	res
6.1. Personal precautions, protective equip	oment and emergency procedures
	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment :	Equip cleanup crew with proper protection.
Emergency procedures :	Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify a	uthorities if liquid enters sewers or public waters.
6.3. Methods and material for containment	and cleaning up
Methods for cleaning up :	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal pro	otection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed :	Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling :	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures :	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures :	Comply with applicable regulations.
Storage conditions :	Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources.
Incompatible products :	Strong bases. Strong acids.
Incompatible materials :	Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection

8.1.	Control parameters	
AJAN	LINEN FRESH	
ACGIH	4	Not applicable
OSHA		Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5) ACGIH ACGIH STEL (ppm) 1000 ppm ACGIH Remark (ACGIH) URT irr OSHA OSHA PEL (TWA) (mg/m³) 1900 mg/m³ OSHA OSHA PEL (TWA) (ppm) 1000 ppm Neodol 91-6			
ACGIH Remark (ACGIH) URT irr OSHA OSHA PEL (TWA) (mg/m³) 1900 mg/m³ OSHA OSHA PEL (TWA) (ppm) 1000 ppm Neodol 91-6			
OSHAOSHA PEL (TWA) (mg/m³)1900 mg/m³OSHAOSHA PEL (TWA) (ppm)1000 ppmNeodol 91-6Interpretation of the second			
OSHA OSHA PEL (TWA) (ppm) 1000 ppm Neodol 91-6 ACGIH Not applicable OSHA Not applicable Image: Static state			
ACGIH Not applicable OSHA Not applicable BENZYL SALICYLATE (118-58-1) ACGIH Not applicable OSHA Not applicable OSHA Not applicable ACGIH Not applicable ACETYL CEDRENE (32388-55-9) ACGIH Not applicable OSHA Not applicable IMONENE (5989-27-5)			
ACGIH Not applicable OSHA Not applicable BENZYL SALICYLATE (118-58-1) ACGIH Not applicable OSHA Not applicable OSHA Not applicable ACGIH Not applicable ACETYL CEDRENE (32388-55-9) ACGIH Not applicable OSHA Not applicable IMONENE (5989-27-5)			
OSHA Not applicable BENZYL SALICYLATE (118-58-1) ACGIH Not applicable OSHA Not applicable ACETYL CEDRENE (32388-55-9) ACGIH Not applicable OSHA Not applicable ACGIH Not applicable OSHA Not applicable LIMONENE (5989-27-5) Verticable			
ACGIH Not applicable OSHA Not applicable ACETYL CEDRENE (32388-55-9) ACGIH ACGIH Not applicable OSHA Not applicable USHA Not applicable			
ACGIH Not applicable OSHA Not applicable ACETYL CEDRENE (32388-55-9) ACGIH ACGIH Not applicable OSHA Not applicable USHA Not applicable			
OSHA Not applicable ACETYL CEDRENE (32388-55-9) ACGIH Not applicable OSHA Not applicable LIMONENE (5989-27-5)			
ACGIH Not applicable OSHA Not applicable LIMONENE (5989-27-5)			
ACGIH Not applicable OSHA Not applicable LIMONENE (5989-27-5)			
OSHA Not applicable			
LIMONENE (5989-27-5)			
OSHA Not applicable			
PINENES (127-91-3)			
	Not applicable		
OSHA Not applicable			
MYRCENE (123-35-3)			
	Not applicable		
OSHA Not applicable			
L-BETA-PINENE (18172-67-3)			
ACGIH Not applicable			
OSHA Not applicable			
3-CARENE (13466-78-9)			
ACGIH ACGIH TWA (ppm) 20 ppm			
OSHA Not applicable			
BETA-CARYOPHYLLENE (87-44-5)			
ACGIH Not applicable			
OSHA Not applicable			
OCIMENE - MAINLY 3,7-DIMETHYLOCTA 1,3,6-TRIENE (13877-91-3)			
ACGIH Not applicable			
OSHA Not applicable			
GAMMA-TERPINENE (99-85-4)			
ACGIH Not applicable			
OSHA Not applicable	Not applicable		
LONGIFOLENE (475-20-7)			
ACGIH Not applicable			
OSHA Not applicable			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: None under normal use.
Respiratory protection	: None under normal use.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Colour	: Colourless
Odour	: characteristic
Odour threshold	: No data available
рН	: 4,2 - 5,2
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 100 °F (38°C)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information
No additional information available

SECTI	ON 10: Stability and reactivity			
10.1.	Reactivity			
No addit	No additional information available			
No adun				
10.2.	Chemical stability			
-				
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.				
10.3.	Possibility of hazardous reactions			
Not established.				
1101 0310	biolog.			
10.4.	Conditions to avoid			

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060,000 mg/kg bodyweight
Neodol 91-6	
LD50 oral rat	200 - 2000 mg/kg
LD50 dermal rat	> 2000
LC50 inhalation rat (mg/l)	5 mg/l
ATE US (oral)	200,000 mg/kg bodyweight
ATE US (vapours)	5,000 mg/l/4h
ATE US (dust,mist)	5,000 mg/l/4h
ACETYL CEDRENE (32388-55-9)	
LD50 oral rat	≈ 5200 mg/kg
LD50 dermal rabbit	≈ 500 mg/kg
Skin corrosion/irritation	: Causes skin irritation. pH: 4,2 - 5,2
Serious eye damage/irritation	: Causes serious eye irritation. pH: 4,2 - 5,2
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

Specific target organ toxicity (repeated	: Not classified
exposure)	

Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause an allergic skin reaction.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity		
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	275 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	5012 mg/l IC50 algea (72 h) mg/l	
05/01/2015	EN (English)	6/10

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Neodol 91-6	
LC50 fish 1	1 - 10 mg/l

12.2. Persistence and degradability	
AJAN LINEN FRESH	
Persistence and degradability	Not established.
Alcohol (64-17-5)	
Persistence and degradability	Not established.

12.3.	2.3. Bioaccumulative potential	
AJAN LINEN FRESH		
Bioacc	umulative potential	Not established.
Alcohol (64-17-5)		
Bioacc	umulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects	
Effect on ozone layer	:
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	าร
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: UN1170 Ethanol solutions, 3, III
UN-No.(DOT)	: UN1170
Proper Shipping Name (DOT)	: Ethanol solutions
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: III - Minor Danger

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III. B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
	: 203
OOT Packaging Non Bulk (49 CFR 173.xxx)	
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	. UV L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
	passenger vessel.
Additional information	
Other information	: No supplementary information available.
ADR	
Fransport document description	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)
Packing group (ADR)	:
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Danger labels (ADR)	: 3 - Flammable liquids
	3
Orange plates	30
Drange plates	30 1170
	1170
unnel restriction code (ADR)	1170 : D/E
unnel restriction code (ADR) Q	1170
unnel restriction code (ADR) Q Excepted quantities (ADR)	1170 : D/E : 5l
unnel restriction code (ADR) Q Excepted quantities (ADR) Fransport by sea	1170 : D/E : 5l
Tunnel restriction code (ADR) Q Excepted quantities (ADR) T ransport by sea JN-No. (IMDG)	1170 : D/E : 5l : E1 : 1170
Funnel restriction code (ADR) Q Excepted quantities (ADR) Fransport by sea JN-No. (IMDG) Proper Shipping Name (IMDG)	 1170 5I E1 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Funnel restriction code (ADR) LQ Excepted quantities (ADR) Fransport by sea JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	 1170 5l 5l E1 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 - Flammable liquids
Funnel restriction code (ADR) Q Excepted quantities (ADR) Fransport by sea JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	 1170 5I E1 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Funnel restriction code (ADR) LQ Excepted quantities (ADR) Fransport by sea JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	 1170 5l 51 E1 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 - Flammable liquids III - substances presenting low danger
Funnel restriction code (ADR) LQ Excepted quantities (ADR) Fransport by sea JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG) Air transport JN-No. (IATA)	 1170 D/E 5l E1 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 - Flammable liquids III - substances presenting low danger 1170
Funnel restriction code (ADR) LQ Excepted quantities (ADR) Fransport by sea JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	 1170 5l 51 E1 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 - Flammable liquids III - substances presenting low danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IATA) : III - Minor Danger
SECTION 15: Regulatory information
15.1. US Federal regulations
Alcohol (64-17-5)
Not listed on the United States SARA Section 313
Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL SALICYLATE (118-58-1)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
ACETYL CEDRENE (32388-55-9)
Not listed on the United States SARA Section 313
Listed on the United States TSCA (Toxic Substances Control Act) inventory
LIMONENE (5989-27-5)
Not listed on the United States SARA Section 313
Listed on the United States TSCA (Toxic Substances Control Act) inventory
PINENES (127-91-3) Not listed on the United States SARA Section 313
Listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
MYRCENE (123-35-3)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
L-BETA-PINENE (18172-67-3)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
3-CARENE (13466-78-9)
Not listed on the United States SARA Section 313
Listed on the United States TSCA (Toxic Substances Control Act) inventory
BETA-CARYOPHYLLENE (87-44-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
OCIMENE - MAINLY 3,7-DIMETHYLOCTA 1,3,6-TRIENE (13877-91-3)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
GAMMA-TERPINENE (99-85-4)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
LONGIFOLENE (475-20-7)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
4E.2. International regulations

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

Alcohol (64-17-5)	
U.SNew York - RTK list Hazardous Substances	

SECTION 16: Other information

Other information

: None.

Full text of H-phrases:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product