

# SAFETY DATA SHEET

### 1. Identification

| 1. Identification               |   |  |
|---------------------------------|---|--|
| Product identifier              | HydroForce® Industrial Strength Degrease  | r - 5 gal                                      |
| Other means of identification   |   |  |
| Product Code                    | No. 14417 (Item# 1004973)   |  |
| Recommended use                 | General purpose degreaser   |  |
| Recommended restrictions        | None known.   |  |
| Manufacturer/Importer/Supplier  | /Distributor information  |  |
| Manufactured or sold by:        |   |  |
| Company name                    | CRC Industries, Inc.  |  |
| Address                         | 885 Louis Dr.   |  |
|                                 | Warminster, PA 18974 US   |  |
| Telephone                       |   |  |
| General Information             | 215-674-4300  |  |
| Technical Assistance            | 800-521-3168  |  |
| Customer Service                | 800-272-4620  |  |
| 24-Hour Emergency<br>(CHEMTREC) | 800-424-9300 (US)   |  |
| Website                         | www.crcindustries.com   |  |
| 2. Hazard(s) identification     | 1   |  |
| Physical hazards                | Corrosive to metals   | Category 1                                     |
| Health hazards                  | Acute toxicity, inhalation  | Category 4                                     |
|                                 | Skin corrosion/irritation   | Category 1                                     |
|                                 | Serious eye damage/eye irritation   | Category 1                                     |
|                                 | Specific target organ toxicity, single exposure   | Category 1 (gastrointestinal system,           |
|                                 |   | respiratory system)                            |
|                                 | Specific target organ toxicity, repeated exposure (inhalation)  | Category 2 (respiratory system)                |
| Environmental hazards           | Hazardous to the aquatic environment, acute hazard  | Category 3                                     |
|                                 | Hazardous to the aquatic environment, long-term hazard  | Category 3                                     |
| OSHA defined hazards            | Not classified.   |  |
| Label elements                  |   |  |
|                                 |   |  |
| Signal word                     | Danger  |  |
| Hazard statement                | May be corrosive to metals. Causes severe sk<br>Causes damage to organs (gastrointestinal sy<br>organs (respiratory system) through prolonged | stem, respiratory system). May cause damage to |
| Precautionary statement         |   |  |
| Prevention                      | and windows or use other means to ensure a  |  |

protective gloves/protective clothing/eye protection/face protection.

| Response                                     | If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If exposed: Call a poison center/doctor. Absorb spillage to prevent material damage. |
|--|--|
| Storage                                      | Store locked up. Store in corrosive resistant container.   |
| Disposal                                     | Dispose of contents/container in accordance with local/regional/national regulations.  |
| Hazard(s) not otherwise<br>classified (HNOC) | None known.  |
| Supplemental information                     | None.  |

# 3. Composition/information on ingredients

**Mixtures** 

| Chemical name                              | Common name and synonyms | CAS number | %       |
|--|--------------------------|------------|---------|
| water                                      |                          | 7732-18-5  | 70 - 80 |
| sodium xylenesulphonate                    |                          | 1300-72-7  | 5 - 10  |
| alcohols, C12-15, ethoxylated              |                          | 68131-39-5 | 1 - 3   |
| dioctyl sodium sulfosuccinate              |                          | 577-11-7   | 1 - 3   |
| dipropylene glycol methyl ether            |                          | 34590-94-8 | 1 - 3   |
| potassium hydroxide                        |                          | 1310-58-3  | 1 - 3   |
| sodium metasilicate                        |                          | 6834-92-0  | 1 - 3   |
| tetrasodium<br>ethylenediaminetetraacetate |                          | 64-02-8    | 1 - 3   |
| alcohols, C8-10, ethoxylated propoxylated  |                          | 68603-25-8 | 0.4 - 2 |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| 4. First-aid measures  |  |
|--|--|
| Inhalation   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.  |
| Skin contact   | Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.   |
| Eye contact  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.  |
| Ingestion  | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.  |
| Most important<br>symptoms/effects, acute and<br>delayed                     | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.  |
| Indication of immediate<br>medical attention and special<br>treatment needed | Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed. |
| General information  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.   |

### 5. Fire-fighting measures

| Suitable extinguishing media                                     | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).                                   |
|--|---|
| Unsuitable extinguishing media                                   | Do not use water jet as an extinguisher, as this will spread the fire.                        |
| Specific hazards arising from the chemical                       | During fire, gases hazardous to health may be formed.   |
| Special protective equipment<br>and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire-fighting<br>equipment/instructions                          | Move containers from fire area if you can do so without risk.                                 |

#### 6. Accidental release measures

| 6. Accidental release mea   | sures  |
|---|--|
| Personal precautions,<br>protective equipment and<br>emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for<br>containment and cleaning up                  | This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.   |
|   | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.   |
|   | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.   |
| Environmental precautions   | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.<br>Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all<br>environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into<br>drains, water courses or onto the ground.  |
| 7. Handling and storage   |  |
| Precautions for safe handling   | Do not breathe vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, see the product label.                                   |
| Conditions for safe storage,<br>including any incompatibilities           | Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).   |

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components  | Туре               | Value                |  |
|---|--------------------|----------------------|--|
| dipropylene glycol methyl ether (CAS 34590-94-8)  | PEL                | 600 mg/m3            |  |
|   |                    | 100 ppm              |  |
| US. ACGIH Threshold Limit   | t Values           |                      |  |
| Components  | Туре               | Value                |  |
| dipropylene glycol methyl<br>ether (CAS 34590-94-8)   | STEL               | 150 ppm              |  |
|   | TWA                | 100 ppm              |  |
| potassium hydroxide (CAS<br>1310-58-3)  | Ceiling            | 2 mg/m3              |  |
| US. NIOSH: Pocket Guide t   | o Chemical Hazards |                      |  |
| Components  | Туре               | Value                |  |
|   |                    |                      |  |
|   | STEL               | 900 mg/m3            |  |
|   | STEL               | 900 mg/m3<br>150 ppm |  |
|   | STEL               | -                    |  |
|   |                    | 150 ppm              |  |
| dipropylene glycol methyl<br>ether (CAS 34590-94-8)<br>potassium hydroxide (CAS<br>1310-58-3) |                    | 150 ppm<br>600 mg/m3 |  |

| Exposure guidelines                                    |   |   |
|--|---|---|
| US - California OELs: Skin d                           | esignation  |   |
| dipropylene glycol methyl US - Tennessee OELs: Skin    |   | Can be absorbed through the skin.   |
| dipropylene glycol methyl US ACGIH Threshold Limit V   |   | Can be absorbed through the skin.   |
| dipropylene glycol methyl US NIOSH Pocket Guide to 0   | ether (CAS 34590-94-8)<br>Chemical Hazards: Skin desigi   | Danger of cutaneous absorption<br>nation  |
| dipropylene glycol methyl US. OSHA Table Z-1 Limits f  | ether (CAS 34590-94-8)<br>or Air Contaminants (29 CFR <sup>-</sup>                                  | Can be absorbed through the skin.<br>1910.1000)   |
| dipropylene glycol methyl                              | ether (CAS 34590-94-8)  | Can be absorbed through the skin.   |
| Appropriate engineering controls                       | should be matched to condition<br>or other engineering controls to<br>exposure limits have not been | ally 10 air changes per hour) should be used. Ventilation rates<br>ns. If applicable, use process enclosures, local exhaust ventilation,<br>o maintain airborne levels below recommended exposure limits. If<br>established, maintain airborne levels to an acceptable level. Eye<br>shower should be available when handling this product. |
| Individual protection measures,<br>Eye/face protection | such as personal protective e<br>Wear safety glasses with side                                      |   |
| Skin protection<br>Hand protection                     | Wear protective gloves such a   | s: Nitrile. Rubber.   |
| Other  | Wear appropriate chemical res   | istant clothing.  |
| Respiratory protection                                 | NIOSH-approved cartridge res  | feasible or if exposure exceeds the applicable exposure limits, use a<br>pirator with an organic vapor cartridge. Use a self-contained<br>d spaces and for emergencies. Air monitoring is needed to<br>posure levels.   |
| Thermal hazards  | Wear appropriate thermal prote  | ective clothing, when necessary.  |
| General hygiene<br>considerations                      |   | l hygiene measures, such as washing after handling the material<br>d/or smoking. Routinely wash work clothing and protective<br>nants.  |

# 9. Physical and chemical properties

| · · · · · · · · · · · · · · · · · · · |                            |
|---------------------------------------|----------------------------|
| Appearance                            |                            |
| Physical state                        | Liquid.                    |
| Form                                  | Liquid.                    |
| Color                                 | Red.                       |
| Odor                                  | Pleasant.                  |
| Odor threshold                        | Not available.             |
| рН                                    | 13.1                       |
| Melting point/freezing point          | -112 °F (-80 °C) estimated |
| Initial boiling point and boiling     | 212 °F (100 °C) estimated  |
| range                                 |                            |
| Flash point                           | None.                      |
| Evaporation rate                      | Slow.                      |
| Flammability (solid, gas)             | Not available.             |
| Upper/lower flammability or exp       | losive limits              |
| Flammability limit - lower<br>(%)     | 1.1 % estimated            |
| Flammability limit - upper<br>(%)     | 36 % estimated             |
| Vapor pressure                        | 4.6 hPa estimated          |
| Vapor density                         | Not available.             |
| Relative density                      | 1.09                       |
| Solubility(ies)                       |                            |
| Solubility (water)                    | Soluble.                   |
|                                       |                            |

| Partition coefficient<br>(n-octanol/water) | Not available.            |
|--|---------------------------|
| Auto-ignition temperature                  | 608 °F (320 °C) estimated |
| Decomposition temperature                  | Not available.            |
| Viscosity                                  | Not available.            |
| Percent volatile                           | 80 % estimated            |

# 10. Stability and reactivity

| Reactivity                            | Reacts violently with strong acids. This product may react with oxidizing agents. May be corrosive to metals. |
|---------------------------------------|---|
| Chemical stability                    | Material is stable under normal conditions.   |
| Possibility of hazardous<br>reactions | No dangerous reaction known under conditions of normal use.   |
| Conditions to avoid                   | Contact with incompatible materials. Do not mix with other chemicals.   |
| Incompatible materials                | Acids. Oxidizing agents. Metals.  |
| Hazardous decomposition<br>products   | Aldehydes. Ketones. Organic acids.  |

## 11. Toxicological information


### Information on likely routes of exposure

| Skin contactCauses severe skin burns.Eye contactCauses serious eye damage.IngestionCauses digestive tract burns.Symptoms related to the uning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may<br>bindrues sculd result.Information on toxicological characteristicsHarmful if inhaled.Koticological characteristicsCauses severe skin burns and eye damage.Respiratory on skin sensitizationCauses serious eye damage.Respiratory or skin sensitizationNot a respiratory sensitizationRespiratory or skin sensitizationNot a respiratory sensitization of carcinogenicity to humans.Actu toxicityNot a selfable in indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.Not listed.Substances (29 CFR 1910.1001.1053)<br>Not listed.Specific target organ toxicityAis product is not expected to cause reproductive or developmental effects.Specific target organ toxicityAis product is not expected to cause reproductive or developmental effects.Specific target organ toxicityAis product is not expected to cause reproductive or developmental effects.Specific target organ toxicityAis product is not expected to cause reproductive or developmental effects.Specific target organ toxicityAis product is not expected to cause reproductive or developmental effects.Specific target organ toxicityAis product is not expected to cause reproductive or developmental effects.Specific target organ toxicityAis acuse damage to organs (respirato   | Inhalation                        | Harmful if inhaled. May cause damage to organs by inhalation. May cause damage to organs through prolonged or repeated exposure by inhalation. |
|---|-----------------------------------|--|
| IngestionCauses digestive tract burs.Symptoms related to the<br>physical, chemical and<br>toxicological characteristicsBurning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may<br>include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage includingInformation on toxicological effectsAcute toxicityHarmful if inhaled.Skin corrosion/irritationCauses severe skin burns and eye damage.Serious eye damage/eye<br>irritationCauses serious eye damage.Respiratory or skin sensitization<br>skin sensitizationNot a respiratory sensitizer.<br>Skin sensitizationRespiratory or skin sensitization<br>skin sensitizationNot a respiratory sensitizer.<br>Not a respiratory sensitizer.Skin congenicityNot a causible to indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.Not classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.This product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>repeated exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>repeated exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>repeated exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>repeated exposure <td< th=""><th>Skin contact</th><th>Causes severe skin burns.</th></td<>      | Skin contact                      | Causes severe skin burns.  |
| Symptoms related to the<br>physical, chemical and<br>toxicological characteristicsBurning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may<br>include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including<br>blindness could result.Information on toxicological effectKarmful if inhaled.Acute toxicityHarmful if inhaled.Skin corrosion/irritationCauses severe skin burns and eye damage.Serious eye damage/eye<br>irritationCauses serious eye damage.Respiratory or skin sensitization<br>skin sensitizationNot a respiratory sensitizer.<br>Skin sensitizationRespiratory sensitization<br>skin sensitizationThis product is not expected to cause skin sensitization.Germ cell mutagenicity<br>Not listed.Not dat available to indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.Carcinogenicity<br>Not listed.Not cassifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.Not an expected to cause reproductive or developmental effects.Specific target organ toxicity<br>single exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>single exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>single exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>single exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>repeated exposure <th>Eye contact</th> <th>Causes serious eye damage.</th> | Eye contact                       | Causes serious eye damage.   |
| physical, chemical and<br>toxicological characteristicsinclude stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including<br>blindness could result.Information on toxicological characteristicsblindness could result.Information on toxicological characteristicsHarmful if inhaled.Skin corrosion/irritationCauses severe skin burns and eye damage.Serious eye damage/eye<br>irritationCauses severe skin burns and eye damage.Respiratory or skin sensitization<br>Respiratory sensitizationNot a respiratory sensitizer.Respiratory sensitization<br>skin sensitizationNot a respiratory sensitizer.Respiratory components present at greater than 0.1% are<br>mutagenic or genotoxic.No data available to indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.Not CarcinogenicityUS. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.Causes damage to organs (gastrointestinal system, respiratory system).Specific target organ toxicity<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Specific target organ toxicity-<br>repeated exposureMay cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may   | Ingestion                         | Causes digestive tract burns.  |
| Acute toxicityHarmful if inhaled.Skin corrosion/irritationCauses severe skin burns and eye damage.Serious eye damage/eye<br>irritationCauses serious eye damage.Respiratory or skin sensitizationCauses serious eye damage.Respiratory or skin sensitizationNot a respiratory sensitizer.Skin sensitizationThis product is not expected to cause skin sensitization.Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.Not classifiable as to carcinogenicity to humans.ISR Motional Toxicology Prepertiem (NTP) Report on Carcinogens<br>Not listed.This product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>single exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazard<br>furnic effectsNot an aspiration hazard.  | physical, chemical and            | include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including   |
| Skin corrosion/irritationCauses severe skin burns and eye damage.Serious eye damage/eye<br>irritationCauses serious eye damage.Respiratory or skin sensitization<br>Respiratory sensitizationNot a respiratory sensitizer.Skin sensitizationThis product is not expected to cause skin sensitization.Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.Not classifiable as to carcinogenicity to humans.US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.This product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>single exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazard<br>Chronic effectsNot an aspiration hazard.   | Information on toxicological effe | ects   |
| Serious eye damage/eye<br>irritationCauses serious eye damage.Respiratory or skin sensitization<br>Respiratory sensitizationNot a respiratory sensitizer.Skin sensitizationNot a respiratory sensitizer.Skin sensitizationThis product is not expected to cause skin sensitization.Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.Not classifiable as to carcinogenicity to humans.US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.Causes damage to organs (gastrointestinal system, respiratory system).Specific target organ toxicity<br>single exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazard<br>Chronic effectsNot an aspiration hazard.   | Acute toxicity                    | Harmful if inhaled.  |
| irritationRespiratory or skin sensitizationRespiratory sensitizationNot a respiratory sensitizer.Skin sensitizationThis product is not expected to cause skin sensitization.Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of CarcinogenicityNut classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of CarcinogenicityNot listed.OSHA Specifically RegulatedSubstances (29 CFR 1910.1001-1053)<br>Not listed.VS. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.This product is not expected to cause reproductive or developmental effects.Specific target organ toxicity<br>repeated exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity-<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazard<br>Chronic effectsNot an aspiration hazard.  | Skin corrosion/irritation         | Causes severe skin burns and eye damage.   |
| Respiratory sensitizationNot a respiratory sensitizer.Skin sensitizationThis product is not expected to cause skin sensitization.Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of CarcinogenicityNot listed.OSHA Specifically RegulatedSubstances (29 CFR 1910.1001-1053)<br>Not listed.OSHA Specifically RegulatedSubstances (29 CFR 1910.1001-1053)<br>Not listed.US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.This product is not expected to cause reproductive or developmental effects.Specific target organ toxicity -<br>single exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazard<br>Chronic effectsNot an aspiration hazard.  |                                   | Causes serious eye damage.   |
| Skin sensitizationThis product is not expected to cause skin sensitization.Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.Not classifiable as to carcinogenicity<br>Not listed.OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)<br>Not listed.Not listed.US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.This product is not expected to cause reproductive or developmental effects.Specific target organ toxicity -<br>single exposureThis product is not expected to crass (gastrointestinal system, respiratory system).Specific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazard<br>Chronic effectsNot an aspiration hazard.   | Respiratory or skin sensitization | 1  |
| Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are<br>mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.Not classifiable as to carcinogenicity<br>Not listed.OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)<br>Not listed.Not listed.US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.This product is not expected to cause reproductive or developmental effects.Specific target organ toxicity single exposureThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazardNot an aspiration hazard.Not an aspiration hazard.  | <b>Respiratory sensitization</b>  | Not a respiratory sensitizer.  |
| mutagenic or genotoxic.CarcinogenicityNot classifiable as to carcinogenicity to humans.IARC Monographs. Overall Evaluation of Carcinogenicity<br>Not listed.Not classifiable as to carcinogenicity<br>Not listed.OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)<br>Not listed.Not listed.US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.Carcinogens<br>Not listed.Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity -<br>single exposureCauses damage to organs (gastrointestinal system, respiratory system).Specific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazard<br>Chronic effectsNot an aspiration hazard.   | Skin sensitization                | This product is not expected to cause skin sensitization.  |
| IARC Monographs. Overall Evaluation of Carcinogenicity         Not listed.         OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)         Not listed.         US. National Toxicology Program (NTP) Report on Carcinogens         Not listed.       Not listed.         Reproductive toxicity         This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity -         May cause damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.         Aspiration hazard         Not an aspiration hazard.         Chronic effects   | Germ cell mutagenicity            |  |
| Not listed.OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)<br>Not listed.US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity -<br>single exposureSpecific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazardNot an aspiration hazard.Chronic effects  | Carcinogenicity                   | Not classifiable as to carcinogenicity to humans.  |
| OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)<br>Not listed.US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity -<br>single exposureCauses damage to organs (gastrointestinal system, respiratory system).Specific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazardNot an aspiration hazard.Chronic effectsMay cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may  | IARC Monographs. Overall E        | Evaluation of Carcinogenicity  |
| Not listed.US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity -<br>single exposureCauses damage to organs (gastrointestinal system, respiratory system).Specific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazard<br>Chronic effectsNot an aspiration hazard.May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may  |                                   |  |
| US. National Toxicology Program (NTP) Report on Carcinogens<br>Not listed.Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity -<br>single exposureCauses damage to organs (gastrointestinal system, respiratory system).Specific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazardNot an aspiration hazard.Chronic effectsMay cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may   |                                   | d Substances (29 CFR 1910.1001-1053)   |
| Not listed.This product is not expected to cause reproductive or developmental effects.Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.Specific target organ toxicity -<br>single exposureCauses damage to organs (gastrointestinal system, respiratory system).Specific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazardNot an aspiration hazard.Chronic effectsMay cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may  |                                   | ogram (NTP) Report on Carcinogens  |
| Specific target organ toxicity -<br>single exposureCauses damage to organs (gastrointestinal system, respiratory system).Specific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazardNot an aspiration hazard.Chronic effectsMay cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may  | ••                                |  |
| single exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Specific target organ toxicity -<br>repeated exposureMay cause damage to organs (respiratory system) through prolonged or repeated exposure by<br>inhalation.Aspiration hazardNot an aspiration hazard.Chronic effectsMay cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may  | Reproductive toxicity             | This product is not expected to cause reproductive or developmental effects.   |
| repeated exposureinhalation.Aspiration hazardNot an aspiration hazard.Chronic effectsMay cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may  |                                   | Causes damage to organs (gastrointestinal system, respiratory system).   |
| Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may   |                                   |  |
|   | Aspiration hazard                 | Not an aspiration hazard.  |
|   | Chronic effects                   |  |

| 12. Ecological informatio     | n   |
|-------------------------------|---|
| Ecotoxicity                   | Harmful to aquatic life with long lasting effects.  |
| Persistence and degradability | No data is available on the degradability of any ingredients in the mixture.  |
| Bioaccumulative potential     |   |
| Mobility in soil              | No data available.  |
| Other adverse effects         | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.   |
| 13. Disposal consideration    | ons   |
| Disposal instructions         | If discarded, this product is considered a RCRA corrosive waste, D002. Collect and reclaim or<br>dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into<br>sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used<br>container. Dispose in accordance with all applicable regulations. |
| Hazardous waste code          | D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]  |
| Contaminated packaging        | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>Since emptied containers may retain product residue, follow label warnings even after container is<br>emptied.  |

# 14. Transport information

| DOT                          |   |
|------------------------------|---|
| UN number                    | UN1760  |
| UN proper shipping name      | Corrosive liquids, n.o.s. (potassium hydroxide RQ = 55556 LBS, sodium metasilicate) |
| Transport hazard class(es)   |   |
| Class                        | 8   |
| Subsidiary risk              | -   |
| Packing group                | П   |
|                              | Read safety instructions, SDS and emergency procedures before handling.             |
| Special provisions           | B2, IB2, T11, TP2, TP27   |
| Packaging exceptions         | 154   |
| Packaging non bulk           | 202   |
| Packaging bulk               | 242   |
| Other information            |   |
| Passenger and cargo          | Forbidden   |
| aircraft                     |   |
| Cargo aircraft only          | Allowed with restrictions.  |
| ΙΑΤΑ                         |   |
| UN number                    | UN1760  |
| UN proper shipping name      | Corrosive liquids, n.o.s. (potassium hydroxide, sodium metasilicate)                |
| Transport hazard class(es)   |   |
| Class                        | 8   |
| Subsidiary risk              | -   |
| Packing group                | II  |
| ERG Code                     | 8L  |
|                              | Read safety instructions, SDS and emergency procedures before handling.             |
| Other information            |   |
| Passenger and cargo          | Forbidden   |
| aircraft                     |   |
| Cargo aircraft only          | Allowed with restrictions.  |
| IMDG                         |   |
| UN number                    | UN1760  |
| UN proper shipping name      | CORROSIVE LIQUID, N.O.S. (potassium hydroxide, sodium metasilicate)                 |
| Transport hazard class(es)   |   |
| Class                        | 8   |
| Subsidiary risk              | -   |
| Packing group                | II  |
| Environmental hazards        |   |
| Marine pollutant             | No.   |
| EmS                          | F-A, S-B  |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling.             |



# 15. Regulatory information

| io. Regulatory informatic                     |  |
|---|--|
| US federal regulations                        | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication<br>Standard, 29 CFR 1910.1200.<br>All components are on the U.S. EPA TSCA Inventory List. |
| TSCA Section 12(b) Ex                         | port Notification (40 CFR 707, Subpt. D)   |
| Not regulated.                                |  |
| SARA 304 Emergency                            | release notification   |
| Not regulated.                                |  |
| OSHA Specifically Reg                         | ulated Substances (29 CFR 1910.1001-1053)  |
| Not listed.                                   |  |
| CERCLA Hazardous Su                           | ubstance List (40 CFR 302.4)   |
| potassium hydroxide                           |  |
|   | ubstances: Reportable quantity   |
| potassium hydroxide                           | e (CAS 1310-58-3) 1000 LBS   |
|   | ng in the loss of any ingredient at or above its RQ require immediate notification to the National 24-8802) and to your Local Emergency Planning Committee.                  |
| Other federal regulations                     |  |
| Clean Air Act (CAA) Section                   | n 112 Hazardous Air Pollutants (HAPs) List   |
| Not regulated.<br>Clean Air Act (CAA) Section | n 112(r) Accidental Release Prevention (40 CFR 68.130)   |
| Not regulated.                                |  |
| Safe Drinking Water Act<br>(SDWA)             | Not regulated.   |
| Food and Drug<br>Administration (FDA)         | Not regulated.   |
| Superfund Amendments and R                    | eauthorization Act of 1986 (SARA)  |
| Classified hazard                             | Corrosive to metal   |
| categories                                    | Acute toxicity (any route of exposure)<br>Skin corrosion or irritation   |
|   | Skin conosion of initiation<br>Serious eye damage or eye irritation  |
|   | Specific target organ toxicity (single or repeated exposure)   |
| SARA 302 Extremely hazar                      | dous substance   |
| Not listed.                                   |  |
| SARA 311/312 Hazardous<br>chemical            | Yes  |
| SARA 313 (TRI reporting)                      |  |

Not regulated.

#### **US state regulations**

US. New Jersey Worker and Community Right-to-Know Act dipropylene glycol methyl ether (CAS 34590-94-8) potassium hydroxide (CAS 1310-58-3) **US. Massachusetts RTK - Substance List** dipropylene glycol methyl ether (CAS 34590-94-8) potassium hydroxide (CAS 1310-58-3) US. Pennsylvania Worker and Community Right-to-Know Law dipropylene glycol methyl ether (CAS 34590-94-8) potassium hydroxide (CAS 1310-58-3) **US. Rhode Island RTK** dipropylene glycol methyl ether (CAS 34590-94-8) potassium hydroxide (CAS 1310-58-3) **California Proposition 65** WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov California Proposition 65 - CRT: Listed date/Carcinogenic substance 1.4-dioxane (CAS 123-91-1) Listed: January 1, 1988 ethylene oxide (CAS 75-21-8) Listed: July 1, 1987 propylene oxide (CAS 75-56-9) Listed: October 1, 1988 California Proposition 65 - CRT: Listed date/Developmental toxin ethylene oxide (CAS 75-21-8) Listed: August 7, 2009 methanol (CAS 67-56-1) Listed: March 16, 2012 California Proposition 65 - CRT: Listed date/Female reproductive toxin ethylene oxide (CAS 75-21-8) Listed: February 27, 1987 California Proposition 65 - CRT: Listed date/Male reproductive toxin ethylene oxide (CAS 75-21-8) Listed: August 7, 2009 Volatile organic compounds (VOC) regulations **EPA** VOC content (40 CFR 0.8 % (at minimum dilution) 51.100(s)) 8.2 % (concentrate) Not regulated **Consumer products** (40 CFR 59, Subpt. C) State **Consumer products** This product is regulated as a General Purpose Degreaser (non-aerosol). This product is compliant for use in all 50 states. 0.4 % (at minimum dilution) VOC content (CA) 4 % (concentrate) 0.4 % (at minimum dilution) VOC content (OTC) 4 % (concentrate) International Inventories Country(s) or region Inventory name On inventory (yes/no)\*

| Australia   | Australian Inventory of Chemical Substances (AICS)                        | Yes |
|-------------|---|-----|
| Canada      | Domestic Substances List (DSL)  | Yes |
| Canada      | Non-Domestic Substances List (NDSL)                                       | No  |
| China       | Inventory of Existing Chemical Substances in China (IECSC)                | Yes |
| Europe      | European Inventory of Existing Commercial Chemical<br>Substances (EINECS) | No  |
| Europe      | European List of Notified Chemical Substances (ELINCS)                    | No  |
| Japan       | Inventory of Existing and New Chemical Substances (ENCS)                  | No  |
| Korea       | Existing Chemicals List (ECL)   | Yes |
| New Zealand | New Zealand Inventory   | No  |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS)         | Yes |

### 16. Other information, including date of preparation or last revision

country(s).

| Issue date<br>Revision date<br>Prepared by<br>Version # | 01-13-2020<br>05-13-2020<br>Allison Yoon<br>02  |
|---|---|
| Further information<br>Disclaimer                       | CRC # 433E/1002414<br>The information contained in this document applies to this specific material as supplied. It may not<br>be valid for this material if it is used in combination with any other materials. This information is<br>accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be<br>accurate. Before using any product, read all warnings and directions on the label. For further<br>clarification of any information contained on this (M)SDS consult your supervisor, a health & safety<br>professional, or CRC Industries, Inc |
| Revision information                                    | Hazard(s) identification: Hazard statement<br>Hazard(s) identification: Prevention<br>Transport Information: Material Transportation Information  |