


INSTRUCTION MANUAL



Outdoor Adirondack Chair with Cup Holder


V1.0

! CARE & MAINTENANCE

Please keep this instruction for your future reference.

- Be careful when assembly, avoid hurting the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tighten screws.)
- Please do not exceed the weight limitations of this item.

TOOLS REQUIRED



ALLEN WRENCH
(PROVIDED)



WRENCH
(PROVIDED)



CHAIR
300 LBS
CAPACITY



1 PERSON
ASSEMBLY




UP TO 20 MIN.
ASSEMBLY

HARDWARE

1

M6 x 80mm
BOLT



2 PCS

2

M6 x 55mm
BOLT



2 PCS

3

M6 x 50mm
BOLT



4 PCS

4

M6 x 45mm
BOLT



2 PCS

5

M6 x 30mm
BOLT



4 PCS

6

M6.3 x 50mm
SCREW



2 PCS

7

M6.3 x 40mm
SCREW



2 PCS

8

M6 WASHER



8 PCS


9

M6 NUT




8 PCS


PARTS

A**CHAIR SEAT**


1 PC

B**RIGHT CHAIR LEG**


1 PC

C**LEFT CHAIR LEG**


1 PC

D**RIGHT CHAIR ARM**


1 PC

E**LEFT CHAIR ARM**

1 PC

F**CHAIR BACKREST**


1 PC

G**BACK RAIL**

1 PC

H**FRONT RAIL**


1 PC

I**LOCKING BLOCK**

2 PCS

J**CUP SUPPORT**


1 PC

K**PHONE SUPPORT**

1 PC

PRODUCT ASSEMBLY – OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each parts to be assembled.




PRODUCT ASSEMBLY

1

Attach **Part E Left Chair Arm** to **Part C Left Chair Leg** with 1 set of **Hardware #2 Bolt, #8 Washer** and **#9 Nut**.

Do same to attach **Part D Right Chair Arm** and **Part B Right Chair Leg**.


Do not tighten screws too much at this stage.



PRODUCT ASSEMBLY

2


Attach the **Combined Part (B+D) Right Chair Leg** and **Part (C+E) Left Chair Leg** to **Part A Chair Seat** with 2 sets of **Hardware #3 Bolt, #8 Washer** and **#9 Nut**.



3

Place **Part F Chair Backrest** into the slot on **Part A Chair Seat** and then attach **the Chair Backrest** to **Part D Right Chair Arm** with 1 set of **Hardware #1 Bolt, #8 Washer** and **#9 Nut**.


Do the same to attach **Part F Chair Backrest** to **Part E Left Chair Arm**.



PRODUCT ASSEMBLY

4


Attach **Part I Locking Blocks** to **Part F Chair Backrest** and **Part A Chair Seat** (both sides) with 2 sets of **Hardware #4 Bolt, #8 Washer** and **#9 Nut** and 2 pcs of **Hardware #6 Screw**.



5

Attach **Part G Back Rail** to **Part A Chair Seat** with 2 pcs of **Hardware #3 Bolt**.


Attach **Part H Front Rail** to **Part B Right Chair Leg** and **Part C Left Chair Leg** with 4 pcs of **Hardware #5 Bolt**.



PRODUCT ASSEMBLY

6


Attach **Part J Cup Support** and **Part K Phone Support** to **Part B Right Chair Leg** with 2 pcs of **Hardware #7 Screw**.



7

The assembly of this Chair completed, enjoy it now.

Pull the stick out of both legs to fold this chair as below.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.