



GOJO® Premium Foam Antibacterial Handwash Chloroxylenol Liquid

Version	Revision Date:	SDS Number:	Date of last issue: 02/13/2017
1.1	02/12/2018	40000000205	Date of first issue: 02/13/2017

SECTION 1. IDENTIFICATION

Product name : GOJO® Premium Foam Antibacterial Handwash Chloroxylenol Liquid

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500
Akron, Ohio, 44311

Telephone : 1 (330) 255-6000

Emergency telephone number : CHEMTREC 1-800-424-9300
CHEMTREC +1-703-527-3887: Outside USA & CANADA

Recommended use of the chemical and restrictions on use

Recommended use : Antibacterial Soap

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Serious eye damage : Category 1

GHS label elements

GOJO® Premium Foam Antibacterial Hand-wash Chloroxylonol Liquid

Version 1.1 Revision Date: 02/12/2018 SDS Number: 40000000205 Date of last issue: 02/13/2017
 Date of first issue: 02/13/2017

Hazard pictograms :  

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
 H318 Causes serious eye damage.

Precautionary statements :

Prevention:
 P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 P233 Keep container tightly closed.
 P240 Ground/bond container and receiving equipment.
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P280 Wear eye protection/ face protection.

Response:
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:
 P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Ethyl Alcohol	64-17-5	>= 1 - < 5
Ammonium Laureth Sulfate	67762-19-0	>= 1 - < 5
Ammonium Lauryl Sulfate	2235-54-3	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Chloroxylonol	88-04-0	>= 0.1 - < 1



GOJO® Premium Foam Antibacterial Hand-wash Chloroxyleneol Liquid

Version 1.1	Revision Date: 02/12/2018	SDS Number: 40000000205	Date of last issue: 02/13/2017 Date of first issue: 02/13/2017
----------------	------------------------------	----------------------------	---

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|--|
| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : | If inhaled, remove to fresh air.
If symptoms persist, call a physician. |
| In case of skin contact | : | Wash with water and soap as a precaution.
Get medical attention if irritation develops and persists. |
| In case of eye contact | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Seek medical advice. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Rinse mouth with water.
Obtain medical attention. |
| Most important symptoms and effects, both acute and delayed | : | Causes serious eye damage. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection and use the recommended protective clothing |

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|---------------------------------------|---|---|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during fire-fighting | : | Do not use a solid water stream as it may scatter and spread fire.
Cool closed containers exposed to fire with water spray.
Flash back possible over considerable distance.
May form explosive mixtures in air.
Exposure to decomposition products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Sulphur oxides
Nitrogen oxides (NOx) |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers. |



GOJO® Premium Foam Antibacterial Hand-wash Chloroxynol Liquid

Version 1.1	Revision Date: 02/12/2018	SDS Number: 40000000205	Date of last issue: 02/13/2017 Date of first issue: 02/13/2017
----------------	------------------------------	----------------------------	---

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak.
Material can create slippery conditions.
- Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
Keep in suitable, closed containers for disposal.
Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : For personal protection see section 8.
Keep away from heat.
Use with local exhaust ventilation.
Avoid contact with eyes.
- Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.
Keep in properly labelled containers.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis



GOJO® Premium Foam Antibacterial Hand-wash Chloroxymenol Liquid

Version 1.1 Revision Date: 02/12/2018 SDS Number: 40000000205 Date of last issue: 02/13/2017
Date of first issue: 02/13/2017

Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,880 mg/m ³	CA AB OEL
		STEL	1,000 ppm	CA BC OEL
		TWAEV	1,000 ppm 1,880 mg/m ³	CA QC OEL
		STEL	1,000 ppm	ACGIH
Propylene Glycol	57-55-6	TWA (aero- sol)	10 mg/m ³	CA ON OEL
		TWA (Va- pour and aerosols)	50 ppm 155 mg/m ³	CA ON OEL
		TWA (Va- pour and aerosols)	50 ppm 155 mg/m ³	CA ON OEL

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection
- Remarks : No special protective equipment required.
- Eye protection : Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : No special measures necessary provided product is used correctly.
- Protective measures : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Ensure that eye flushing systems and safety showers are located close to the working place.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : clear, translucent, yellow-orange, amber
- Odour : like fruit
- Odour Threshold : No data available
- pH : 4.5 - 8.5 (20 °C)
- Melting point/freezing point : No data available



GOJO® Premium Foam Antibacterial Hand-wash Chloroxyleneol Liquid

Version 1.1	Revision Date: 02/12/2018	SDS Number: 400000000205	Date of last issue: 02/13/2017 Date of first issue: 02/13/2017
----------------	------------------------------	-----------------------------	---

Initial boiling point and boiling range	:	83.00 °C
Flash point	:	59.89 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	0.9962 g/cm ³
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	:	10 - 20 mm ² /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**GOJO® Premium Foam Antibacterial Hand-wash Chloroxynol Liquid**

Version 1.1	Revision Date: 02/12/2018	SDS Number: 40000000205	Date of last issue: 02/13/2017 Date of first issue: 02/13/2017
----------------	------------------------------	----------------------------	---

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Eye contact
Skin contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Ethyl Alcohol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Ammonium Laureth Sulfate:

Acute oral toxicity : LD50 (Rat): 4,100 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg
Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)
Remarks: Based on data from similar materials

Propylene Glycol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l, > 51091 ppm
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal

**GOJO® Premium Foam Antibacterial Hand-wash Chloroxylonol Liquid**

Version 1.1	Revision Date: 02/12/2018	SDS Number: 400000000205	Date of last issue: 02/13/2017 Date of first issue: 02/13/2017
----------------	------------------------------	-----------------------------	---

toxicity

Chloroxylonol:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg
Method: Expert judgement
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute inhalation toxicity : LC50 (Rat): > 6.29 mg/l
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Ethyl Alcohol:**

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Ammonium Laureth Sulfate:

Species: Rabbit
Method: OECD Test Guideline 404
Result: Skin irritation
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Species: Rabbit
Method: OECD Test Guideline 404
Result: Skin irritation

Propylene Glycol:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Chloroxylonol:

Result: Skin irritation
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.



GOJO® Premium Foam Antibacterial Hand-wash Chloroxylonol Liquid

Version 1.1 Revision Date: 02/12/2018 SDS Number: 400000000205 Date of last issue: 02/13/2017
Date of first issue: 02/13/2017

Components:

Ethyl Alcohol:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days
Method: OECD Test Guideline 405

Ammonium Laureth Sulfate:

Species: Rabbit
Result: Irreversible effects on the eye
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Species: Rabbit
Result: Irreversible effects on the eye
Method: OECD Test Guideline 405

Propylene Glycol:

Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405

Chloroxylonol:

Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Result: Does not cause skin sensitisation.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA)
Exposure routes: Skin contact
Species: Mouse
Result: negative

Ammonium Laureth Sulfate:

Test Type: Maximisation Test (GPMT)
Exposure routes: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406



GOJO® Premium Foam Antibacterial Hand-wash Chloroxylonol Liquid

Version	Revision Date:	SDS Number:	Date of last issue: 02/13/2017
1.1	02/12/2018	40000000205	Date of first issue: 02/13/2017

Result: negative
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Test Type: Maximisation Test (GPMT)
Exposure routes: Skin contact
Species: Guinea pig
Result: negative
Remarks: Based on data from similar materials

Propylene Glycol:

Test Type: Maximisation Test (GPMT)
Exposure routes: Skin contact
Species: Guinea pig
Result: negative

Chloroxylonol:

Assessment: Probability or evidence of skin sensitisation in humans
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Ammonium Laureth Sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

: Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 475

**GOJO® Premium Foam Antibacterial Hand-wash Chloroxyleneol Liquid**

Version 1.1	Revision Date: 02/12/2018	SDS Number: 40000000205	Date of last issue: 02/13/2017 Date of first issue: 02/13/2017
----------------	------------------------------	----------------------------	---

Result: negative
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Propylene Glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Chloroxyleneol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Ammonium Lauryl Sulfate:**

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative
Remarks: Based on data from similar materials

Propylene Glycol:

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative

Reproductive toxicity

Not classified based on available information.

**GOJO® Premium Foam Antibacterial Hand-wash Chloroxynol Liquid**

Version 1.1 Revision Date: 02/12/2018 SDS Number: 40000000205 Date of last issue: 02/13/2017
Date of first issue: 02/13/2017

Components:**Ethyl Alcohol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Ammonium Laureth Sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Propylene Glycol:

Effects on fertility : Species: Mouse
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Ethyl Alcohol:**

Species: Rat

**GOJO® Premium Foam Antibacterial Hand-wash Chloroxynol Liquid**

Version 1.1 Revision Date: 02/12/2018 SDS Number: 40000000205 Date of last issue: 02/13/2017
Date of first issue: 02/13/2017

NOAEL: 2,400 mg/kg
Application Route: Ingestion
Exposure time: 2 y

Ammonium Laureth Sulfate:

Species: Rat
NOAEL: > 225 mg/kg
Application Route: Ingestion
Exposure time: 90 d
Method: OECD Test Guideline 408
Remarks: Based on data from similar materials

Propylene Glycol:

Species: Rat
NOAEL: 1,700 mg/kg
Application Route: Ingestion
Exposure time: 2 y

Chloroxynol:

Species: Rabbit
LOAEL: 180 mg/kg
Application Route: Skin contact
Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Ethyl Alcohol:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
- Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l
Exposure time: 9 d
- Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l
Exposure time: 0.25 h



GOJO® Premium Foam Antibacterial Hand-wash Chloroxynol Liquid

Version	Revision Date:	SDS Number:	Date of last issue: 02/13/2017
1.1	02/12/2018	40000000205	Date of first issue: 02/13/2017

Ammonium Laureth Sulfate:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7.1 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.27 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials
- Toxicity to bacteria : EC10 (Pseudomonas putida): > 10 g/l
Exposure time: 16 h
Method: DIN 38 412 Part 8
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.7 mg/l
Exposure time: 48 h
Method: Tested according to Directive 92/69/EEC.
Remarks: Based on data from similar materials
- Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
Remarks: Based on data from similar materials



GOJO® Premium Foam Antibacterial Hand-wash Chloroxyleneol Liquid

Version	Revision Date:	SDS Number:	Date of last issue: 02/13/2017
1.1	02/12/2018	40000000205	Date of first issue: 02/13/2017

EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg/l
 Exposure time: 72 h
 Method: Directive 67/548/EEC, Annex V, C.3.
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia Dubia (water flea)): 0.88 mg/l
 Exposure time: 7 d
 Remarks: Based on data from similar materials

Toxicity to bacteria : EC0 (Pseudomonas putida): 409 mg/l
 Exposure time: 16 h
 Method: DIN 38 412 Part 8
 Remarks: Based on data from similar materials

Propylene Glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia Dubia (water flea)): 18,340 mg/l
 Exposure time: 48 h

Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : Chronic Toxicity Value: 2,500 mg/l
 Exposure time: 30 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia Dubia (water flea)): 29,000 mg/l
 Exposure time: 7 d

Toxicity to bacteria : NOEC (Pseudomonas putida): > 20,000 mg/l
 Exposure time: 18 h

Chloroxyleneol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.7 mg/l
 Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

Persistence and degradability

Components:

Ethyl Alcohol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 84 %

**GOJO® Premium Foam Antibacterial Hand-wash Chloroxylonol Liquid**

Version 1.1 Revision Date: 02/12/2018 SDS Number: 40000000205 Date of last issue: 02/13/2017
Date of first issue: 02/13/2017

Exposure time: 20 d

Ammonium Laureth Sulfate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d
Method: Directive 67/548/EEC Annex V, C.4.C.
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 75.7 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
Remarks: Based on data from similar materials

Propylene Glycol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential**Components:****Ethyl Alcohol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

Ammonium Laureth Sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.3

Ammonium Lauryl Sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.8 - 0.91

Propylene Glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Chloroxylonol:

Partition coefficient: n-octanol/water : log Pow: 3.27



GOJO® Premium Foam Antibacterial Hand-wash Chloroxynol Liquid

Version	Revision Date:	SDS Number:	Date of last issue: 02/13/2017
1.1	02/12/2018	40000000205	Date of first issue: 02/13/2017

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

UN/ID No. : UN 1170
 Proper shipping name : Ethanol solution
 Class : 3
 Packing group : III
 Packing instruction (cargo aircraft) : 366
 Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1170
 Proper shipping name : ETHANOL SOLUTION

Class : 3
 Packing group : III
 Labels : 3
 EmS Code : F-E, S-D
 Marine pollutant : no

National Regulations

TDG

UN number : UN 1170
 Proper shipping name : ETHANOL SOLUTION

Class : 3
 Packing group : III
 Labels : 3
 ERG Code : 127
 Marine pollutant : no



GOJO® Premium Foam Antibacterial Hand-wash Chloroxyleneol Liquid

Version	Revision Date:	SDS Number:	Date of last issue: 02/13/2017
1.1	02/12/2018	40000000205	Date of first issue: 02/13/2017

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
AICS	On the inventory, or in compliance with the inventory
DSL	On the inventory, or in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
ISHL	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship;

**GOJO® Premium Foam Antibacterial Hand-wash Chloroxyleneol Liquid**

Version	Revision Date:	SDS Number:	Date of last issue: 02/13/2017
1.1	02/12/2018	40000000205	Date of first issue: 02/13/2017

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 02/12/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN