


INSTRUCTION MANUAL



Deep Seating Chair

V1.0

! CARE & MAINTENANCE

Please keep this instruction for your future reference.

- Be careful when assembling, avoid damaging the top surface.
- Clean the chair with lukewarm water, mild detergent & soft cloth.
- Firmly secure all bolts before use, do not use any part of this item as a step ladder.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Do not overtighten screws. (Insert all screws before tightening screws.)
- Please do not exceed the weight limitations of this item.

TOOLS REQUIRED



**CHAIR
330 LBS
CAPACITY**



**2 PERSON
ASSEMBLY**




**UP TO 30 MIN.
ASSEMBLY**

HARDWARE

1


SCREW
M6 x 60mm



6 PCS

2


SCREW
M6 x 50mm



2 PCS

3


SCREW
M6 x 100mm



6 PCS

4

BOLT
M6 x 60mm



4 PCS

5

POLY CAP




2 PCS

PARTS

A


CHAIR BACKREST



1 PC

B

CHAIR SEAT



1 PC

C

CHAIR FRONT LEG




2 PCS


PARTS

D**CHAIR REAR LEG**


1 PC

E**RAIL**

1 PC

F**CHAIR RIGHT ARM**

1 PC

G**CHAIR LEFT ARM**



1 PC

H**CHAIR REAR LEG**

1 PC

PRODUCT ASSEMBLY – OVERALL VIEW


Look at following overall view of this chair and learn the exact position of each part to be assembled.



PRODUCT ASSEMBLY

1


Attach **Part E Rail** to **Part D** and **Part H Rear Leg** with 4 pcs of **Hardware #1 Screw**.



2

Attach **Part D** and **Part H Rear Leg** to **Part B Seat** with 2 pcs of **Hardware #3 Screw**.

Attach **Part C Front Leg** to **Part B Seat** with 4 pcs of **Hardware #4 Bolt**.




PRODUCT ASSEMBLY

3

Attach **Part A Backrest** to **Part B Seat** with 2 pcs of **Hardware #3 Screw**.

Attach **Part D** and **Part H Rear Leg** to **Part A Backrest** with 2 pcs of **Hardware #1 screw**.




4

Attach **Part F Right Arm** to **Part A Backrest** with 1 pc of **Hardware #2 Screw**.

Attach **Part F Right Arm** to **Part C Front leg** with 1 pc of **Hardware #3 Screw**.

Do the same to **Part G Left Arm**.




PRODUCT ASSEMBLY

5

The poly cap is hard to remove and may block disassembly of the arm and front leg.

Please take note of this and decide whether you really need the poly cap during assembly.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.