Submitted Model No.:_

Specific Features:



🔁 DE LTA.

see what Delta can do

WALL BAR HAND HELD SHOWERS

Certified Dual Check Valves
 Decorative Wall Bar

STANDARD SPECIFICATIONS:

- 70" ultra-flex hose: 51521-WH, 51521-WHB, & 51551-WHBUF
- 60-82" stretchable metal hose: 51501-WH & 51502-WH, 51501-WHB, 57011, 51551-WH, 51551-WHB, & 51551-WHBDS
- ADA compliance applies to the hand shower and hose only: 51551-WHBDS, 51551-WHBUF & 51521-WHB
- Certified dual check valves for backflow protection.
- Maximum 1.75 gpm @ 80 psi, 6.6 L/min @ 550 kPa (57011 only)
- Maximum 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa
 Handheld shower with two spray settings -
- pause is a non-positive shut-off (51501-WHB, 57011, 51521-WHB, 51551-WHB, 51551-WHBDS, 51551-WHBUF).

WARRANTY

- Parts and Finish Lifetime limited warranty; or for commercial purchasers, 10 years for multi-family residential (apartments and condominiums) and 5 years for all other commercial uses, in each case from the date of purchase.
- Electronic Parts and Batteries (if applicable) 5 years from the date of purchase; or for commercial purchasers, 1 year from the date of purchase. No warranty is provided on batteries.



COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
- EFA WaterSense® Applies to 57011 only Indicates compliance to ICC/ANSI A117.1
- ♦ Your Delta Faucet handshower incorporates a backflow protection system that has been tested to be in compliance with ASME A112.18.3 and ASME A112.18.1/CSA B125.1. It incorporates two certified check valves in series, which operate independently and are integral, non-serviceable parts of the wand assembly.

Delta reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.deltafaucet.com for finish options and product availability.

Delta Faucet Company

55 E. 111th Street, Indianapolis, IN 46280 350 South Edgeware Road, St. Thomas, ON N5P 4L1 © 2020 Delta Faucet Company