

EXIT SIGNS LUMINATION EMERGENCY STOCK GUIDE



LUX

LED Exit Sign

- AC only or Emergency with battery models
- Universal single or double-face
- Remote capacity or extended run-time option
- Removeable chevrons for flexibility in the field
- Matching indoor or outdoor remote heads
- Damp Location Listed

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162242	LUXAR	White Thermoplastic Exit, Universal Face, Red LED AC Only Exit	662050046430	00662050046904	•	2.0 lbs.	6
93162246	LUXER	White Thermoplastic Exit, Universal Face, Red LED Emergency Exit, NiCad Battery	662050046478	00662050046942	•	2.2 lbs.	6
93162250	LUXERRC	White Thermoplastic Exit, Universal Face, Red LED Emergency Exit, Remote Capacity, NiMH Battery	662050046515	00662050046980	•	2.2 lbs.	6
93162244	LUXAG	White Thermoplastic Exit, Universal Face, Green LED AC Only Exit	662050046454	00662050046928	•	2.0 lbs.	6
93162248	LUXEG	White Thermoplastic Exit, Universal Face, Green LED Emergency Exit, NiCad Battery	662050046492	00662050046966	•	2.2 lbs.	6
93162251	LUXEGRC	White Thermoplastic Exit, Universal Face, Green LED Emergency Exit, Remote Capacity, NiMH Battery	662050046522	00662050046997	•	2.2 lbs.	6
93162243	LUXARB	Black Thermoplastic Exit, Universal Face, Red LED AC Only Exit	662050046447	00662050046911	•	2.0 lbs.	6
93162247	LUXERB	Black Thermoplastic Exit, Universal Face, Red LED Emergency Exit, NiCad Battery	662050046485	00662050046959	•	2.2 lbs.	6
93162245	LUXAGB	Black Thermoplastic Exit, Universal Face, Green LED AC Only Exit	662050046461	00662050046935	•	2.0 lbs.	6
93162249	LUXEGB	Black Thermoplastic Exit, Universal Face, Green LED Emergency Exit, NiCad Battery	662050046508	00662050046973	•	2.2 lbs.	6



LUCE

LED Combo

- Offering the favored round head look
- Canopy included for Ceiling/End Mount
- Molded-in template for quick wall mount installation
- Removeable chevrons for flexibility in the field
- Remote capacity or extended run-time option
- Damp Location Listed

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162252	LUCER	White Finish, Round Lamp Heads, Universal Exit Face, Red Letters, NiCad Battery	662050021697	00662050042524	•	2.5 lbs.	6
93162254	LUCERRC	White Finish, Round Lamp Heads, Universal Face, Red Letters, Remote Capacity, NiMH Battery	662050046546	00662050047017	•	2.5 lbs.	6
93162256	LUCEG	White Finish, Round Lamp Heads, Universal Exit Face, Green Letters, NiCad Battery	662050046560	00662050047031	•	2.5 lbs.	6
93162258	LUCEGRC	White Finish, Round Lamp Heads, Universal Face, Green Letters, Remote Capacity, NiMH Battery	662050046584	00662050047055	•	2.5 lbs.	6
93162253	LUCERB	Black Finish, Round Lamp Heads, Universal Exit Face, Red Letters, NiCad Battery	662050046539	00662050047000	•	2.5 lbs.	6
93162255	LUCERRCB	Black Finish, Round Lamp Heads, Universal Face, Red Letters, Remote Capacity, NiMH Battery	662050046553	00662050047024	•	2.5 lbs.	6
93162257	LUCEGB	Black Finish, Round Lamp Heads, Universal Exit Face, Green Letters, NiCad Battery	662050046577	00662050047048	•	2.5 lbs.	6

EXIT SIGNS



LUCESQ

LED Square Combo

- Offering the popular square head look
- Lamp-heads are fully adjustable
- Damp Location Listed
- Removable chevrons for flexibility in the field

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162259	LUCERSQ	White Finish, Square Lamp Heads, Universal Exit Face, Red Letters, NiCad Battery	662050046591	00662050047062	•	2.5 lbs.	6
93162260	LUCEGSQ	White Finish, Square Lamp Heads, Universal Exit Face, Green Letters, NiCad Battery	662050046607	00662050047079	•	2.5 lbs.	6



LUEL

LED Edge-Lit Exit

- Recessed or Surface mount models
- Brushed Aluminum Housing with Acrylic Panels
- Panel illumination in red or green letters
- Mirror divider on single and double-face models

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162277	LUELSIRN	Surface Edgelit Exit Sign, Single Face, Red Letters, Mirror Panel, Aluminum Housing, AC Only	662050046775	00662050047215	•	3.0 lbs.	6
93162278	LUELSIRNE	Surface Edgelit Exit Sign, Single Face, Red Letters, Clear Panel, Aluminum Housing, Battery Backup	662050046782	00662050047222	•	3.0 lbs.	6
93162275	LUELSIGN	Surface Edgelit Exit Sign, Single Face, Green Letters, Mirror Panel, Aluminum Housing, AC Only	662050046751	00662050047192	•	3.0 lbs.	6
93162276	LUELSIGNE	Surface Edgelit Exit Sign, Single Face, Green Letters, Clear Panel, Aluminum Housing, Battery Backup	662050046768	00662050047208	•	3.0 lbs.	6
93162281	LUELS2RN	Surface Edgelit Exit Sign, Double Face, Red Letters, Mirror Panel, Aluminum Housing, AC Only	662050046812	00662050047246	•	3.0 lbs.	6
93162282	LUELS2RNE	Surface Edgelit Exit Sign, Double Face, Red Letters, Mirror Panel, Aluminum Housing, Battery Backup	662050047260	00662050047253	•	3.0 lbs.	6
93162279	LUELS2GN	Surface Edgelit Exit Sign, Double Face, Green Letters, Mirror Panel, Aluminum Housing, AC Only	662050046799	00662050047239	•	3.0 lbs.	6
93162280	LUELS2GNE	Surface Edgelit Exit Sign, Double Face, Green Letters, Mirror Panel, Aluminum Housing, Battery Backup	662050046805	10064894555562	•	3.0 lbs.	6
93162269	LUELR1RN	Recessed Edgelit Exit Sign, Single Face, Red Letters, Mirror Panel, Aluminum Housing, AC Only	662050046690	00662050047130	•	6.0 lbs	3
93162270	LUELR1RNE	Recessed Edgelit Exit Sign, Single Face, Red Letters, Mirror Panel, Aluminum Housing, Battery Backup	662050046706	00662050047147	•	6.0 lbs	3
93162267	LUELR1GN	Recessed Edgelit Exit Sign, Single Face, Green Letters, Mirror Panel, Aluminum Housing, AC Only	662050046676	00662050047116	•	6.0 lbs	3
93162268	LUELR1GNE	Recessed Edgelit Exit Sign, Single Face, Green Letters, Mirror Panel, Aluminum Housing, Battery Backup	662050046683	00662050047123	•	6.0 lbs	3
93162273	LUELR2RN	Recessed Edgelit Exit Sign, Double Face, Red Letters, Mirror Panel, Aluminum Housing, AC Only	662050046737	00662050047178	•	6.0 lbs	3
93162274	LUELR2RNE	Recessed Edgelit Exit Sign, Double Face, Red Letters, Mirror Panel, Aluminum Housing, Battery Backup	662050046744	00662050047185	•	6.0 lbs	3
93162271	LUELR2GN	Recessed Edgelit Exit Sign, Double Face, Green Letters, Mirror Panel, Aluminum Housing, AC Only	662050046713	00662050047154	•	6.0 lbs	3
93162272	LUELR2GNE	Recessed Edgelit Exit Sign, Double Face, Green Letters, Mirror Panel, Aluminum Housing, Battery Backup	662050046720	00662050047161	•	6.0 lbs	3

EMERGENCY LIGHTS



LUMEL

LED Emergency Light

- Extended runtime or remote capacity models
- Dual voltage input 120/277VAC, 60 Hz.
- Long-life Nickel Cadmium or Nickel Metal Hydride battery
- Matching remote heads
- UL 924 Listed for damp location

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162232	LUMEL	White Finish, Round Head LED Emergency Light, 120/277 Input, NiCad Battery, CEC T20 Compliant	662050046355	00662050046829	•	1.0 lbs.	12
93162234	LUMELB	Black Finish, Round Head LED Emergency Light, 120/277 Input, NiCad Battery, CEC T20 Compliant	662050046379	00662050046843	•	1.0 lbs.	12
93162233	LUMELRC	White Finish, Round Head LED Emergency Light, 120/277 Input, NiMh Battery, Remote Capacity	662050046362	00662050046836	•	1.0 lbs.	12
93162235	LUMELRCB	Black Finish, Round Head LED Emergency Light, 120/277 Input, NiMh Battery, Remote Capacity	662050046386	00662050046850	•	1.0 lbs.	12



LUMELSQ

LED Emergency Light with Square Heads

- Offering the popular square head look
- Wall or Ceiling Mount
- Remote capacity or extended run-time option
- Long-life Nickel Cadmium or Nickel Metal Hydride battery
- Provided with test switch and AC-On indicator

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162236	LUMELSQ	White Finish, Square Head Emergency Light, 120/277VAC Input, NiCad Battery	662050046393	00662050046867	•	1.0 lbs.	12
93162237	LUMELRCSQ	White Finish, Square Head Emergency Light, 120/277VAC Input, NiMh Battery, Remote Capacity	662050046409	00662050046874	•	1.0 lbs.	12



LUMELHL

LED High Lumen Emergency Light

- 55' or 95' Spacing
- Designed for high ceiling height applications
- Dual voltage input 120/277VAC, 50/60 Hz.
- Long life Lithium Iron Phosphate battery
- UL 924 Listed for damp location

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162238	LUMELHL	White housing, 2.7W LED lamps, 550 lumens total	662050025916	00662050033539	•	2.6 lbs.	6
93162239	LUMEL2HL	White housing, 5.4W LED lamps, 1300 lumens total	662050025930	00662050033553	•	3.0 lbs.	6



LUMELWG

LED Wet Location Emergency Light

- Grey housing
- Corrosion resistant UV stabilized polycarbonate housing
- Remote capacity or extended run-time option
- Fully adjustable lamp-heads
- Water-proof test switch and AC-On indicator
- Wet Location Listed (0°C to 50°C)

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162241	LUMELWG	Wet Location LED Unit, Gray Housing	662050046423	00662050046898	•	7.5 lbs.	4

EMERGENCY LIGHTS & REMOTES



LUMELOD

LED Outdoor Emergency Light Emergency Light

- Grey housing
- Corrosion resistant UV stabilized polycarbonate housing
- Remote capacity or extended run-time option
- Fully adjustable lamp-heads
- Water-proof test switch and AC-On indicator
- Wet Location Listed (0°C to 50°C)

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162240	LUMELOD	Clear poly-carbonate shield with White Thermoplastic Housing, Dual LED Lamps, UL Wet Location listed, 120/277VAC Input	662050046416	00662050046881	•	2.5 lbs.	6



LURI

LED Indoor Remote

- Fully adjustable lamp-heads
- Single or double lamp-head remote with base-plate
- Housing made of white or black high impact UL flame rated thermoplastic

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162266	LURIS	Single Head, White Indoor remote with mounting base	662050046669	10064894555388	•	1.0 lbs.	20
93162265	LURID	Double Head White Indoor remote with mounting base	662050046652	10064894554978	•	1.2 lbs.	20



LURO

LED Outdoor Remote

- Fully adjustable lamp-heads
- Single or double lamp-head remote with base
- Fully gasketed for application in wet environment
- Housing made of white or black high impact UL flame rated thermoplastic

Lumination #	Part #	Description	New Single UPC	MC UPC	Stock Location Harrisburg, PA	Wt. Each	Master Qty.
93162262	LUROS	Single Head, White Outdoor remote with mounting base	662050046621	10064894554985	•	1.0 lbs.	20
93162261	LUROD	Double Head, White Outdoor remote with mounting base	662050046614	00662050047086	•	1.2 lbs.	12
93162264	LUROSB	Single Head, Black Outdoor remote with mounting base	662050046645	00662050047109	•	1.0 lbs.	20
93162263	LURODB	Double Head, Black Outdoor remote with mounting base	662050046638	00662050047093	•	1.2 lbs.	12