

Safety Data Sheet Revision Date: 05/28/2015

SECTION 1: Identification and Company Details

Product Name: WA060 Acrylic Urethane Engineered Wood Adhesive

Product Code: WA060

Manufacturer/ Supplier: Roberts Consolidated Industries, Inc.

Address: 300 Cross Plains Blvd.

Dalton, GA 30721

Emergency Phone: (800) 424-9300 (24-hour Response / CHEMTREC)

Product Information: (706) 277-5294

Recommended Use: Adhesive

SECTION 2: Hazard(s) Identification

OSHA / HCS Status: This material is considered non hazardous by the OSHA Hazard Communication Standard (29 CFR

1910.1200)

Classification of the

substance or mixture: Skin corrosive- Category 3

Respiratory sensitizer- Category 1 Skin sensitizer- Category 1

Signal Word: Danger

Hazard Statements: Causes mild skin irritation

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled



Hazard Pictograms:

Precautionary Statements: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required.

In case of inadequate ventilation wear respiratory protection.

IF ON SKIN: Wash with soap and water.

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

If irritation or a rash occurs: Get medical advice/ attention

Store locked up.

Dispose of contents/ container in accordance with local authority requirements. Incineration is the

preferred method of disposal.

SECTION 3:	Composition / Information on Ingredients	Weight %	CAS #	
Inert Filler		8%	1332-58-7	

Napthenic oil	7%	64742-52-5
Titanium dioxide	0.2%	13463-67-6
Quartz	0.2%	14808-60-7
Marble Dust	37%	1317-65-3
Vinyl acetate	0.2%	108-05-4

This product is an encapsulated mixture which reduces the likelihood of exposure to hazardous particulates. Airborne exposures to hazardous dusts or mists may be generated by spraying, sanding or grinding. During normal usage of the product as recommended, airborne dusts will not be present

SECTION 4: First-Aid Measures

Inhalation: Move victim to fresh air. Consult physician if necessary.

Skin Contact: Wash with soap and water. Remove contaminated clothing. Consult physician if necessary.

Eye Contact: Flush with copious amounts of water for at least 15 minutes. Consult physician if necessary.

Ingestion: Do not induce vomiting. Wash mouth with water. Consult physician.

Note to Physician: Eyes: Stain for evidence of corneal injury. If cornea is burned, instill antibiotic steroid preparation.

Skin: This compound is a known skin sensitizer. Treat symptomatically as for contact dermatitis or thermal burns. If burned, treat as thermal burn. *Ingestion:* Treat symptomatically. There is no specific antidote. Inducing vomiting is contraindicated because of the irritating nature of this compound. *Respiratory:* Treatment is essentially symptomatic. Remove individual with symptoms

from exposure and assist in breathing if necessary.

SECTION 5: Fire-Fighting Measures

Extinguishing Media: This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

Hazardous Combustion Products: No particular hazards known.

Protection of Firefighters: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

SECTION 6: Accidental Release Measures

Personal Precautions: Use protective gloves, goggles and suitable protective clothing.

Environmental Precautions: Do not allow product to get into drains, soil, or surface water.

Methods of Clean-up: Small spillages absorb with sand or other inert absorbent. Large spillages dam and

absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Wear

necessary protective equipment.

SECTION 7: Handling and Storage

Handling Precautions: Do not use in confined spaces without adequate ventilation and/or respirator. Avoid contact with

skin and eyes. Do not eat, drink or smoke when using this product.

Storage: Keep separate from food, feedstuffs, fertilizers and other sensitive material. Store in closed original

container at temperatures between 5°Cand 30°C/40°F and 86°F. Protect from freezing and direct

sunlight.

SECTION 8: Exposure Control / Personal Protection

Exposure Guidelines: Not determined

Engineering Controls: Provide adequate ventilation.

Personal Protective Equipment:

Skin Protection - Permeation resistant gloves (butyl rubber, nitrile rubber, PVC or polyvinyl

alcohol).

Eye/Face Protection - Glasses with side shields, chemical splash goggles and/or face shield.

Chemical Name / CAS No. Inert Filler/1332-58-7	OSHA Exposure Limits 15mg/m3 TWA(total dust) 5mg/m3 TWA (respirable)	ACGIH Exposure Limits 2mg/m3 TWA (particulate ma containing no asbestos and < Crystalline silica, respirable	1% (total dust); 5mg/m3
Napthenic Oil/ 64742-52-5	Not Established	Not Established	Not Established
Quartz/14808-60-7	Not Established	0.025mg/m3 TWA (respirable)	NIOSH 0.05mg/m3 TWA (respirable dust)
Titanium Dioxide/ 13463-67-7	15mg/m3 TWA (total dust)	10mg/m3 TWA	Not Established
Marble Dust/ 1317-65-3	15 mg/m3 TWA (total dust) 5 mg/m3 TWA (respirable fraction)		SH: 10 mg/m3 TWA (total dust) mg/m3 TWA (respirable dust)
Vinyl acetate/ 108-05-4	Not established		IOSH: 4 ppm Ceiling (15 min); 15 mg/m3 Ceiling (15 min)

SECTION 9: Physical and Chemical Properties

Appearance: Heavy cream paste
Odor: Mild sweet odor

Relative Density: 1.35

Odor Threshold: Not available
Solubility: Negligible
pH: 8.7

Partition Coefficient: n-octanol/water; Not determined

Melting Point:Not determinedFreezing Point:Not determinedAuto-ignition Temperature:No data

Flash Point:

Decomposition Temperature: Not determined
Evaporation Rate:

Viscosity:

Not determined
Flammability (Solid/Gas):

Upper/Lower Flammability: Not determined

VOC Content: 18 g/L

Vapor Pressure (mmHg at 20c): Not determined

Boiling Point: 212° F

SECTION 10: Stability and Reactivity

Chemical Stability: Stable under normal temperature conditions and recommended use.

Conditions to Avoid: Excessive heat

Materials to Avoid: Water, amines, strong bases, and alcohols

SECTION 11: Toxicological Information

Mixture Toxicity

Inhalation Toxicity LC50: 83mg/L

Component Toxicity

108-05-4 Vinyl acetate

Oral LD50: 2,900 mg/kg (Rat) Dermal LD50: 2,335 mg/kg (Rabbit)

Acute toxicity:

Ingestion: None Inhalation: None Skin Contact: None

	<u>CAS Number</u>	<u>%Weight</u>
Napthenic oil	64742-52-5	7%
Titanium Dioxide	13463-67-7	0.2%
Quartz	14808-60-7	0.2%
Vinyl acetate	108-05-4	0.2%

SECTION 12: Ecological Information

Component Ecotoxicity

Naphthenic Oil 96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L 48 Hr EC50 Daphnia magna: >1000 mg/L

Mobility and Bioaccumulation Potential: Not determined

Degradation: Not determined
Aquatic Toxicity: Not determined
LC50 – 24 hour (Static): Not determined

SECTION 13: Disposal Considerations

Disposal: Dispose of waste and residues in accordance with local authority requirements. Incineration is the

preferred method of disposal.

Wastes or Residues: Same as above.

SECTION 14: Transport Information

Road: DOT Proper Shipping Name: Non-Regulated

DOT Packing Group: N/A

DOT Label: N/A
UN Number: N/A

Ocean: Proper Shipping Name: Non-Regulated

Sea - IMO/IMDG Class: N/A

UN Number: N/A Label: N/A Packing Group: N/A Marine Pollutant: N/A

EMS: N/A

Air: Proper Shipping Name: Non-Regulated

Air - ICAO/IATA Class: N/A

UN Number: N/A Label: N/A Sub Class: N/A Packing Group: N/A Pack Instr. Passenger: N/A Pack Instr. Cargo: N/A

SECTION 15: Regulatory Information

Status on Substance Lists: The concentrations shown in this document are maximum levels (weight %) to be used for

regulations.

TSCA: The components of this product are contained on the chemical substance inventory list

OSHA: This product is a 'Hazardous Chemical' as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200

IARC: Not carcinogenic

OSHA PEL's None

Federal EPA: Comprehensive Environmental Response, Compensation and Liability Act of 1980

(CERCLA): Requires notification of the national response center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40 CFR 302.4. Components present in this product at level which could require reporting under the

statute are:

Chemical NameCAS Number% by WeightRQNoneNoneNone

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III: Sections 301-304 require emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQ) in 40 CFR 355. Components present in this product at level which could require reporting under this statue are:

Chemical Name CAS Number % by Weight RQ
None None None None

Section 311-312 require products be reviewed and applicable EPA Hazard Definitions be identified and made known- **None**

NJ RTK

13463-67-7 Titanium Dioxide 1332-58-7 Inert Filler 14808-60-7 Quartz 1317-65-3 Marble Dust 108-05-4 Vinyl Acetate

Pennsylvania RTK

13463-67-7 Titanium Dioxide 1332-58-7 Inert Filler 14808-60-7 Quartz 1317-65-3 Marble Dust 108-05-4 Vinyl Acetate

SARA 302 Extremely Hazardous Substances – 108-05-4 Vinyl Acetate

Massachusetts RTK

13463-67-7 Titanium Dioxide1332-58-7 Inert Filler14808-60-7 Quartz1317-65-3 Marble Dust108-05-4 Vinyl Acetate

EPA Hazard Classifications:

Acute	Chronic	Fire	Pressure	Reactive
Hazard	Hazard	Hazard	Hazard	Hazard
Yes	Yes	No	No	No

Section 313 requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313). This information must be included in all SDSs that are distributed for this material. Components present in this product at level which could require reporting under the statute are: **None**

Canada DSL: All components are on the DSL list or exempt.

California Proposition 65: Warning: This product contains chemicals known to the State of California to cause cancer

and birth defects or other reproductive harm: None

SECTION 16: Other Information

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200).

HMIS RATING: HEALTH-1, FLAMMABILITY-0, REACTIVITY-0, PERSONAL PROTECTION- B.

Prepared by: Roberts Consolidated Product Safety & Regulatory Compliance Group, (706) 277-5294

The information herein is given in good faith, but no warranty expressed or implied is made. Roberts Consolidated urges users of this product to evaluate its suitability and compliance with local regulations as Roberts Consolidated cannot foresee the final use of the product, nor the final location of usage.

Date of issue: 5/28/15