

MSA V-TEC™ 3 m PFL

Personal Fall Limiter – Impressive innovation in a compact size



WE KNOW WHAT'S AT STAKE.

MSA V-TEC™ 3 m PFL (Personal Fall Limiter)

Suitable for multiple applications, the 3 m PFL is designed specifically for environments where close anchorage is available.

Compact and Versatile

The MSA V-TEC PFL is the most compact & lightweight self-retracting lanyard ever developed using multiple spring radial energy-absorbing technology. This new design eliminates the need for an external energy-absorber outside of the housing making it the smallest personal fall limiter on the market.

Reliable and Reassuring

MSA's Lifecycle Warranty means users can work at height with confidence that the PFL will continue to provide safety when it matters most. The product offers fall arrest and restraint for users 60 to 140 kg including tools.



MSA PFL

The world's first self-retracting lifeline with multiple spring radial energy-absorbing technology

- Integral energy absorber
- Requires zero recalibration or adjustment
- The energy absorber is completely sealed from external contaminants

Free range of motion

A fully rotating attachment point for complete flexibility – both 360° and 180°

Precision engineering

A structurally reinforced pawl mechanism

Highly durable


A polycarbonate case houses the SRL, and its transparency allows for easy visual inspection of critical internal components

Superior materials

Components manufactured from high-grade stainless steel and engineered plastics


Available Connectors

The MSA V-TEC PFL is supplied with a choice of steel or aluminium top carabiner and has a range of connectors available.




Forged Steel Snaphook

- High-tensile steel material
- Zinc-plated finish
- EN, ANSI and CSA compliant




Carabiner/Hook

- Triple-locking gate
- Aluminium alloy
- EN, ANSI and CSA compliant




Aluminium Scaffold Hook

- Aluminium alloy
- EN, ANSI and CSA compliant




Aluminium Snaphook

- Lightweight
- EN compliant




Forged Steel Swivel Snaphook

- Double-action/self-locking gate
- High-tensile steel material
- Zinc-plated finish
- EN, ANSI and CSA compliant




Swivel Carabiner/Hook

- Triple-locking gate
- Aluminium alloy
- EN, ANSI and CSA compliant



Steel Scaffold Hook

- High-tensile steel material
- Zinc-plated finish
- EN, ANSI and CSA compliant



Aluminium hook

- Aluminium alloy
- Black anodized
- Lightweight

Standards


The MSA V-TEC PFL has a highly durable polycarbonate, clear casing which allows for easy visual inspection of the critical internal components. It can withstand temperatures ranging from -40° to $+54^{\circ}\text{C}$ and its high-performing, high-strength webbing lifeline has been manufactured to the highest standard in accordance to Latchways' strict quality-control procedures. The product has been tested to meet these relevant standards:

- EN360: 2002, CNB/P/11.062
- AS/NZS 1891.3:1997
- ANSI Z359.14 – 2012
- OSHA 1910.66
- OSHA 1926.502
- CSA Z259.2.2-98

Ordering Information Single-Leg 3 m PFL

Part No.	Single-Leg	Webbing	Cable	Length	Anchorage connection	Harness connection
63013-00AEU	■	■		3 m	Aluminium scaffold hook	Steel carabiner
63013-00BEU	■	■		3 m	Steel snaphook	Steel carabiner
63013-00CEU	■	■		3 m	Aluminium swivel carabiner	Steel carabiner
63013-00DEU (1)	■	■		3 m	Aluminium carabiner	Steel carabiner
63013-00EEU	■	■		3 m	Steel swivel hook	Steel carabiner
63013-00FEU	■	■		3 m	Steel scaffold hook	Steel carabiner
63013-00GEU	■	■		3 m	Aluminium scaffold hook	–
63013-00HEU	■	■		3 m	Steel snaphook	–
63013-00IEU	■	■		3 m	Aluminium swivel carabiner	–
63013-00JEU	■	■		3 m	Aluminium carabiner	–
63013-00KEU	■	■		3 m	Steel swivel hook	–
63013-00LEU	■	■		3 m	Steel scaffold hook	–
63013-00MEU	■	■		3 m	Aluminium scaffold hook	Aluminium carabiner
63013-00NEU	■	■		3 m	Aluminium carabiner	Aluminium carabiner
63013-00OEU	■	■		3 m	Steel snaphook	Steel scaffold hook
63013-00PEU	■	■		3 m	Aluminium carabiner	Aluminium scaffold hook
63013-00REU	■	■		3 m	Aluminium snaphook	–
63013-00SEU	■	■		3 m	Aluminium rebar lightweight hook	Steel carabiner
63013-00TEU	■	■		3 m	Aluminium rebar lightweight hook	Aluminium carabiner triple locking captive pin
63013-00UEU	■	■		3 m	Aluminium rebar lightweight hook	–
63013-00VEU	■	■		3 m	Aluminium carabiner triple locking captive pin	Aluminium snaphook
63203-00AEU	■		■	3 m	Steel Swivel Hook	Steel carabiner
63203-00BEU	■		■	3 m	Steel swivel scaffold hook	Steel carabiner
63203-00CEU	■		■	3 m	Steel Swivel Hook	–
63203-00DEU	■		■	3 m	Aluminium rebar lightweight hook	–

Part No.	
63900-04 (2)	TwinLink Connector for PFL



Your direct contact

MSA Australia
11 Columbia Way
Baulkham Hills NSW 2153
Customer Service: 1300 728 672
Fax: (02) 9896 1835
Email: aus.customerservice@MSAsafety.com

MSA New Zealand
Customer Service: 0800 441 335
Email: nz.customerservice@MSAsafety.com

For contact details of your local MSA affiliate, please visit our website.