

L-BOXX Contractor Modular Mobility System

L-Boxx Contractor Modular Mobility System
Product Launch



Table of Contents

01

**Product
Overview**

02

**Why
Bosch**

03

**Target Users
and
Applications**

04

**Market
Overview**

05

**Competitive
Comparison**

06

**Marketing
Support**

07

**Frequently
Asked
Questions**

PRODUCT OVERVIEW

*Key product features & benefits, details, specifications,
pricing and set-up information*



PRODUCT OVERVIEW


L-BOXX Contractor: Wave 1 – Setting the Foundation

Wave 1 is all about setting the base for our new ecosystem with the most crucial Must-Haves

→ 7 SKUs will be launched in the 1st Wave!

Further range extensions (wall mounting, in-van-storage, soft storage, etc.) to be expected soon in Wave 2 & Wave 3!

Must-Have Products – L-BOXX Contractor



All illustrations of Bosch products are preliminary and not final design or color scheme.

LBOXX3ST

JOBSITE TOUGH


- Impact resistant polypropylene body
- IP65-rated weather seal protects tools and accessories from rain and other jobsite debris

INTUITIVE FRONT HANDLE DETACHING SYSTEM

- Features intuitive front handle detachment. Pulling of the front-handle will detach the box from the one below

INTEGRATED ACCESSORY RAILS

- Integrated aluminum corner rails for accessory attachments
- Compatible with ProClick accessories



FOOTPRINT & WEIGHT CAPACITY

- 22.0 x 21.0 x 36.8 in

CONVENIENT STORAGE

- Telescopic handle - fully extends & retracts to store flush and fits under any standard pickup truck bed cover

L-BOXX COMPATIBILITY

- Complete compatibility with the L-BOXX Contractor ecosystem
- Compatibility with legacy L-BOXX system

ALL-TERRAIN WHEELS

- Large, robust 9.5" wheels that glide over various terrain



Model : LBOXX3ST**Date Available:** June 2026**Number of Executions:** 1**LBOXX3ST****Includes:** (1) L-BOXX Contractor 3-Stack, (2) L-BOXX Contractor Storage Tray

LBOXX3ST

SPECIFICATIONS

IP Rating	IP65
System Compatibility	L-BOXX Contractor & L-BOXX
Accessory Rails	Yes
Weight Capacity [lbs]	~
Impact Resistant	Yes
Front Handle Detachment	Yes
Tool Dimensions [in]	22.0 x 21.0 x 36.8 in
Weight [lbs]	43.4

Features/Benefits

- ✓ **Jobsite Tough** – Impact resistant polypropylene body
- ✓ **IP Rated** – IP65-rated weather seal protects tools and accessories from rain and other jobsite debris
- ✓ **Front Handle Decoupling** – Features intuitive front handle detachment. Pulling of the front-handle will detach the box from the one below
- ✓ **Integrated Accessory Rails** – Integrated aluminum corner rails for accessory attachments and compatibility with ProClick accessories
- ✓ **L-BOXX Compatibility** – Complete compatibility with the L-BOXX Contractor ecosystem and with legacy L-BOXX system
- ✓ **Convenient Storage** - Telescopic handle fully extends & retracts to store flush and fits under any standard pickup truck bed cover
- ✓ **All-Terrain Wheels** - Features large, robust 9.5" wheels that glide over various terrain
- ✓ **Footprint-** 22.0 x 21.0 x 36.8 In



JOBSITE TOUGH

- Impact resistant polypropylene body
- IP65-rated weather seal protects tools and accessories from rain and other jobsite debris

INTUITIVE FRONT HANDLE DETACHING SYSTEM

- Features intuitive front handle detachment. Pulling of the front-handle will detach the box from the one below

FOOTPRINT & WEIGHT CAPACITY


- 22.0 x 17.0 x 6.7 in
- 77lbs


L-BOXX COMPATIBILITY

- Complete compatibility with the L-BOXX Contractor ecosystem
- Compatibility with legacy L-BOXX system

INTEGRATED ACCESSORY RAILS

- Integrated aluminum corner rails for accessory attachments
- Compatible with ProClick accessories



Model : 170**Date Available:** June 2026**Number of Executions:** 1**170****Includes:** (1) L-BOXX Contractor Standard Box

170

SPECIFICATIONS

IP Rating	IP65
System Compatibility	L-BOXX Contractor & L-BOXX
Accessory Rails	Yes
Weight Capacity [lbs]	77
Impact Resistant	Yes
Front Handle Detachment	Yes
Tool Dimensions [in]	22.0 x 17.0 x 6.7 in
Weight [lbs]	8.2

Features/Benefits

- ✓ **Jobsite Tough** – Impact resistant polypropylene body
- ✓ **IP Rated** – IP65-rated weather seal protects tools and accessories from rain and other jobsite debris
- ✓ **Front Handle Decoupling** – Features intuitive front handle detachment. Pulling of the front-handle will detach the box from the one below
- ✓ **Integrated Accessory Rails** – Integrated aluminum corner rails for accessory attachments and compatibility with ProClick accessories
- ✓ **L-BOXX Compatibility** – Complete compatibility with the L-BOXX Contractor ecosystem and with legacy L-BOXX system
- ✓ **Footprint-** 22.0 x 17.0 x 6.7 In
- ✓ **Weight Capacity** – 77 lbs



322

JOBSITE TOUGH

- Impact resistant polypropylene body
- IP65-rated weather seal protects tools and accessories from rain and other jobsite debris

L-BOXX COMPATIBILITY

- Complete compatibility with the L-BOXX Contractor ecosystem
- Compatibility with legacy L-BOXX system

INTUITIVE FRONT HANDLE DETACHING SYSTEM

- Features intuitive front handle detachment. Pulling of the front-handle will detach the box from the one below

FOOTPRINT & WEIGHT CAPACITY

- 22.0 x 17.0 x 12.7 in
- 110lbs

INTEGRATED ACCESSORY RAILS

- Integrated aluminum corner rails for accessory attachments
- Compatible with ProClick accessories



Model : 322**Date Available:** June 2026**Number of Executions:** 1**322****Includes:** (1) L-BOXX Contractor Midsize Box, (1) L-BOXX Contractor Storage Tray**SPECIFICATIONS**

IP Rating	IP65
System Compatibility	L-BOXX Contractor & L-BOXX
Accessory Rails	Yes
Weight Capacity [lbs]	110
Impact Resistant	Yes
Front Handle Detachment	Yes
Tool Dimensions [in]	22.0 x 17.0 x 12.7 in
Weight [lbs]	11.0

Features/Benefits

- ✓ **Jobsite Tough** – Impact resistant polypropylene body
- ✓ **IP Rated** – IP65-rated weather seal protects tools and accessories from rain and other jobsite debris
- ✓ **Front Handle Decoupling** – Features intuitive front handle detachment. Pulling of the front-handle will detach the box from the one below
- ✓ **Integrated Accessory Rails** – Integrated aluminum corner rails for accessory attachments and compatibility with ProClick accessories
- ✓ **L-BOXX Compatibility** – Complete compatibility with the L-BOXX Contractor ecosystem and with legacy L-BOXX system
- ✓ **Footprint-** 22.0 x 17.0 x 12.7 In
- ✓ **Weight Capacity** – 110 lbs



476

JOBSITE TOUGH

- Impact resistant polypropylene body
- IP65-rated weather seal protects tools and accessories from rain and other jobsite debris

CONVENIENT STORAGE

- Telescopic handle - fully extends & retracts to store flush and fits under any standard pickup truck bed cover

L-BOXX COMPATIBILITY

- Complete compatibility with the L-BOXX Contractor ecosystem
- Compatibility with legacy L-BOXX system

ALL-TERRAIN WHEELS

- Large, robust 9.5" wheels that glide over various terrain

INTEGRATED ACCESSORY RAILS

- Integrated aluminum corner rails for accessory attachments
- Compatible with ProClick accessories

FOOTPRINT & WEIGHT CAPACITY

- 22.0 x 20.0 x 18.7 in
- 250lbs



Model : 476**Date Available:** June 2026**Number of Executions:** 1**476****Includes:** (1) L-BOXX Contractor Wheeled Box, (1) L-BOXX Contractor Storage Tray

476

SPECIFICATIONS

IP Rating	IP65
System Compatibility	L-BOXX Contractor & L-BOXX
Accessory Rails	Yes
Weight Capacity [lbs]	250
Impact Resistant	Yes
Front Handle Detachment	Yes
Tool Dimensions [in]	22.0 x 20.0 x 18.7 in
Weight [lbs]	24.2

Features/Benefits

- ✓ **Jobsite Tough** – Impact resistant polypropylene body
- ✓ **IP Rated** – IP65-rated weather seal protects tools and accessories from rain and other jobsite debris
- ✓ **Integrated Accessory Rails** – Integrated aluminum corner rails for accessory attachments and compatibility with ProClick accessories release button and improved mechanical design
- ✓ **L-BOXX Compatibility** – Complete compatibility with the L-BOXX Contractor ecosystem and with legacy L-BOXX system
- ✓ **All-Terrain Wheels** - Features large, robust 9.5" wheels that glide over various terrain
- ✓ **Convenient Storage** - Telescopic handle fully extends & retracts to store flush and fits under any standard pickup truck bed cover
- ✓ **Footprint-** 22.0 x 20.0 x 18.7 In
- ✓ **Weight Capacity** – 250 lbs



RACK-2

JOBSITE TOUGH


- Impact resistant polypropylene body

SEAMLESS INTEGRATION

- Integrate your existing L-BOXX system into the storage system for quick and easy access to tools.

LOCKING BARS

- Features integrated locking bars that keep the drawers closed and in place during transport




FOOTPRINT & WEIGHT CAPACITY

- 22.0 x 20.0 x 18.7 in
- 50lbs


L-BOXX COMPATIBILITY

- Complete compatibility with the L-BOXX Contractor ecosystem
- Compatibility with legacy L-BOXX system



INTEGRATED ACCESSORY RAILS

- Integrated aluminum corner rails for accessory attachments
- Compatible with ProClick accessories

Model : Rack-2**Date Available:** June 2026**Number of Executions:** 1**Rack-2****Includes:** (1) L-BOXX Contractor Rack

Rack-2

SPECIFICATIONS

IP Rating	~
System Compatibility	L-BOXX Contractor & L-BOXX
Accessory Rails	Yes
Weight Capacity [lbs]	50
Impact Resistant	Yes
Front Handle Detachment	No. Front Latch Detachment
Tool Dimensions [in]	22.0 x 20.0 x 18.7 in
Weight [lbs]	18.3

Features/Benefits

- ✓ **Jobsite Tough** – Impact resistant polypropylene body
- ✓ **Integrated Accessory Rails** – Integrated aluminum corner rails for accessory attachments and compatibility with ProClick accessories
- ✓ release button and improved mechanical design
- ✓ **L-BOXX Compatibility** – Complete compatibility with the L-BOXX Contractor ecosystem and with legacy L-BOXX system
- ✓ **Seamless Integration** - Integrate your existing L-BOXX system into the storage system for quick and easy access to tools
- ✓ **Locking Bars**- Features integrated locking bars that keep the drawers closed and in place during transport
- ✓ **Footprint**- 22.0 x 20.0 x 18.7 In
- ✓ **Weight Capacity** – 50 lbs



DRAWER-3

JOBSITE TOUGH


- Impact resistant polypropylene body

OPTIMIZED ORGANIZATION

- Allows complete customization of your storage system for easy transport and organization of tools and accessories

LOCKING BARS

- Features integrated locking bars that keep the drawers closed and in place during transport




FOOTPRINT & WEIGHT CAPACITY

- 22.0 x 20.0 x 18.7 in
- 50lbs

L-BOXX COMPATIBILITY

- Complete compatibility with the L-BOXX Contractor ecosystem
- Compatibility with legacy L-BOXX system



INTEGRATED ACCESSORY RAILS

- Integrated aluminum corner rails for accessory attachments
- Compatible with ProClick accessories

Model : Drawer-3**Date Available:** June 2026**Number of Executions:** 1**Drawer-3****Includes:** (1) L-BOXX Contractor Drawer-Shelf

Drawer-3

SPECIFICATIONS

IP Rating	~
System Compatibility	L-BOXX Contractor & L-BOXX
Accessory Rails	Yes
Weight Capacity [lbs]	50
Impact Resistant	Yes
Front Handle Detachment	No. Front Latch Detachment
Tool Dimensions [in]	22.0 x 20.0 x 18.7 in
Weight [lbs]	21.4

Features/Benefits

- ✓ **Jobsite Tough** – Impact resistant polypropylene body
- ✓ **Integrated Accessory Rails** – Integrated aluminum corner rails for accessory attachments and compatibility with ProClick accessories
- ✓ release button and improved mechanical design
- ✓ **L-BOXX Compatibility** – Complete compatibility with the L-BOXX Contractor ecosystem and with legacy L-BOXX system
- ✓ **Optimized Organization** - Allows complete customization of your storage system for easy transport and organization of tools and accessories
- ✓ **Locking Bars**- Features integrated locking bars that keep the drawers closed and in place during transport
- ✓ **Footprint**- 22.0 x 20.0 x 18.7 In
- ✓ **Weight Capacity** – 50 lbs



CRATE

JOBSITE TOUGH

- Impact resistant polypropylene body



L-BOXX CONTRACTOR COMPATIBILITY

- Complete compatibility with the L-BOXX Contractor ecosystem



SIMPLISTIC STORAGE

- Easily carry tools, materials and other needs directly to the jobsite

FOOTPRINT & WEIGHT CAPACITY

- 22.0 x 20.0 x 18.7 in
- 55lbs

Model : Crate**Date Available:** June 2026**Number of Executions:** 1**Crate****Includes:** (1) L-BOXX Contractor Tool Crate

Crate

Features/Benefits

- ✓ **Jobsite Tough** – Impact resistant polypropylene body
- ✓ **L-BOXX Contractor Compatibility** – Complete compatibility with the L-BOXX Contractor ecosystem
- ✓ **Simplistic Storage** - Easily carry tools, materials and other needs directly to the jobsite
- ✓ **Footprint** - 22.0 x 17.0 x 12.7 in
- ✓ **Weight Capacity** – 55 lbs

SPECIFICATIONS

IP Rating	~
System Compatibility	L-BOXX Contractor
Accessory Rails	Yes
Weight Capacity [lbs]	55
Impact Resistant	Yes
Front Handle Detachment	Yes
Tool Dimensions [in]	22.0 x 17.0 x 12.7 in
Weight [lbs]	7.7



BACKPACK

MAIN MATERIAL: 1680D POLYESTER

- (4) zipper pockets all together
- (14) Integrated loops
- (32) open storage pockets
- (1) knife pocket
- (1) padded laptop pocket
- High volume compartment

LAPTOP COMPARTMENT INSIDE

FRONT AREA:

Fixed with 2 carabiners for helmet/hard hat storage

L-BOXX CONTRACTOR COMPATIBILITY

- Complete compatibility with the L-BOXX Contractor ecosystem

(32) OPEN POCKETS

OPTIMIZED ORGANIZATION

- Allows complete customization of your tools and accessories

TAPE MEASURE HOLDER WITH D-RING

BACK OPENING WITH 2-WAY ZIPPER

ELASTIC LOOPS

FOOTPRINT & WEIGHT CAPACITY

- 15.4 x 8.3 x 19.7 in
- 50lbs



Model : Backpack**Date Available:** June 2026**Number of Executions:** 1**Backpack****Includes:** (1) L-BOXX Contractor Backpack**SPECIFICATIONS**

IP Rating	~
System Compatibility	L-BOXX Contractor & L-BOXX
Material	1680D
Storage Pockets	32
Weight Capacity [lbs]	44
Impact Resistant	Yes
Laptop Compartment	Yes
Tool Dimensions [in]	15.4 x 8.3 x 19.7 in
Weight [lbs]	8.2


Features/Benefits

- ✓ **Jobsite Tough** – Constructed from water and abrasion resistant 1680D material
- ✓ **L-BOXX Contractor Compatibility** – Complete compatibility with the L-BOXX Contractor ecosystem
- ✓ **Optimized Organization** – Features (4) zipper pockets all together, (14) Integrated loops, (32) open storage pockets, (1) knife pocket, (1) padded laptop pocket, high volume compartment
- ✓ **Footprint & Weight Capacity** - 15.4 x 8.3 x 19.7 in
- ✓ **Weight Capacity** – 50 lbs

PRODUCT OVERVIEW

USP!

SIMPLICITY: One-handed Decoupling




- **Intuitive one-handed decoupling:** lifting the front handle of the L-BOXX Contractor 170 or 322 decouples it from any L-BOXX Contractor box below.

Fastest and most simplistic way of decoupling

PRODUCT OVERVIEW

Fully Compatible with Legacy L-BOXX Portfolio



- All L-BOXX Contractor case shares the legacy L-BOXX interface!
- All existing L-BOXXs can be stacked on top of all L-BOXX Contractor cases – **not vice versa**

The L-BOXX Contractor ecosystem massively enlarges the already great modular flexibility of the current L-BOXX portfolio

PRODUCT OVERVIEW

Optimized, Scalable & Maximum Functionality



- **Standard sizing:** allows for the L-BOXX Contractor boxes to fit under a tonneau cover of a standard pick-up truck

Streamlined commute solution to and from the jobsite

PRODUCT OVERVIEW

Optimized, Scalable & Maximum Functionality



Modular Scaling:

2x L-BOXX Contractor 170 Standard Boxes = (1) L-BOXX Contractor 322 Midsize Box

3x L-BOXX Contractor 170 Standard Boxes = (1) L-BOXX Contractor 476 Wheeled Box

L-BOXX Contractor 170 Standard Box + L-BOXX Contractor 322 Midsize Box = (1) L-BOXX Contractor 476 Wheeled Box

Height of Rack-2 Garage = Height of L-BOXX Contractor 476 Wheeled Box

Height of Drawer-3 Multi-shelf = Height of L-BOXX Contractor 476 Wheeled Box

Standardized, modular stacking sizes: Bosch L-BOXX Contractor can create a modular working station by clicking in a work bench across two stacks of Contractor storage boxes

PRODUCT OVERVIEW

L-BOXX Contractor: A Universe of Modularity

L-BOXX®

Classic mobility & packaging system



ProClick

Soft Storage



Pricing and Set-Up Information

Pricing Information

Model #	Description	10-Digit #	Suggested Industry Price	Tier 1	Tier 2
LBOXX3ST	L-BOXX Contractor 3-Stack	1609730760	\$299.00		
170	L-BOXX Contractor Standard Box	1600A037EY	\$89.00		
322	L-BOXX Contractor Midsize Box	1600A037EZ	\$99.00		
476	L-BOXX Contractor Wheeled Box	1600A037F0	\$159.00		
Rack-2	L-BOXX Contractor Rack	1600A037F3	\$169.00		
Drawer-3	L-BOXX Contractor Drawer-Shelf	1600A037F2	\$179.00		
Crate	L-BOXX Contractor Tool Crate	1600A037F1	\$59.00		
Backpack	L-BOXX Contractor Backpack	1600A037F4	\$139.00		

Model #	Bare Product Weight (Lbs.)	Pkg. Wt. (Lbs.)	Pkg. Qty.	UPC	Packaging Dimensions (L x W x H)	Pallet Qty.	Harmonized Tariff No.	Country of Origin
LBOXX3ST	43.4	~	~	000346831245	~	~	3923.10.9000	Slovenia
170	8.1	9.1	1	000346825886	22.6 x 17.8 x 7.4 in	20	3923.10.9000	Slovenia
322	11.1	12.1	1	000346825879	22.6 x 17.5 x 13.6 in	12	3923.10.9000	Slovenia
476	24.5	25.5	1	000346825893	22.6 x 19.4 x 21.6 in	4	3923.10.9000	Slovenia
Rack-2	18.3	19.3	1	000346825916	22.6 x 17.6 x 19.4 in	8	3923.10.9000	Slovenia
Drawer-3	21.4	22.4	1	000346825923	22.6 x 17.6 x 19.4 in	8	3923.10.9000	Slovenia
Crate	7.7	8.7	1	000346825909	22.6 x 17.5 x 13.6 in	12	3923.10.9000	Slovenia
Backpack	8.2	9.7	1	000346825930	21.4 x 17.1 x 9.6 in	16	3923.10.9000	China

WHY BOSCH

*Key product benefit with reasons to believe based on
user needs and Bosch solutions*



WHY BOSCH

Store, Organize, Secure and Carry Tools and Materials with Ease

✓ Jobsite Toughness

- Impact resistant polypropylene body
- IP65 rated weather seal
- Aluminum accessory rails for additional storage and structural reinforcement

✓ Compatibility

- Backwards compatibility with all legacy L-BOXX cases
- Compatibility with ProClick soft storage system

✓ Simplicity & Mobility

- Innovative one-handed decoupling
- Complete modularity & modular scaling of all L-BOXX Contractor boxes
- Maximum functionality




TARGET USERS & APPLICATIONS

Focus audience with core product application(s) overview



Target Users & Applications

L-BOXX Contractor



- Focus User groups
- Applications

HOW TO DEMONSTRATE L-BOXX Contractor System

Feature	Image	Material	Explanation
Complete L-BOXX Compatibility: Contractor & Legacy		▪ Tool: 170, 322, 476 & L-BOXX-1/L-BOXX-2 ▪ Accessories: N/A ▪ Material: N/A	Showcase compatibility & easy stacking with the L-BOXX Contractor ecosystem and backwards compatibility with legacy L-BOXX system. Note: Legacy L-BOXX's can only be stacked on top of the L-BOXX Contractor boxes and not vice versa. This is due to the larger footprint of the L-BOXX Contractor boxes.
ProClick/Assessory Compatibility		▪ Tool: 170, 322, 476, Rack-2 or Drawer-3 ▪ Accessories: Any ProClick SKU ▪ Material: N/A	Showcase the integrated aluminum accessory rails that are present on the L-BOXX Contractor 170, 322, 476, Rack-2 & Drawer-3. Explain that these not only provide reinforcement but also allow easy attaching of ProClick solutions/accessories to the boxes.
IP65 Rated Seal		▪ Tool: 170, 322, 476 ▪ Accessories: N/A ▪ Material: N/A	Showcase the IP65-rated weather seals in the L-BOXX Contractor 170, 322 & 476 that provide additional protections for tools and accessories from rain and other jobsite debris

HOW TO DEMONSTRATE L-BOXX Contractor System

Feature	Image	Material	Explanation
One-handed Decoupling		▪ Tool: 170, 322 ▪ Accessories: N/A ▪ Material: N/A	Showcase the innovative & patented (by BSS) solution for simplistic one-handed decoupling of the 170 and 322 case from any other L-BOXX Contractor box by simply pulling up the front handle. Mention the systems simplicity, fast decoupling and ability to remove boxes in confined spaces.
Fully Retractable Handle		▪ Tool: 476 ▪ Accessories: N/A ▪ Material: N/A	Showcase that the L-BOXX Contractor 476 offers a fully retractable, telescopic handle that ensures a flush top surface, so that it can be stored underneath any pick-up truck bed without removal of the handle.
9.5 in All Terrain Wheels		▪ Tool: 476 ▪ Accessories: N/A ▪ Material: N/A	Showcase the 9.5 in all terrain wheels on the L-BOXX Contractor 476 box and easy pulling over various jobsite terrain

HOW TO DEMONSTRATE L-BOXX Contractor System

Feature	Image	Material	Explanation
Modular Scaling		▪ Tool: 170, 322, 476, Crate, Rack-2, Drawer-3 ▪ Accessories: N/A ▪ Material: N/A	Bosch L-BOXX Contractor can create a modular working station by clicking in a work bench across two stacks of Contractor storage boxes. Showcase heights of boxes and how they match to optimize scalability. For example: - (2x) L-BOXX Contractor 170 Standard Boxes = (1) L-BOXX Contractor 322 Midsize Box - L-BOXX Contractor 170 Standard Box + L-BOXX Contractor 322 Midsize Box = (1) L-BOXX Contractor 476 Wheeled Box


MARKET OVERVIEW

Product landscape and competitive overview



Product Landscape

170



Competitor Overview

170

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH



Key Competitive Highlights


- **Innovative One-Handed Decoupling** – lifting the front handle decouples the box from the one below
- **Integrated Accessory Rails** – allows for accessory attachments
- **Market Competitive Pricepoint**

	BOSCH	MILWAUKEE	FLEX	DEWALT	MAKITA	KLEIN
Model	170	48-22-8424	FS1103	DWST08165	T-90037	54804MB
Description	L-BOXX Contractor Standard Box	PACKOUT 22 in. Medium Red Tool Box	FLEX STACK PACK™ SUITCASE TOOL BOX	TOUGHSYSTEM® 2.0 TOOLBOX	MAKTRAK™ Medium Tool Box	MODbox Small Toolbox
IP Rating	IP65	IP65	IP65	IP65	~	IP65
System Compatibility	L-BOXX Contractor & L-BOXX	PACKOUT	STACK PACK	TOUGHSYSTEM	MAKTRAK	MODBOX
Impact Resistant	Yes	Yes	Yes	Yes	Yes	Yes
Accessory Rails	Yes	No	Yes	No	No	No
Front Handle	Yes	Yes	Yes	Yes	No	Yes
Weight Capacity [lbs]	77	75	110	110	75	75
Additional Features	Front Latch Detaching, Backwards compatible with any L-BOXX	Mounting location for the one-key Bluetooth tracking device for Packout products	(4) Organizer Cases with Dividers	2 large organizer cups with removable dividers, Backwards compatible with any TOUGHSYSTEM® product	~	~
Tool Dimensions (in)	22.0 x 17.0 x 6.7 in	22.0 x 16.0 x 6.5 in	22.0 x 15.7 x 8.0 in	21.3 x 14.6 x 7.0 in	22.1 x 15.22 x 6.3 in	~
Weight [lbs]	8.2	10.1	~	6.6	9.8	9.1
MSRP (USD)	\$89.00	\$79.97	\$79.00	\$64.98	\$89.99	\$64.98

Product Landscape

322

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH



Competitor Overview

322

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH




Key Competitive Highlights

- **Innovative One-Handed Decoupling** – lifting the front handle decouples the box from the one below
- **Integrated Accessory Rails** – allows for accessory attachments
- **Market Competitive Pricepoint**

	BOSCH	MILWAUKEE	KLEIN	DEWALT	FLEX	MAKITA
Model	322	48-22-8425	54803MB	DWST08300	FS1102	T-90021
Description	L-BOXX Contractor Midsize Box	PACKOUT 22 in. Medium Red Tool Box	MODbox Medium Toolbox	TOUGHSYSTEM® 2.0	FLEX STACK PACK™ MEDIUM TOOL BOX	MAKTRAK™
IP Rating	IP65	IP65	IP65	IP65	IP65	~
System Compatibility	L-BOXX Contractor & L-BOXX	PACKOUT	MODBOX	TOUGHSYSTEM	STACK PACK	MAKTRAK
Impact Resistant	Yes	Yes	Yes	Yes	Yes	Yes
Accessory Rails	Yes	No	No	No	Yes	No
Front Handle	Yes	Yes	Yes	Yes	Yes	No
Weight Capacity [lbs]	110	100	100	110	140	100
Additional Features	Front Latch Detaching, Backwards compatible with any L-BOXX	Modular Connectivity with ALL PACKOUT™ Components	Metal plate for head lamp mounting to illuminate box interior	~	(1) Removable Accessory Tray	~
Tool Dimensions (in)	22.0 x 17.0 x 12.7 in	22.1 x 16.2 x 11.1 in	~	21.3 x 14.8 x 11.9 in	22.0 x 15.7 x 11.7 in	22.5 x 15.5 x 15.8 in
Weight [lbs]	11.0	12.1	12.4	8.8	~	15.9
MSRP (USD)	\$99.00	\$89.97	\$84.98	\$85.00	\$89.00	\$129.00

Product Landscape

476



Competitor Overview

476

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH



Key Competitive Highlights


- **Integrated Accessory Rails**
– allows for accessory attachments
- **Market Competitive Pricepoint**

	BOSCH	MILWAUKEE	KLEIN	DEWALT	FLEX	MAKITA
Model	476	48-22-8427	54802MB	DWST08450	FS1101	T-90009
Description	L-BOXX Contractor Wheeled Box	PACKOUT™ Rolling Tool Box	MODbox Rolling Toolbox	TOUGHSYSTEM® 2.0 Rolling Toolbox	FLEX STACK PACK™ ROLLING TOOL BOX	MAKTRAK™ Rolling Tool Chest
IP Rating	IP65	IP65	IP65	IP65	IP65	~
System Compatibility	L-BOXX Contractor & L-BOXX	PACKOUT	MODBOX	TOUGHSYSTEM	STACK PACK	MAKTRAK
Impact Resistant	Yes	Yes	Yes	Yes	Yes	Yes
Accessory Rails	Yes	No	No	No	Yes	No
Front Handle	No	No	No	No	No	No
Weight Capacity [lbs]	250	250	250	250	250	250
Additional Features	Backwards compatible with any L-BOXX	Modular Connectivity with ALL PACKOUT™ Components	~	(1) Removable Tray	(1) Removable Accessory Tray	(1) Molle Panel Divider, 10" (T-92025)
Tool Dimensions (in)	22.0 x 20.0 x 18.7 in	22.0 x 19.5 x 18.0 in	15.5 x 19.9 x 22.6 in	26.6 x 23.8 x 19.9 in	26.3 x 22.0 x 19.2 in	22.5 x 15.5 x 15.8 in
Weight [lbs]	24.2	24.0	~	23.5	~	34.0
MSRP (USD)	\$159.00	\$159.00	\$149.98	\$119.00	\$139.00	\$249.00

Product Landscape

RACK-2

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH



Competitor Overview

RACK-2

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH



Key Competitive Highlights


- **Integrated Accessory Rails**
– allows for accessory attachments
- **L-BOXX Storage** – Allows for (2) L-BOXXs to be stored and locked into the unit
- **Market Competitive Pricepoint**

	BOSCH	MILWAUKEE	KLEIN	DEWALT	FLEX
Model	RACK-2	48-22-8444	54822MB	DWST08320	FS1106
Description	L-BOXX Contractor Rack	PACKOUT™ 2-Drawer Tool Box	MODbox™ Two Drawer Toolbox	ToughSystem® 2.0 Two-Drawer Unit	STACK PACK™ 2-Drawer Tool Box
IP Rating	~	~	~	~	~
System Compatibility	L-BOXX Contractor & L-BOXX	PACKOUT	MODBOX	TOUGHSYSTEM	STACK PACK
Impact Resistant	Yes	Yes	Yes	Yes	Yes
Accessory Rails	Yes	No	No	No	Yes
Front Handle	No	No	No	No	No
Weight Capacity [lbs]	50	50	50	22	70
Additional Features	Backwards compatible with any L-BOXX	Modular Connectivity with ALL PACKOUT™ Components, (2) Drawer Dividers for PACKOUT™ 2-Drawer Tool Box	16 removable dividers	~	(2) Long Dividers, (6) Short Dividers. Security Bar
Tool Dimensions (in)	22.0 x 20.0 x 18.7 in	16.3 x 22.2 x 14.3 in	22.3 x 16.4 x 14.4 in	12.3 x 21.8 x 12.6in	22.0 x 15.1 x 16.3 in
Weight [lbs]	18.3	20.1	24.4	17.8	~
MSRP (USD)	\$169.00	\$156.00	\$169.00	\$129.98	\$149.00

Product Landscape

DRAWER-3

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH



Competitor Overview

DRAWER-3

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH



Key Competitive Highlights


- **Integrated Accessory Rails**
– allows for accessory attachments
- **Market Competitive Pricepoint**

	BOSCH	MILWAUKEE	KLEIN	DEWALT	FLEX
Model	DRAWER-3	48-22-8443	54823MB	DWST08330	FS1105
Description	L-BOXX Contractor Drawer-Shelf	PACKOUT™ 3-Drawer Tool Box	MODbox™ Three Drawer Toolbox	ToughSystem® 2.0 Three-Drawer Unit	STACK PACK™ 3-Drawer Tool Box
IP Rating	~	~	~	~	~
System Compatibility	L-BOXX Contractor & L-BOXX	PACKOUT	MODBOX	TOUGHSYSTEM	STACK PACK
Impact Resistant	Yes	Yes	Yes	Yes	Yes
Accessory Rails	Yes	No	No	No	Yes
Front Handle	No	No	No	No	No
Weight Capacity [lbs]	50	50	50	44	70
Additional Features	Backwards compatible with any L-BOXX	Modular Connectivity with ALL PACKOUT™ Components, (1) Drawer Dividers for PACKOUT™ 3-Drawer Tool Box	24 removable dividers	~	(6) Long Dividers, (18) Short Dividers
Tool Dimensions (in)	22.0 x 20.0 x 18.7 in	16.3 x 22.2 x 14.3 in	22.3 x 16.4 x 14.4 in	12.3 x 21.8 x 12.6in	22.0 x 15.1 x 16.3 in
Weight [lbs]	21.4	22.5	27.0	20.6	~
MSRP (USD)	\$179.00	\$179.00	\$179.00	\$159.98	\$179.00



Product Landscape

CRATE



Competitor Overview

CRATE

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH




Key Competitive Highlights

- **Front Latch Detachment –**
Can be detached from the box below utilizing the front latch mechanism
- **Market Competitive Pricepoint**

	BOSCH	MILWAUKEE	DEWALT	FLEX
Model	CRATE	48-22-8440	DWST08205	FS1104
Description	L-BOXX Contractor Tool Crate	PACKOUT™ Crate	ToughSystem® Tote	STACK PACK™ Crate
IP Rating	~	~	~	~
System Compatibility	L-BOXX Contractor & L-BOXX	PACKOUT	TOUGHSYSTEM	STACK PACK
Impact Resistant	Yes	Yes	Yes	Yes
Accessory Rails	No	No	No	Yes
Front Handle	No	No	No	No
Weight Capacity [lbs]	55	50	44	70
Additional Features	Backwards compatible with any L-BOXX	Modular Connectivity with ALL PACKOUT™ Components	~	~
Tool Dimensions (in)	22.0 x 17.0 x 12.7 in	15.3 x 18.7 x 9.9 in	~	21.9 x 15.4 x 10.3 in
Weight [lbs]	7.7	5.8	~	~
MSRP (USD)	\$59.00	\$49.97	\$29.99	\$54.00

Product Landscape BACKPACK

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH



Competitor Overview BACKPACK

L-BOXX Contractor Modular Mobility System PRODUCT LAUNCH



Key Competitive Highlights

- **Full Compatibility** – fully compatible with the L-BOXX Contractor system & legacy L-BOXX system
- **Market Competitive Pricepoint**

	BOSCH	MILWAUKEE	KLEIN	DEWALT	FLEX
Model	BACKPACK	48-22-8301	62805BPTECH	DWST560102	FS1204
Description	L-BOXX Contractor Backpack	PACKOUT™ Backpack	Tradesman Pro™ XL Tech Tool Bag Backpack	PRO Backpack	STACK PACK™ 16" Jobsite Backpack
IP Rating	~	~	~	~	~
System Compatibility	L-BOXX Contractor & L-BOXX	PACKOUT	~S	~	STACK PACK
Storage Pockets	32	48	28	43	70
Laptop Compartment	Yes	Yes	Yes	Yes	Yes
Material	1680D	1680D	1680D	1680D	1680D
Impact Resistant	Yes	Yes	Yes	Yes	Yes
Additional Features	Backwards compatible with any L-BOXX	Modular Connectivity with ALL PACKOUT™	~	~	Level Strap, Tape Measure Clip, Tape Strap, and D-Ring
Tool Dimensions (in)	15.4 x 8.3 x 19.7 in	15.0 x 10.3 x 19.0 in	14.8 x 11.0 x 20.0 in	13.6 x 18.6 x 18.6in	15.8 x 11.8 x 19.7 in
Weight [lbs]	8.2	7.3	7.8	7.5	~
MSRP (USD)	\$139.00	\$129.00	\$129.00	\$129.00	\$129.00

MARKETING SUPPORT



FREQUENTLY ASKED QUESTIONS



Frequently Asked Questions

Is the new L-BOXX Contractor Storage System compatible with the legacy L-BOXX products?

Yes. All L-BOXX Contractor SKUs will be backwards compatible with virtually all legacy L-BOXX products. The L-BOXX Contractor system will contain (2) interfaces on the top of each box (one interface for connecting new L-BOXX Contractor SKU's and one interface for connecting legacy L-BOXX products) for ultimate modularity and compatibility, allowing the end user to connect and utilize their existing L-BOXX products. However, L-BOXX Contractor boxes cannot be placed on top of legacy L-BOXX boxes.

Does the L-BOXX Contractor Storage System have an IP Rating?

Yes, the L-BOXX Contractor 170 Standard Box, 322 Midsize Box & 476 Wheeled Box all have IP65 rated weather seals to protect tools and materials from dust, debris and moisture.

How does the detaching system work for the L-BOXX Contractor Boxes?

We have implemented an intuitive, patent pending, front handle detaching system for the L-BOXX 170 Standard Box & L-BOXX Contractor 322 Midsize Box. By lifting the front handle of the L-BOXX Contractor 170 or 322, it will decouple from any L-BOXX Contractor box below. This allows for easy one-handed decoupling and allows the boxes to be detached and moved when working in confined/restricted spaces.

The previous L-BOXX material was quite brittle and broke easily with normal usage. Does the L-BOXX Contractor System address this issue?

Yes. All L-BOXX Contractor System SKUs consist of an impact resistant polypropylene body made to withstand the rigors of harsh jobsite conditions. This is paired with aluminum accessory rails that not only add additional structural rigidity but also allows for external storage of all ProClick accessories.

Will there be additional L-BOXX Contractor SKUs planned to further enhance the L-BOXX Contractor ecosystem in the future?

Additional L-BOXX Contractor SKUs will be offered in 2-3 'waves' out until 2027. Here we plan to make the ecosystem more robust by offering wall mounting, in-van/truck storage, front loaders, carts, tool boxes, etc.

Frequently Asked Questions

What are the MSRP's for all current L-BOXX Contractor executions/offerings?

For the L-BOXX Contractor LBOXX3ST, MSRP is \$299.00.

For the L-BOXX Contractor 170, MSRP is \$89.00.

For the L-BOXX Contractor 322, MSRP is \$99.00.

For the L-BOXX Contractor 476, MSRP is \$159.00.

For the L-BOXX Contractor Rack-2, MSRP is \$169.00.

For the L-BOXX Contractor Drawer-3, MSRP is \$179.00.

For the L-BOXX Contractor Crate, MSRP is \$59.00.

For the L-BOXX Contractor Backpack, MSRP is \$139.00.

**If you have any product questions,
please contact the Systems & IoT Team**

Justyn.Bell@us.bosch.com