

V-Series Energy-Absorbing Lanyards

Conversion Guide



ANSI

Complex Worksites. Simplified Solutions.

Our new line of V-Series Lanyards simplifies product selection by offering a concise line of standard lanyards that will meet a wide range of customer needs. All new lanyards shown below also meet the latest ANSI standard for energy absorbing lanyards: ANSI Z359.13.

Old P/N	Description	New ANSI P/N	Description	Standard
Legacy Lanyards		V-Lanyard		
10088259	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, single-leg adjustable	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10113158	Workman® single-leg energy-absorbing lanyard, 6', 36C snaphooks	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10129120	Workman single-leg energy-absorbing lanyard, 6', LC snaphooks	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10088261	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, single-leg adjustable Expanyard	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10088221	Rope shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, web 5/8, single adjustable, 6'	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10088219	Rope shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, web 5/8, single fixed, 6'	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10119236	Shock-absorbing lanyard, rope, adjustable, 6'	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10088120	Cable shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, single-leg, 6'	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10072474	Workman single-leg energy-absorbing lanyard, 6', 36C snaphooks	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
SWL4068706LS	Web shock-absorbing lanyard, single, nylon, harness connection LS, anchorage connection LS, 6'	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
SNL4048406LS	Rope shock-absorbing lanyard-harness connection LS, anchorage connection LS, web 5/8, single fixed, 6'	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
SCL4067306LS	Cable shock-absorbing lanyard, harness connection LS, anchorage connection LS, single-leg, 6'	10191755	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10088263	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, twin-leg expanyard	10191756	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA



WE KNOW WHAT'S AT STAKE.

V-Series Energy-Absorbing Lanyards **Conversion Guide**

Old P/N	Description	New ANSI P/N	Description	Standard
Legacy Lanyards		V-Lanyard		
10088265	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, twin-leg adjustable	10191756	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10113159	Workman twin-leg energy-absorbing lanyard, 6', (2) 36C snaphooks	10191756	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10129152	Workman twin-leg energy-absorbing lanyard, 6', (2) LC snaphooks	10191756	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10088267	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, twin-leg fixed	10191756	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10078865	Cable twin-leg, shock-absorbing lanyard, 6' 36CL rebar snaphooks (2)	10191756	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10072475	Workman twin-leg energy-absorbing lanyard, 6', (2) 36CL snaphooks	10191756	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
SWL40400206LSH	Sure-Stop® twin-leg energy-absorbing lanyard 6', 36C snaphook	10191756	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36C small snaphooks	ANSI Z359.13 OSHA
10088260	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36CL, single-leg adjustable	10191757	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10113164	Workman single-leg energy-absorbing lanyard, 6', 36C snaphook & 36CL rebar snaphook	10191757	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10129153	Workman single-leg energy-absorbing lanyard, 6', LC snaphook & GL3100 rebar snaphook	10191757	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10155583	Workman Lite single-leg web lanyard, 6', adjustable, AL36CL rebar aluminum snaphooks	10191757	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10076124	Workman single-leg energy-absorbing lanyard, 6', 36C snaphook & 36CL rebar snaphook	10191757	V-Series standard single-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10088266	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36CL, twin-leg adjustable	10191758	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10113163	Workman twin-leg energy-absorbing lanyard, 6', 36C snaphook & (2) 36CL rebar snaphooks	10191758	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10129151	Workman twin-leg energy-absorbing lanyard, 6', LC snaphook & (2) GL3100 rebar snaphooks	10191758	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10088269	Web shock-absorbing lanyard, harness connection sewn loop, anchorage connection 36CL, twin-leg fixed	10191758	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10088268	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36CL, twin-leg fixed	10191758	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
10088212	Cable shock-absorbing lanyard, harness connection 36C, anchorage connection 36CL, twin-leg, 6'	10191758	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA

Old P/N	Description	New ANSI P/N	Description	Standard
Legacy Lanyards		V-Lanyard		
10073708	Workman twin-leg energy-absorbing lanyard, 6', (2) 36C snaphooks	10191758	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
SWL40400206LS	Shock-absorbing lanyard, twin-leg, 6', fixed	10191758	V-Series standard twin-leg adjustable energy-absorbing lanyard, 6', 36CL large snaphooks	ANSI Z359.13 OSHA
SWL4068703LS	Web shock-absorbing lanyard, single, nylon, harness connection LS, anchorage connection LS, 3'	10193124	V-Series standard single-leg fixed energy-absorbing lanyard, 3', 36C small snaphooks	ANSI Z359.13 OSHA
SWL4068704LS	Web shock-absorbing lanyard, single, nylon, harness connection LS, anchorage connection LS, 4'	10193125	V-Series standard single-leg fixed energy-absorbing lanyard, 4', 36C small snaphooks	ANSI Z359.13 OSHA
SNL4048404LS	Rope shock-absorbing lanyard-harness connection LS, anchorage connection LS, web 5/8, single fixed, 4'	10193125	V-Series standard single-leg fixed energy-absorbing lanyard, 4', 36C small snaphooks	ANSI Z359.13 OSHA
SCL4067304LS	Cable shock-absorbing lanyard, harness connection LS, anchorage connection LS, single-leg, 4'	10193125	V-Series standard single-leg fixed energy-absorbing lanyard, 4', 36C small snaphooks	ANSI Z359.13 OSHA
10088213	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, single-leg tie-back fixed	10193128	V-Series standard single-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10113157	Workman single-leg energy-absorbing lanyard, 6', 36C snaphooks, tie-back	10193128	V-Series standard single-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10129118	Workman single-leg energy-absorbing lanyard, 6', LC snaphooks, tie-back	10193128	V-Series standard single-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10072472	Workman single-leg energy-absorbing lanyard, 6', 36C snaphooks, tie-back	10193128	V-Series standard single-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10088214	Web shock-absorbing lanyard, harness connection 36C, anchorage connection 36C, twin-leg tie-back fixed	10193129	V-Series standard twin-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10113162	Workman twin-leg energy-absorbing lanyard, 6', (2) 36C snaphooks, tie-back	10193129	V-Series standard twin-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10129119	Workman twin-leg energy-absorbing lanyard, 6', (2) LC snaphooks, tie-back	10193129	V-Series standard twin-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10119639	Energy-absorbing lanyard, twin-leg, tie-back, 36C snaphooks	10193129	V-Series standard twin-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10073581	Energy-absorbing lanyard, twin-leg, 6', carabiner connectors	10193129	V-Series standard twin-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10072473	Workman twin-leg energy-absorbing lanyard, 6', (2) 36C snaphooks, tie-back	10193129	V-Series standard twin-leg energy-absorbing 6' tie-back lanyard	ANSI Z359.13 OSHA
10088064	Sure-Stop energy-absorber	10193154	Energy-absorber, sm. snaphook, D-ring	ANSI Z359.13 OSHA

Note: This Bulletin contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.



MSA Singapore
MSA S.E Asia Pte Ltd
35 Marsiling Industrial Estate Road 3,
#04-01, Singapore 739257
Phone: +65 6350 4500
Fax: +65 6350 4505
Email: msa.singapore@MSAsafety.com

MSA Safety Malaysia Sdn Bhd
No.22, Jalan PPU 2A,
Taman Perindustrian Puchong Utama,
47100 Puchong, Selangor
Malaysia
Phone: +603 9767 8800
Fax: +603 8724 2208

PT MSA Indonesia
Kompleks Multiguna Kemayoran No 1-K
Jl. Rajawali Selatan Raya Block C5 No. 2
Jakarta Utara 14410
Indonesia
Phone: +62 21 6409 000
Fax: +62 21 641 2831
Email: msa.indonesia@MSAsafety.com

MSA (Thailand) Ltd.
28th Floor Suntower Bldg. B, No. 2801
123 Vibhavadi-Rangsit Rd., Chompon
Chatuchak, Bangkok 10900
Thailand
Phone: +66 2617 8211
Fax: +66 2617 8214
Email: msa.thailand@MSAsafety.com