

Innovative Designs Inspiring Change.

Uptown™ Series

Centralized Collection at it's Best

Product Data Sheet | Version 1.7

U.S. Patents: 29/483450
Canadian Patents: 155455

Busch Systems International Inc.
81 Rawson Avenue, Barrie ON., Canada
1.800.565.9931
buschsystems.com



View the Uptown™ Series Online!





Centralized Collection at it's Best!

Ideal for high-traffic areas, this recycling station offers the best of the best when it comes to function and style. Rotationally molded for added durability, and lockable double-walled front door ensures that servicing this unit is a breeze for years to come. The Uptown™ consists of two 32 gallon liners, designed to fit inside the unit perfectly. Built-in deflectors ensure a clean sort, preventing cross-contamination, while the angled surface of the unit directs rain water away from the front of the container. This design also eliminates users from leaving material on top of the container, ensuring a clean surface. The Uptown™ is fully customizable, allowing you to create a unique unit that speaks directly to your recycling initiatives.



Liners are made from 100% post-consumer recycled content

POPULAR SKU'S



101452



101453




101454



101455

BUILD YOUR Uptown™ STATION



ONE: THE BODY

- Double Greystone
 - Double Sandstone
 - Triple Available
- *Minimum Order Quantity Applies*

TWO: THE OPENINGS

See opening specifications for available options


THREE: THE ID PLATES

Choose from our stock options or customize your own!



BODY SPECIFICATIONS

Below are the available Body Options for the Uptown™ Series. With this measurement guide you will find the right size Uptown™ Series container to fit your space. The measurement guide is the essence of various standard measuring methods. All measurements are in inches. Talk to your dedicated Busch Systems® sales representative for more information on how to choose the right size container for your space.



Body Shape	Height	Width	Depth	Weight	Capacity
Double	45.5"H (1155.7mm)	40"W (1016mm)	24"D (609.6mm)	93lbs (42.184kg)	64 gal
Triple <i>*Minimum Order Quantity Applies</i>	46"H (1168.4mm)	59"W (1498.6mm)	23.75"D (603.25mm)	118lbs (53.5kg)	96 gal

STOCK BODY COLORS



Greystone



Sandstone

INTERCHANGABLE OPENING SPECIFICATIONS

The chart below outlines the available Interchangeable Opening Options for each Uptown™ Series model as well as the associated opening dimensions. Be sure to run a preliminary audit of the popular materials that are discarded where your Uptown™ Series containers will be placed. For example, if you're collecting large quantities of standard-sized Cans & Bottles, the Circle Opening is the ideal choice, as it will reduce contamination of materials that are larger than the dimensions of the opening. If there is a blank cell on the body or lid style of your choice, this means there is currently no stock option available. Talk to your dedicated Busch Systems® sales representative for more information.

	Full	Circle*	Mixed*	Slot**
Front Openings				
Opening Dimensions	9.5"W x 4.25"H	4.5" Diameter	9.5"W x 1.5"H x 3.5"D (circle)	9.5"W x 1.5"H

STOCK OPENING COLORS



Black



Grey



Blue



Green

**Circle and Mixed Openings only stocked in Blue*

***Slot Opening only stocked in Green*

PRODUCT ACCESSORIES

If you're interested in maximizing the full potential of your Uptown™ Series containers, you can enhance the quality & performance and expand the possibilities with top quality accessories that will add functionality and convenience with ease. These product accessories are designed to help you get the most out of your recycling & waste management equipment.

STOCK ID PLATES

ID Plates come standard with all Uptown™ units. Select from the stock options below or customize your own.

ID-PLATES



STOCK ID PLATE COLORS



Black



Blue



Green

NOTE: Because different computers, monitors, and printers render colors and textures differently, actual finishes may vary from those shown here.

IDEAL BAG SIZES

	Double / Triple
Ideal Bag Size (inches)	36 x 39

MATERIAL & CONSTRUCTION DETAILS

Not all recycling & waste receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our recycling & waste containers, and source these from OEM's at highly-competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling & waste containers that meets your demands for quality and durability and will enhance your working environment for years to come.

Component	Material(s)	Construction
Bodies	LDPE	<ul style="list-style-type: none"> Bodies are molded from durable LDPE. Stone finish hides dirt and scratches over time.
Openings	HDPE	<ul style="list-style-type: none"> Openings are molded from durable HDPE and may contain up to 35% recycled content.* *Recycled content may vary by production run
ID Plates	HDPE	<ul style="list-style-type: none"> ID Plates are molded from durable HDPE and may contain up to 35% recycled content.* *Recycled content may vary by production run
Liners	HDPE	<ul style="list-style-type: none"> Liners are molded from durable HDPE and may contain up to 35% recycled content.* *Recycled content may vary by production run

ENVIRONMENTAL CONSIDERATIONS

- All Uptown™ Series Receptacles use a low energy, resource efficient manufacturing and curing process
- All Uptown™ Series receptacle components disassemble at end of life and are fully recyclable
- Low maintenance and extremely long service life
- Manufactured in North America
- [Product Carbon Footprint Dashboard for 1 Unit Uptown™ Double Bin](#)

Configurations	Post-Industrial Recycled Content	Post-Consumer Recycled Content	Total Recycled Content	3rd Party Certifications
Uptown™	Contact us	Contact us	Contact us	-

Busch Systems® is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being a Certified B Corporation™. If you would like additional information on our product development process or if you don't see the information you need for your project on this page, please contact our Sustainability Team at sustainability@buschsystems.com.

LEAD TIME

Our standard lead times on the Uptown™ Series are 6-8 weeks. Please contact us to discuss your specific timing requirements.

PRICING

Please contact us at **800.565.9931** or sales@buschsystems.com. At Busch Systems®, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Vertical Managers are located across North America to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER PLEASE SPECIFY

Quantity, body model, interchangeable opening model, ID badge choice and any optional product accessories. Talk to your dedicated Busch Systems® sales representative for more information. If you do not have a dedicated Sales Representative please contact us via our website at buschsystems.com/contact-us/

INSTALLATION

Busch Systems® Uptown™ Series containers are hassle-free when it comes to installation. Each container comes fully-assembled and individually boxed using high-density cardboard with high-recycled content to ensure safe and environmentally friendly transport.

To install your Uptown™ Series containers:

1. Unbox each unit
2. Remove keys from unit (located inside the bin)
3. Insert the recycling/waste bag into each liner and wrap the top edge of the bag around the liner.

CARE & MAINTENANCE

Advantages of Busch Systems® HDPE & LDPE receptacles include:

- Great low temperature impact resistance and excellent chemical resistance
- Great high temperature impact resistance
- Lower stiffness rating which reduces potential for stress cracking
- High strength-to-density ratio

Their appearance and lifespan will be greatly affected by their care. The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Busch Systems® products, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Wipe with a clean wet cloth and towel dry. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

Note: Always test soaps/cleaners on a hidden and/or small area beforehand

- Ajax Cream
- Liquid Gumption
- Flash (in water)
- Ajax Liquid (in water)
- Cutting compound ('T. Cut')

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

GENERAL CARE

- Clean with a power washer or light scrub brush (outdoor/municipal bins)
- Clean with a mild detergent with damp sponge or cloth (indoor/office bins)
- For soil and stain remover, cleaners like Fantastik, Armor All or Acetone may be tried
- UV safe cleaners MUST be used on all outdoor bins

THINGS TO AVOID

- Cleaners with chloride or bleach
- Solvents
- Abrasive detergents
- Steel wool or Scouring pads

Contact Us Today for a Quote on Your Uptown™ Series Station!



www.buschsystems.com • 1.800.565.9931 • 81 Rawson Avenue, Barrie, Ontario, Canada L4N 6E5