

Minnesota **FATS**[®]

Congratulations on the purchase of your new DMI Sports Pool table. Our products are designed and manufactured to give you years of game playing enjoyment.

☒ *KEEP BOX AND PACKING MATERIAL UNTIL TABLE HAS BEEN COMPLETELY ASSEMBLED.*

☒ *ALL DAMAGE MUST BE REPORTED TO DMI WITHIN TEN DAYS OF RECEIPT.*

☒ *If you have any problems with your new product,*

PLEASE DO NOT RETURN IT TO THE STORE.

Please contact us:

1.800.399.4402

FAX: 215.283.9573

Please have your model number when inquiring about parts.

Or write to:

DMI Sports

Customer Service

375 Commerce Drive

Fort Washington PA, 19034

Please visit our web site at:

www.dmisports.com

When contacting DMI Sports, please provide your model number and item number (if applicable) if requesting a replacement part. Item numbers can be found inside this owners manual.

Your Model Number **MFT400-8**

Your model number is also located on the original carton. These instructions are also available online at: www.dmisports.com.

IMPORTANT!

Please Keep Your Instructions! (You will need your Model number should you need to contact us.) Before attempting assembly, please read through this instruction book to familiarize yourself with all the parts and assembly steps. We recommend that two adults assemble this table. Please refer to the Parts Identifier on the following page and be sure that all parts have been included. Although extremely rare, occasionally a part may be missing. If you are missing a part, or if you have any questions, please call our customer service department at 1.800.399.4402 Mon-Fri between the hours of 9:00am and 5:00pm E.S.T; or you can reach us at: www.dmisports.com.

Do not return the game to the store. Please contact us first at: 1.800.399.4402 or on our website at: www.dmisports.com.

TWO ADULTS ARE REQUIRED TO ASSEMBLE THIS POOL TABLE







PARTS IDENTIFIER



HARDWARE PARTS

H1	Qty. 8	H2	Qty. 8	H3	Qty. 16	H4	Qty. 16
							
Leg Bolt RPMFT4008-BLT		22mm Flat Washer RPMFT4008-22WSH		25mm Allen Bolt RPMFT4008-25BLT		18mm Flat Washer RPMFT4008-18WSH	
H5	Qty. 18	H6	Qty. 18				
							
18mm Allen Bolt RPMFT4008-18BLT		16mm Flat Washer RPMFT4008-16WSH					

ASSEMBLY PARTS


P1	Qty. 1	P2	Qty. 2	P3	Qty. 2	P4	Qty. 4
							
Main Frame RPMFT4008-FRAME		Side Apron RPMFT4008-SAPRN		End Apron RPMFT4008-EAPRN		Leg Apron RPMFT4008-LAPRN	
P5	Qty. 4	P6	Qty. 1	P7	Qty. 4	P8	Qty. 8
							
Leg RPMFT4008-LEG		Conversion Top RPMFT4008-CTOP		Apron Corner RPMFT4008-APRCN		Plastic Dowel RPMFT4008-DOWEL	
P9	Qty. 4	P10	Qty. 1	P11	Qty. 1	P12	Qty. 1
							
Leg Leveler RPMFT4008-LEV		Tennis Set RPMFT4008-TTST		Conversion Support MFCT-SUPPORT		Billiard Brush MFA42206	

ACCESSORY PARTS

A1	Qty. 1	A2	Qty. 2	A3	Qty. 2	A4	Qty. 1
							
Triangle MFA40993		Chalk MFA42405		2 Piece Billiard Cues MFR40432		Billiard Ball MFA41655	

ASSEMBLY

NOTE: Be sure to unscrew support braces when removing them to access the packaged table.
DO NOT BREAK TO REMOVE



SUPPORT BRACES

STEP 1.

With the table up-side-down, attach the Side Aprons (P2) and the End Aprons (P3) to the Table Assembly (P1) using Bolt (H5) and Washer (H6) as shown in FIG 1.1.




FIG 1.1

STEP 2.

Attach Apron Corners (P7) to the ends of the Side & End Aprons using Plastic Dowel (P8) as shown below in FIG 2.1.




FIG 2.1

ASSEMBLY

STEP 3.

Begin the leg assembly by attaching all four of the Legs (P5) in position using Leg Bolt (H1) and Washer (H2) as shown in FIG. 3.0. Once the four legs are put into place, attach the Leg Panels (P9) as illustrated in FIG 3.1. Complete the leg assembly by attaching the Leg Levelers (P7).





FIG 3.0



FIG 3.1

STEP 4.

With at least two adults, carefully lift and turn the table over onto its leg levelers. You are now ready to play pool, or place the Conversion Top (P6) in place for a game of table tennis.

IMPORTANT!

When turning the table over, be sure not to rest the weight of the table on the side of the legs. They will not hold the weight of the table.



Note:
Before setting the Conversion top on the table, place the Conversion Support (P11) in the middle of the table for added support.

INSTRUCTIONS FOR LEVELING A POOL TABLE

- Assemble pool table according to the instructions, making sure levelers are screwed in completely, then turning one full turn out.
- Any type of level would be sufficient to perform this procedure. However, a two-foot level is recommended.
- Before leveling, make sure level is placed on the playing surface, not the rails.
- Level the ends between the corner pockets. Place the level on the playing surface between the two corner pockets and adjust the levelers in or out to position the bubble in the middle of the level.
- Repeat the step above to the opposite corner pockets.
- Next, level the length of the table. Place the level next to the side pocket and adjust the levelers in or out to position the bubble in the middle of the level.
- Repeat the step above to the opposite length of the table.
- Recheck both short ends to ensure bubble is in the middle on the level.
- Depending on the surface the pool table sits, especially deep pile carpeting, the pool table needs to settle for 24 hours. Recheck the level on each side of the table after 24 hours.
- These same instructions may be followed to level hockey and soccer table play surfaces as well.

