

DLKBLX76 Oak Log Placement

! WARNING


- Failure to position the logs in accordance with these diagrams or failure to use only logs specifically approved with this appliance may result in property damage or personal injury.
- The logs are fragile and should be handled with care.
- Logs must be placed in their exact location in the appliance. Do not modify the proper log positions, since appliance may not function properly and delayed ignition may occur.


PHAZER[®] logs and glowing embers, exclusive to Napoleon, provide a unique and realistic glowing effect that is different in every installation. Take the time to carefully position the glowing embers for a maximum glowing effect. Log colours may vary. During the initial use of the appliance, the colours will become more uniform as colour pigments burn in during the heat-activated curing process.

NOTE:


Log numbers are located on the bottom or back of the logs.

Burner Overview







1. Place Log#1 onto the locating studs A&B. Ensure log is not covering any burner ports.




2. Place Log#2 onto locating studs C&D.




3. Place Log#3 onto locating stud E.




4. Place Log#4 Onto Locating Stud F.




5. Place Log#5 on the front left side on the media tray. Ensure log is not covering any burner ports.




6. Place Log#6 onto Log#5 with char facing the burner. Resting the opposite end onto the media tray.




7. Place Log#7 in front of pilot light. Ensure log is upright. Ensure log is not covering any burner ports.



8. Place Log#8 to the right of Log#7 on the front media tray. Ensure log is not covering any burner ports.





9. Place Log#9 to the right of Log#8 on front right of the medis tray. Ensure log is not covering any burner ports.



10. Place the hooked end of Log#10 on the right side of Log#4. Resting the opposite end to the right of Log#9.




Ensure that no logs are covering any burner ports.
Also, ensure there is no impingement of the flame with the logs.




11. Place the charcoal provided around all the logs.
Ensure charcoal does not cover any burner ports.
Place glowing embers onto the burner trying to
avoid clusters.

NOTE:


When burning, a good indicator that logs are installed correctly is that each flame stands reasonably straight. If a log splits a flame or drastically changes the direction of a flame, review instructions again and/or pivot log out of direct contact.




1. Placer la bûche no 1 sur les tiges de positionnement A et B. S'assurer que la bûche ne couvre aucun orifice du brûleur.




2. Placer la bûche no 2 sur les tiges de positionnement C et D.




3. Placer la bûche no 3 sur la tige de positionnement E.




4. Placer la bûche no 4 sur la tige de positionnement F.




5. Placer la bûche no 5 à l'avant, du côté gauche, sur le plateau de média. S'assurer que la bûche ne couvre aucun orifice du brûleur.




6. Placer la bûche no 6 sur la bûche no 5, avec le côté carbonisé orienté vers le brûleur. Appuyer l'autre extrémité sur le plateau de média.




7. Placer la bûche no 7 devant la veilleuse. S'assurer que la bûche est bien droite. S'assurer qu'elle ne couvre aucun orifice du brûleur.



8. Placer la bûche no 8 à la droite de la bûche no 7, sur le plateau de média avant. S'assurer que la bûche ne couvre aucun orifice du brûleur.




9. Placer la bûche no 9 à la droite de la bûche no 8, à l'avant droit du plateau de média. S'assurer que la bûche ne couvre aucun orifice du brûleur.



10. Placer l'extrémité recourbée de la bûche no 10 du côté droit de la bûche no 4. Appuyer l'autre extrémité à la droite de la bûche no 9.



Veillez à ce qu'aucune bûche ne recouvre les orifices du brûleur.
Veillez également à ce que les bûches n'empiètent pas sur la flamme.



11. Placer le charbon fourni autour de toutes les bûches. S'assurer que le charbon ne couvre aucun orifice du brûleur. Placer les braises incandescentes sur le brûleur en évitant les amas.

NOTE:

Lors de la combustion, un bon indicateur que les bûches sont correctement installées est que chaque flamme est raisonnablement droite. Si une bûche divise une flamme ou change radicalement la direction d'une flamme, revoir à nouveau les instructions et/ou faire pivoter la bûche hors de tout contact direct.