

**USE THIS MANUAL ONLY!
A DIFFERENT MANUAL IS IN THE BOX,
DISCARD THE OTHER.**



Congratulations on the purchase of your new Prince Table Tennis table. Our products are designed and manufactured to give you years of game playing enjoyment.

☒ **KEEP BOX AND PACKING MATERIAL UNTIL TABLE
HAS BEEN COMPLETELY ASSEMBLED.**

☒ **ALL DAMAGE MUST BE REPORTED TO DMI
WITHIN TEN DAYS OF RECEIPT.**

☒ **If you have any problems with your new product,
PLEASE DO NOT RETURN IT TO THE STORE.**

Please contact us:

1.800.399.4402

Please have your model number when inquiring about parts.

Please visit our web site at:

www.DMISPORTS.com

When contacting DMI Sports, please provide your model number and item number (if applicable) if requesting a replacement part. Item numbers can be found inside this owners manual.

Your Model Number **PT200-00**

Your model number is also located on the original carton. These instructions are also available online at: www.dmisports.com.

IMPORTANT!

Please Keep Your Instructions! (You will need your Model number should you need to contact us.)

Before attempting assembly, please read through this instruction book to familiarize yourself with all the parts and assembly steps. We recommend that two adults assemble this game. Please refer to the Parts Identifier on the following page and be sure that all parts have been included.

This product is manufactured according to the ITTF standards (International Table Tennis Federation), and includes national and international patents.

DMI Sports Inc. warrants this product for one year from the purchase date for any manufacturing or material defect. High-density chipboard is warranted for one year from date of purchase. Although we at DMI Sports are dedicated to giving our customers the highest quality products, occasionally a part may be missing. If you are missing a part, or if you have any questions, please call our customer service department at 1.800.399.4402 Mon-Fri between the hours of 8:00am and 5:00pm C.S.T; or you can reach us at: www.DMISPORTS.com.

Do not return the game to the store. Please contact us first at: 1.800.399.4402 or on our website at: www.DMISPORTS.com.

TWO ADULTS ARE REQUIRED TO ASSEMBLE THIS TENNIS TABLE



TOOLS REQUIRED FOR ASSEMBLY (NOT INCLUDED):

Phillips Head (or Electric Screwdriver)

Wrench Set or Pliers

Hammer

2- 10mm Wrenches

1- 12mm Wrench

1 -13mm Wrench

1 - 11/16" Open End Wrench

PARTS IDENTIFIER


HARDWARE PARTS

H1	Qty. 4	H2	Qty. 4	H3	Qty. 2	H4	Qty. 4
							
M7 X 80mm Bolt		M7 Nut		M6 X 35 mm Bolt		M6 X 50 mm Bolt	
H5	Qty. 22	H6	Qty. 12	H7	Qty. 12	H8	Qty. 4
							
M6 Nut		M6 X 45 mm		Screws		M6 X 15 mm Bolt	

IMPORTANT NOTE:





Please use the Identifier above and Ruler below to identify you hardware instead of the Hardware kit package.

Use this ruler (mm) to measure and identify your hardware.



PARTS IDENTIFIER

ASSEMBLY PARTS

P1	Qty. 8	P2	Qty. 2	P3	Qty. 2	P4	Qty. 4
	Plastic Wheel		Wheel Swivel		Insert for Wheel Swivel		Support Linkage
P5	Qty. 2	P6	Qty. 2	P7	Qty. 1	P8	Qty. 2
	Net Post Support		Net Post		Nylon Net		Table Half
P9	Qty. 4	P10	Qty. 4	P11	Qty. 2	P12	Qty. 6
	Plastic Ball holder / Paddle holder Tray		Safety Catch (with nut attached)		1" Plastic Leg Cap Pre-assembled		1" Tube Bracket
P13	Qty. 4	P14	Qty. 2	P15	Qty. 2	P16	Qty. 2
	1.5" Tube Bracket Pre-assembled		1" U-Support		1.5" Outer Leg Pre-assembled		End Apron Pre-assembled
P17	Qty. 4	P18	Qty. 4	P19	Qty. 4	NOTE: Parts P13 and P15 come pre-assembled to P8. They are only listed here as replacement parts should there be a problem with them.	
	Side Apron Pre-assembled		Plastic Corner Pre-assembled		1.5" Plastic Leg Cap Pre-assembled		


Prince Competitor FSA - Code: PT200-00 - Assembly Instructions

Open the box and position the two play surfaces face down on the cardboard.

Note: Make sure that the two play surfaces are positioned, with the ends of the table possessing the pre-assembled net support brackets represented in Fig 1.1, facing each other.

STEP 1.

(Fig. 1.1) Attach U-Supports (P14) using Half Tube Bracket (P12) and Screw (H7).



Prince Competitor FSA - Code: PT200-00 - Assembly Instructions

STEP 2. (Fig. 2.1) Attach two Plastic Wheels (P1) using (H1) and (H2) to both Long U-Supports (P14) as pictured below. Fig. 2.1 represents both U-Supports. Use 1/2" wrenches to snug tighten Bolt (H1) and Nut (H2). Be **careful not to over-tighten**, wheels must spin freely.


TOOLS NEEDED:

1 - 12 mm Wrench
1 - 13 mm Wrench

NOTE:
Snug tighten only, wheels must spin freely.


NOTE:
P11 Pre-Installed Leg Cap

FIG. 2.1




NOTE:
P19 Pre-Installed 1.5" Leg Cap


FIG. 4.1



NOTE:
Longer Side



NOTE:
Shorter Side



11/16" Open end Wrench.

NOTE:
Snug tighten only, wheels must spin freely.



STEP 3. (Fig. 3.1) Attach two Plastic Wheels (P1) using (H1) and (H2) to the Wheel Brackets (P2) as shown to the left. Once the wheels are attached, attach the wheels and bracket to the Insert for wheel swivel (P3). The entire unit will then be inserted into the onto shorter sides of the two U-supports (P14).

STEP 4. (Fig. 4.1) If not already pre-installed, insert the Plastic Leg cap (P19) in the Outer Legs (P15). Gently hammer into place if needed. Fig. 4.1 represents all outer legs.


TOOLS NEEDED:
2 - 10 mm Wrenches

NOTE:

Use two 10mm Wrenches to fasten hardware **H4**, **H5** & **H6** to part **P9**. Make sure H5 nuts are tight on Part **P9**. H5 nuts on the outer leg should be snug but do not over tighten **this is a pivot** and it should rotate freely.



IMPORTANT:
Larger part (ball holder section) of **P9** must face down as shown in **Fig. 5.1** and **Detail A**.



IMPORTANT
The Support Linkage (**P4**) must be attached with the raised side facing out. If placed the other way, the Linkage will damage the table when folded and void your warranty.

STEP 5. (**Fig. 5.1**) Attach the two Plastic Trays (**P9**) through the lower holes using (**H6**) and (**H5**) to the two Interior legs as shown above. (Repeat on the other side) Secure the top two holes by placing one end of the Support Linkage (**P4**) over the top holes of the Plastic Tray and attaching them to the Interior Leg using (**H6**) and (**H5**) as shown in **FIG. 5.1**. Attach the other end of the Support Linkage to the Exterior Leg using (**H4**) and (**H5**). Now secure the Plastic Tray by adding two (**H4**) and (**H5**) hardware parts.

Note: Keep in mind that the table is still up-side-down. So the "lower holes" referred to in Step 5. are closer to the ground in this position.


Prince Competitor FSA - Code: PT200-00 - Assembly Instructions

TOOLS NEEDED:

2 - 10 mm Wrenches

STEP 6.

Before you turn the table over, attach the two Net Post Supports **(P5)** to the holes in the Side Aprons at this time.



IMPORTANT: **(P5)**

P5 Net Post Supports must be facing down as shown.

FIG. 6.1

STEP 7.

(Fig. 7.1) Make sure that all hardware is tight. (DO NOT OVER TIGHTEN) With two adults, turn the table over. Don't try to pick it up. Roll it over until upright being careful not to let table fold in half.




FIG. 7.1

WARNING:

AT LEAST FOUR (4) ADULTS ARE NEEDED TO SET THE TABLE ASSEMBLIES UPRIGHT! WHEN LIFTING AND ROTATING TABLE, HANDLE TOP ASSEMBLIES BY GRASPING ONLY THE TOPS THEMSELVES. DO NOT GRASP METAL LEGS, T-LEGS, LINKAGE, OR HINGES. THESE PARTS CAN MOVE AND COULD PINCH FINGERS OR HANDS CAUSING SERIOUS INJURY!

**TABLE TOPS ARE HEAVY!
DO NOT ATTEMPT TO ASSEMBLE ALONE!**

STEP 8. (Fig. 8.1) Attach four Safety Catches **(P10)** to the U-Supports **(P14)** using holes just above trays **(P9)**. Screw nut onto Safety Catch **(P10)** but do not tighten to legs. These must be loose enough to swivel.

IMPORTANT:

Safety Latch must be adjusted correctly, so that it engages the table top half. Periodically check that the nut is correctly threaded so that the latch engages the table top half.




FIG. 8.1




FIG. 9.1

STEP 9. (Fig. 9.1) Attach the Net Post **(P6)** to the Net Post Support **(P5)** using **(H3)** and **(H5)** as shown in FIG. 9.1. Once the Net Post is secured, you can attach the Nylon Net **(P7)**. **NOTE:** the Nylon net may appear too small to reach the posts. Simply stretch the net until it slides on the posts.



RECOMMENDATION OF USE AND PRECAUTIONS

Anyone using or handling this table tennis table must always follow the illustrated instructions attached to the back of the board and be fully aware of the operation instructions.

1. Handling the table, (Assembly, open, close or to store) should always be done by two adults to prevent accident or injury.
2. Be sure that no persons or objects are in the way of the boards when opening the table.
3. Do not put heavy objects on the table.
4. Do not sit on the table.
5. Do not clean the table with solvents or any other aggressive product because it could damage the paint finish.
6. Do not use sharp objects on the board or painter surface.
7. If the table is used for purposes other than playing table tennis, cover the surface to prevent any damage.
8. Request proof of purchase and keep it during the warranty period.
9. Under no circumstances is the manufacturer responsible for direct or indirect damages including loses of benefits or any other commercial damage occurred by the use of the purchased product.
10. The functioning and storage of this product should always be supervised by an adult.
11. Do not store or handle the table on an unstable floor surface.
12. If safety device malfunction occurs, secure table tops until the problem is solved.
13. To extend the life of this product, (outdoor table or indoor table) protect it from moisture or severe climate changes.
14. **Use only the net system supplied. For replacements please contact customer service at: 800.399.4402 and ask for Net Post Support P5, Net Post P6 and Nylon Net P7.**

Care and Maintenance

Cleaning your table

Use a soft damp (not wet) cloth only. DO NOT USE ANY CHEMICALS, ABRASIVE OR CLEANING PRODUCTS on the playing surface.

Maintenance of your table

All moving parts must be oiled including the pivot points. This will insure ease of use and safety of your table.

This table must be stored indoors to avoid damage to the surface. The dampness and temperature changes can cause wood to warp, swell or blister.

APPLYING LABELS


The very last step in completing the assembly of your new Prince Table Tennis table involves applying the labels to the proper locations on the table. There are two types of labels to be applied.

#1 is the Style label. There are four style labels. Each of the four labels are applied to the four corners of the tables side aprons as shown below.

#2 is the Plastic Tray label. There are two tray labels. One of each of these labels will be applied to each plastic tray on your table.

The labels represented here are not of actual size or color.

Note: It is recommended that you write the model number on the under-side of this table for future reference.



#1

#2



#1

#2

Key#	Part #	Description	Qty.
P1	PT200-P1	Plastic Wheel	8
P2	PT200-P2	Wheel Swivel	2
P3	PT200-P3	Insert for Wheel Swivel	2
P4	PT200-P4	Support Linkage	4
P5	PT200-P5	Net Post Support	2
P6	PT200-P6	Net Post	2
P7	PT200-P7	Nylon Net	1
P8	PT200-P8	Half Table Top	2
P9	PT200-P9	Plastic Tray	4
P10	PT200-P10	Safety Catch	4
P11	PT200-P11	Plastic Leg Cap	2
P12	PT200-P12	1" Tube Bracket	6
P13	PT200-P13	1.5" Tube Bracket	4
P14	PT200-P14	1" U-support	2
P15	PT200-P15	1.5" Outer Leg	2
P16	PT200-P16	End Apron	2
P17	PT200-P17	Side Apron	4
P18	PT200-P18	Plastic Corner	4
P19	PT200-P19	1.5" Plastic Leg Cap	4
P20	PT200-P20	Safety Strap	1
P21	PT200-P21	"Competitor" Label Sheet set	1
H1	PT200-H1	M7 X 80mm Bolt	4
H2	PT200-H2	M7 Nut	4
H3	PT200-H3	M6 X 35 mm Bolt	2
H4	PT200-H4	M6 X 50 mm Bolt	4
H5	PT200-H5	M6 Nut	22
H6	PT200-H6	M6 X 45 mm	12
H7	PT200-H7	Screws	12
H8	PT200-H8	M6 X 15 mm	4
M1	PT200-M1	This Owner's Manual	1

