BIOADVANCED
SCIENCE-BASED SOLUTIONS

ALL IN ONE

Lawn Weed & Crabgrass Killer I

READY-TO-USE

This product kills both listed broadleaf and grassy weeds in one easy step. The convenientformula kills dandelions, chickweeds, clovers and crabgrass without harming your lawn. Ready-to-use - no mixing, no measuring, no messy cleanup. Rainproof in one hour. Controlling listed weeds in your lawn has never been easier!

PRECAUTIONARY STATEMENTS

CAUTION Hazards to Humans and Domestic Animals

- Harmful if swallowed.
- Causes moderate eye irritation.
- Avoid contact with eyes, skin or clothing.
- When using this product, wear long-sleeved shirt, long pants, socks, shoes, and rubber gloves.

After using this product:

- Rinse gloves before removing and wash hands.
- If product gets on skin, wash thoroughly with soap and water.
- If product gets on clothing, remove clothing as soon as possible and launder clothing separately before reuse.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID ✚

IF SWALLOWED

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for further treatment advice.

NOTE: When calling the poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. **You may call toll-free 1-877-229-3763 for medical emergency information.**

Active Ingredients: Active Ingredients: 0.313% 2,4-D, dimethylamine salt (CAS # 2008-39-1), 0.029% Dicamba, dimethylamine salt (CAS # 2300-66-5), and 0.104% Quinclorac (CAS # 84087-1-4).

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

EPA Reg. No. 92564-41

EPA Est. No indicated by 3rd and 4th digits of the batch number on this package.
(57) = 071106-GA-003 (65) = 92564-TX-1 (46) = 88746-MO-1

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

DECLARACIONES DE PRECAUCIÓN

PRECAUCIÓN Riesgos para los seres humanos y animales domésticos

- Es perjudicial si se ingiere.
- Causa irritación moderada en los ojos.
- Evitar el contacto con los ojos, piel o vestimenta.
- Cuando use este producto, use camisa de mangas largas, pantalones largos, medias, zapatos y guantes de goma.

Después de usar este producto:

- Enjuague los guantes antes de quitárselos y lavarse las manos.
- Si el producto entra en contacto con la piel, lavar cuidadosamente con agua y jabón.
- Si el producto entra en contacto con la ropa, quitar la ropa tan rápido como se pueda y lavarla por separado antes de volver a utilizarla.
- Lavar cuidadosamente con agua y jabón luego de manipularlo y antes de comer, beber, masticar goma de mascar, usar tabaco o ir al baño.

PRIMEROS AUXILIOS ✚

SI SE INGIERE

- Llamar inmediatamente a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento.
- Hacer que la persona beba tragos de agua, si puede tragar.
- No inducir el vómito salvo que así lo indique el médico o el centro de control de envenenamiento.
- No administrar nada por vía oral a una persona inconsciente.

EN CONTACTO CON LOS OJOS

- Mantener abiertos los ojos y enjuagar de forma lenta y suave con agua durante entre 15 y 20 minutos.
- Retirar los lentes de contacto, si los hubiera, después de los primeros 5 minutos y luego continuar enjuagando los ojos.
- Llamar a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento.

NOTA: Cuando llame al centro de control de envenenamiento, lleve la etiqueta de este producto. Si acude en busca de tratamiento a una sala de emergencia o en el consultorio de un médico, lleve esta etiqueta del producto para mostrarle al personal médico. **También puede llamar al número gratuito 1-877-229-3763 para solicitar información médica de emergencia.**

Ingredientes activos: 0.313% 2,4-D, sal dimetalina (CAS # 2008-39-1), 0.029% Dicamba, sal dimetalina (CAS # 2300-66-5), y 0.104% Quinclorac (CAS # 84087-1-4).

Garantía de devolución de dinero: Si usted no está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.

Distributed by: SBM Life Science Corp.
PO Box 525, Morrisville, NC 27560

BioAdvanced® is a registered trademarks of SBM Life Science Corp.



501419221 180920V1

READ THE LABEL FIRST!

QUICK FACTS

Indicaciones en español después de las de inglés

- **Kills Lawn Weeds* Plus Crabgrass in One Easy Step**
- **Won't Harm Lawns†**
- **Rainproof in 1 Hour**
- **This Product is for Spot Treatment Only**

KILLS	**Broadleaf Weeds:** Over 200 listed types of weeds, including Dandelion, Chickweeds, and Clovers **Grassy Weeds:** Crabgrass, Foxtail
WHERE TO USE	**ON LAWNS** without harming lawn grasses - Bermudagrass**, Buffalograss, Kentucky bluegrass, Ryegrass, Fescue, Zoysia, and Bentgrass **Application on Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. †(When used as directed. Do not use on Bahiagrass, Carpetgrass, Centipedegrass, St. Augustine [including 'Floratam'], or Dichondra.)
☎ 💻	For questions or comments, call toll-free 1-877-229-3724, or visit our website at www.BioAdvanced.com

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	0.313%
Quinclorac	0.104%
Dicamba, dimethylamine salt	0.029%
OTHER INGREDIENTS	99.554%
TOTAL	100.000%

THIS PRODUCT CONTAINS:
2,4-dichlorophenoxyacetic acid equivalent, 0.260%
3,7-dichloro-8-quinolinecarboxylic acid, 0.104%
3,6-dichloro-o-anisic acid equivalent, 0.024%
Isomer Specific by AOAC Method.

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 92564-41


EPA Est. No indicated by 3rd and 4th digits of the batch number on this package.
(57) = 071106-GA-003 (65) = 92564-TX-1 (46) = 88746-MO-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


IMPORTANT: READ BEFORE USE

ATTACH SPRAYER




- Remove sprayer from bottle. Remove twist tie. Pull down and extend hose.
- Open flip-cap on bottle.
- Insert hose and plug into flip-cap opening until it snaps into place. Move tab to open position.

SPRAY



- Adjust nozzle to stream or spray position.
- Point sprayer downward and squeeze trigger repeatedly until liquid is released.

AFTER USE



- Turn sprayer nozzle to X (off) position.
- Do not unplug hose.
- Return sprayer to bottle. Sprayer will snap into place.

HOW TO USE Shake Well Before Use

- Turn spray nozzle to coarse spray.
- Hold sprayer about 12 inches from weed, aim at center of weed and spray to lightly cover.
- Use this product only on established lawns.

(continued)

*listed weeds

501419221 180920V1

6 87073 04130 9

OPEN
Resealable Label for Directions & Precautions

DIRECTIONS FOR USE *(cont'd)*

WHEN TO APPLY

- Apply when weeds are small and actively growing.
- Apply when the daily high temperature doesn't exceed 90° F (85° F for Bermudagrass).
- Rain or watering1 hour after application will not wash away effectiveness.

FOR BEST RESULTS

- Apply when wind is calm to avoid spray drift onto desirable plants.
- Repeat application in 2 weeks if needed for hard-to-control weeds.
- Do not apply while grass is emerging from winter dormancy.
- Newly seeded lawns may be sprayed after the fourth mowing.
- Bare spots may be seeded 4 weeks after using this product.
- Do not mow for 1-2 days after spraying to allow weed killer to move throughout the weed.
- If lawn is dry, water 1 to 2 days before using this product.

REFILL

Refilling the sprayer with BioAdvanced® Science-Based Solutions All-In-One Lawn Weed & Crabgrass Killer[J] Concentrate:

- Open the refill port cap.
- Add 8.5 fl oz (17 TBS) of BioAdvanced® Science-Based Solutions All-In-One Lawn Weed & Crabgrass Killer[J] Concentrate to spray bottle.
- Fill sprayer with water to 1 gallon fill line.
- Replace cap, tighten, and shake well.

HOW IT WORKS

This product contains three proven weed killers to control listed lawn weeds & crabgrass, roots and all. And it won't harm your lawn when used as directed. Weeds begin to die within hours and are completely dead in 14-28 days.

WEEDS - *Kills Over 200 Weeds Including*

Annual Yellow Sweetclover
Aster
Austrian Fieldcress
Barnyardgrass
Bedstraw
Beggarticks
Bentgrass, Colonial
Bentgrass, Seaside
Betony, Florida
Bindweed, Field
Bird Vetch
Bitter Wintercress
Bittercress, Hairy
Bitterweed
Black-eyed Susan
Black Medic
Black Mustard
Blackseed Plantain
Blessed Thistle
Bloodflower Milkweed
Blue Lettuce
Blue Vervain
Bracted Plantain
Brassbuttons
Bristly Oxtongue
Broadleaf Dock
Broadleaf Plantain
Broadleaf Signalgrass
Broomweed
Buckhorn
Buckhorn Plantain
Bulbous Buttercup
Bull Thistle
Bullnettle
Burclover

(continued)

DIRECTIONS FOR USE *(cont'd)*

WEEDS *(cont'd)*

Burdock
Burning Nettle
Burweed
Buttercup
Buttonweed
Canada Thistle
Carolina Geranium
Carpetweed
Catchweed Bedstraw
Catnip
Catsear
Chickweed, Common
Chickweed, Mouseear
Chicory
Cinquefoil
Clover, Crimson
Clover, Hop
Clover, Red
Clover, Strawberry
Clover, Sweet
Clover, White
Cockle
Cocklebur
Common Mullein
Crabgrass, Large (Hairy)
Crabgrass, Small (Smooth)
Creeping Charlie
Creeping Jenny
Cudweed
Curly Dock
Daisy, English
Daisy, Fleabane
Daisy, Oxeye
Dandelion
Dichondra
Dogbane
Dogfennel
Dollarweed
Elderberry
False Dandelion
False Flax
False Sunflower
Fiddleneck
Florida Pusley
Foxtail, Giant
Foxtail, Green
Foxtail, Yellow
Frenchweed
Galinsoga
Goathead
Goldenrod
Goosegrass
Ground Ivy
Gumweed
Hairy Fleabane
Hawkweed
Healall
Heartleaf Drymary
Heath Aster
Hedge Bindweed
Hedge Mustard
Hemp
Henbit
Hoary Cress
Hoary Plantain
Hoary Vervain
Horsenettle
Jimsonweed
Kikuyugrass
Knawel
Knotweed
Kochia
Lambsquarters
Lespedeza
Mallow
Matchweed
Mexicanweed
Milk Vetch
Morningglory
Mouseear Hawkweed
Mugwort
Musk Thistle
Mustard
Narrowleaf Plantain
Narrowleaf Vetch
Nettle
Orange Hawkweed
Oriental Cocklebur
Oxalis
Parsley-piert
Parsnip
Pearlwort
Pennycress
Pennywort
Peppergrass
Pepperweed
Pigweed
Pineywoods Bedstraw
Plains Coreopsis (Tickseed)
Plantain
Poison Ivy
Poison Oak
Pokeweed
Poorjoe
Prairie Sunflower
Prickly Lettuce
Prickly Sida
Prostrate Knotweed
Prostrate Pigweed
Prostrate Spurge
Prostrate Vervain
Puncturevine
Purslane, Common
Ragweed
Red Sorrel
Redroot Pigweed
Redstem Filaree
Rough Cinquefoil

(continued)

DIRECTIONS FOR USE *(cont'd)*

WEEDS *(cont'd)*

Rough Fleabane
Russian Pigweed
Russian Thistle
Scarlet Pimpernel
Scotch Thistle
Sheep Sorrel
Shepherdspurse
Slender Plantain
Smallflower Galinsoga
Smooth Dock
Smooth Pigweed
Sorrel
Sowthistle
Spanishneedles
Speedwell
Spiny Amaranth
Spiny Cocklebur
Spiny Sowthistle
Spotted Catsear
Spotted Spurge
Sprangletop
Spurweed
Stinging Nettle
Strawberry, India Mock
Tall Nettle
Tall Vervain
Tansy Mustard
Tansy Ragwort
Tanweed
Thistle
Torpedograss
Trailing Crownvetch
Tumble Mustard
Tumble Pigweed
Velvetleaf
Venice Mallow
Virginia Buttonweed
Virginia Creeper
Virginia Pepperweed
Water Pennywort
Wavyleaf Bullthistle
Western Clematis
Western Salsify
White Mustard
Wild Aster
Wild Buckwheat
Wild Carrot
Wild Four-o'clock
Wild Garlic
Wild Geranium
Wild Lettuce
Wild Marigold
Wild Mustard
Wild Onion
Wild Parsnip
Wild Radish
Wild Rape
Wild Strawberry
Wild Sweet Potato
Wild Vetch
Wild Violet
Woodsorrel
Wooly Croton
Wooly Morningglory
Wooly Plantain
Wormseed
Yarrow
Yellow Rocket
Yellowflower Pepperweed



Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until spray has dried.

STORAGE AND DISPOSAL

STORAGE CONDITIONS

Return spray nozzle to closed position. Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

CONTAINER HANDLING

If Empty: Non-refillable container. Do not reuse or refill this container, EXCEPT to refill with another product referenced on this label. Place in trash or offer for recycling if available.
If Partly Filled: Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to fish & aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.
- This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

¡LEER LA ETIQUETA ANTES DE UTILIZAR!

DATOS RÁPIDOS

- **Mata las malezas* del césped más el garranchuelo en un solo paso**
- **No daña el césped†**
- **A prueba de lluvia en 1 hora**
- **Este producto es para tratamiento localizado solamente**

MATA	**Maleza de hoja ancha:** más de 200 tipos de malezas incluidos en la lista, incluyendo el diente de león, oreja de ratón, y trébol. **Maleza del césped:** garranchuelo, cola de zorro
DÓNDE USAR	**EN CÉSPEDES** no daña el césped – Bermuda**, Búfalo, pasto azul de Kentucky, césped festuca, zoisia, bentgrass **La aplicación en el césped Bermuda puede causar un color amarillento temporal o decoloración pero se puede recuperar completamente. †(Cuando se usa tal como se indica. No usar en la hierba bahía, césped carpeta, césped ciempiés, San Agustín [incluyendo 'Floratam'], o dicondra)
☎ 💻	Para hacer preguntas o comentarios, llamar al número gratuito 1-877-229-3724, o visite nuestro sitio web en www.BioAdvanced.com

*malezas en la lista

INGREDIENTES ACTIVOS:

2,4 D-dimetilamina	0.313%
Quinclorac	0.104%
Dicamba, sal deimetilamina	0.029%
OTROS INGREDIENTES	99.554%
TOTAL	100.000%

ESTE PRODUCTO CONTIENE:
Ácido 2.4 ácido diclorofenoxiacético equivalente 0.260%
3.7 dicloro-8-ácido quinolinecarboxilico 0.104%
3.6-dicloro-o-anísico ácido equivalente, 0.024%
Isómero específico según Método AOAC


SÓLO PARA USO RESIDENCIAL EN EXTERIORES

INDICACIONES DE USO

Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en este etiqueta.


IMPORTANTE: LEER LAS INSTRUCCIONES ANTES DE USAR

CONECTAR EL ROCIADOR




- Retire el pulverizador de la botella. Retire el lazo de la torcedura Tire hacia abajo y extienda manguera.
- Abrir la tapa reversible del recipiente.
- Inserte la manguera y el enchufe en la abertura de la tapa abatible hasta que encaje en su lugar. Mueva la pestaña a la posición abierta.

ROCIAR



- Ajustar la boquilla en la posición de chorro o rociado.
- Colocar el rociador hacia abajo y apretar el gatillo varias veces hasta que salga el líquido.

DESPUÉS DE USAR



- Volver la boquilla del rociador a la posición X (cerrado).
- No desconectar la manguera.
- Colocar nuevamente el rociador en el recipiente, hasta que quede firme en su lugar.

CÓMO USAR **Agitar bien antes de usar**

- Girar la boquilla del rociador para el lado de rocío grueso.
- Sostener el rociador a alrededor de 12 pulgadas de la maleza, apuntar al centro de la maleza y rociar para cubrir ligeramente.
- Use este producto sólo en jardines establecidos.

(continuación)

INDICACIONES DE USO *(continuación)*

CUÁNDO APLICAR

- Aplicar cuando las malezas son pequeñas o crecen activamente.
- Aplicar cuando la temperatura diaria alta no exceda los 90º F (85˚ F para el césped Bermuda).
- La lluvia o el riego una hora después de la aplicación no reducirá la eficacia del producto.

PARA OBTENER MEJORES RESULTADOS

- Aplicar cuando el viento esté calmo para evitar que el rocío se esparza en otras plantas no deseadas.
- Repetir la aplicación en 2 semanas si es necesario para malezas que son difíciles de controlar.
- No aplicar cuando el césped está apareciendo luego del letargo de invierno.
- Se puede aplicar sobre césped recientemente sembrado luego del cuarto corte.
- Los lugares sin césped pueden sembrase después de 4 semanas de usar este producto.
- No cortar el césped por 1-2 días luego de aplicar el producto para permitir que el exterminador de maleza se mueva por la maleza.
- Si el césped está seco, regar 1 o 2 días antes de usar este producto.

RELLENADO

Rellenado del rociador con BioAdvanced® Science-Based Science All-In-One Lawn Weed & Crabgrass Killer[I] Concentrate.

- Abrir la tapa de rellenado.
- Agregar 8.5 onzas líquidas (17 TBS) de BioAdvanced® Science-Based Solutions All-In-One Lawn Weed & Crabgrass Killer[I] Concentrate a la botella rociadora.
- Llenar el rociador con agua hasta 1 galón de la línea de llenado.
- Reemplazar la tapa, ajustar y agitar bien.

CÓMO FUNCIONA

Este producto contiene tres exterminadores probados de malezas que controlan el zácate cangrejo y las malezas del césped incluidas en la lista, las raíces y toda la planta. No dañará su césped si lo usa tal como se indica en las instrucciones. Las malezas comienzan a morir a las horas y quedan completamente muertas en un periodo de entre 14 y 28 días.

MALEZAS - *Mata más de 200 malezas incluso:*

Trébol amarillo	Echinochloa	Agrostis capillaris
Aster	Galium	Agrostis stolonifera
Rorippa austriaca	Aceitilla	Stachys floridana

(continuación)

INDICACIONES DE USO *(continuación)*

MALEZAS *(continuación)*

Manto blanco	Trébol encarnado	Galinsoga
Vicia cracca	Trifolium agrarium	Abrojos
Berro de altura	Trébol rojo	Vara de oro
Falso berro	Trébol fresa	Pata de gallina
Helenium tenuifolium	Trébol dulce	Hiedra de tierra
Alma del poeta	Trébol blanco	Pegapega
Lupilina	Berbecho	Rama negra
Mostaza negra	Bardana menor	Flor de peña
Plántago rugelii	Barbasco	Cola de ratón
Cardo santo	Digitaria sanguinalis	Cinquillo
Hierba de la cucaracha	Digitaria ischaemum	Aster ericoides
Lechuga azul	Pilea nummulariifolia	Campanilla blanca
Verbena azul	Lysimachia nummularia	Erísimo
Plántago aristata	Vira vira	Cáñamo común
Cotula	Romaza	Ortiga mansa
Cardo perruno	Margarita menor	Antoñico
Lengua de vaca	Erigeron philadelphicus	Llantén media
Plántago mayor	Margarita mayor	Verbena stricta
Brachiaria platyphylla	Diente de león	Solanum de Carolina
Gutierrezia dracunculoides	Dichondra	Belladona
Tritogonia verrucosa	Verdolaga de la montaña	Kikuyu
Llantén menor	Manzanilla cimarrona	Escleranto
Hierba velluda	Sombrerito de agua	Sanguinaria
Cardo negro	Baya del saúco	Morenita
Mala mujer	Falso diente de león	Cenizos
Trébol de carretilla	Camelina	Lespedeza
Bardana	Falso girasol	Malva
Ortiga mayor	Amsinckia menziesii var	Escobilla
Cadillo	Botoncillo	Caperonia castaneifolia
Celidonia menor	Cola de zorro gigante	Astrágalo
Hierba del soldado	Cola de zorro verde	Campanilla
Calcida vera	Cola de zorro amarilla	Oreja de ratón
Geranio	Carraspique	Artemisa
Verdolaga alfombra		Cardo pendiente
Galium aparine		Mostaza
Hierba gatera		Plántago de hoja delgada
Hierba del halcón		Veza común
Capiqui común		Ortiga
Cerastium vulgatum		
Endivia		
Tormetilla		

(continuación)

INDICACIONES DE USO *(continuación)*

MALEZAS *(continuación)*

Naranja de la vellosilla
Bardana menor
Oxalis
Alquimila arvense
Chirivía
Sagina procumbens
Carraspique
Obolaria virginica
Lepidium densiflorum
Lentejilla
Bledo
Pineywoods Bedstraw
Coreopsos tinctoria (pilosa de Bidens)
Plántago
Hiedra venenosa
Roble venenoso
Hierba carmín
Diosa teres
Girasol silvestre
Lactuca serviola
Afata hembra
Centinodia
Bledo rojo
Hierba de golondrina
Verbena bracteata
Abrojos
Verdolaga
Ambrosia
Rumex acetosella
Yuyo colorado
Alfilerillo
Potentilla norvegica
Erigeron asperugineus
Axyris amaranthoides
Cardo ruso
Pimpinela escarlata
Cardo escocés
Amargosa
Bolsa del pastor
Plantago heterophylla
Galinsoga parviflora
Rumex altissimus
Amaranthus hybridus
Acedera
Achicoria
Bidens bipinnata
Verónica
Bledo espinoso
Cepa caballo
Cerraja brava
Pasto del chancho
Euphorbia maculata
Leptochloa panicoides
Soliva sessilis
Ortiga mayor
Fresa de la India
Urtica procera
Verbena lila
Pamita
Hierba de Santiago
Polígono anfibio
Cardo
Panicum repens
Coronilla varia
Nabo chileno
Quelite
Malva blanca
Hibisco
Diodia virginiana
Parra virgen
Lentejilla
Centella asiática
Wavyleaf Bullthistle
Clemátide
Salsafi
Mostaza blanca
Aster silvestre
Enredadera (Polygonum convolvulus)
Zanahoria silvestre
Mirabilis nyctaginea
Ajo silvestre
Geranio silvestre
Lechuga silvestre
Caléndula silvestre
Mostaza silvestre
Cebolla silvestre
Chirivía silvestre
Rábano silvestre
Colza silvestre
Fresa silvestre
Batata silvestre
Vicia americana
Violeta silvestre
Oxalis montana
Croton capitatus
Palo de rosa
Hierba del pastor
Chenopodium aristatum
Milenrama
Hierba de Santa Bárbara
Mastuerzo



No aplicar este producto de modo que entre en contacto con personas o mascotas ya sea directamente o por goteo. Mantener a las personas y mascotas fuera del área durante su aplicación. No permitir que las personas y las mascotas vuelvan a ingresar al área tratada hasta que el rocío se haya secado.

ALMACENAMIENTO Y ELIMINACIÓN

CONDICIONES DE ALMACENAMIENTO

Volver la boquilla rociadora a la posición de cerrado. Almacenar en el contenedor original en un lugar fresco y seco, fuera del alcance de los niños, preferentemente en un gabinete bajo llave. Proteger del congelamiento.

CÓMO MANEJAR EL CONTENEDOR

Si está vacío: Contenedor no rellenable. No volver a usar o rellenar este contenedor, EXCEPTO rellenar con otro producto mencionado en esta etiqueta. Colocar en la basura para su reciclado si fuese posible.
Si está parcialmente lleno: Llamar a la agencia local de desechos sólidos o de manera gratuita al 1-877-229-3724 para recibir instrucciones sobre su eliminación. Nunca colocar el producto sin usar en un drenaje de salida o de entrada.

RIESGOS AMBIENTALES

- Este pesticida es tóxico para los peces y los invertebrados acuáticos. Su dispersión o corriente puede ser peligroso para los organismos acuáticos en agua adyacente a áreas tratadas. Para proteger al medio ambiente, no permitir que el pesticida ingrese o corra por los drenajes de tormenta, drenaje de aguas pluviales, canaletas o aguas superficiales. Aplicar este producto en clima calmo cuando no haya pronóstico de lluvia en las próximas 24 horas para asegurar que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento.
- Este químico tiene propiedades y características asociadas con químicos detectados en aguas subterráneas. El uso de este químico en áreas donde los suelos son permeables, particularmente donde la mesa de agua es poco profunda, puede resultar en contaminación de las aguas subterráneas. Su aplicación alrededor de una cisterna o pozo puede resultar en contaminación del agua potable o de las aguas subterráneas

NOTICE: Las investigaciones y pruebas han determinado que las "Instrucciones de uso" corresponden al uso adecuado de este producto en condiciones esperadas. El comprador asume la responsabilidad por falta de rendimiento o seguridad si no se usa de acuerdo a las instrucciones.

