



We strive to ensure that our products are of the highest quality and free of manufacturing defects or missing parts. However, if you have any problems with your new product,

DO NOT RETURN IT TO THE STORE,

please contact us toll free @:

1-888-996-2729

FAX: 1-866-873-3531

gameroom@escaladesports.com

Mailing Address: (Correspondence Only)

Escalade Sports
PO Box 889
Evansville, Indiana 47706-0889

Physical Location:

Escalade Sports
817 Maxwell Ave.
Evansville, Indiana 47711

Please visit our Web site at:

www.escaladesports.com

Please have your model number when inquiring about parts.

When contacting Escalade Sports please provide your model number, date code (if applicable) and part number if requesting a replacement part. These numbers are located on the product, packaging, and this owners manual.


Your Model Number **AL3255**

Date Code **2 - AL3255W/F- - SY**

Purchase Date _____

PLEASE RETAIN THIS INSTRUCTION MANUAL FOR FUTURE REFERENCE

**IMPORTANT! READ EACH STEP
IN THIS MANUAL BEFORE YOU
BEGIN THE ASSEMBLY.**



TWO ADULTS ARE RECOMMENDED TO ASSEMBLE THIS FLOOR BASED POOL CUE AND ACCESSORY RACK

Tools Required:

Furniture Polish and Soft Cotton Cloth
Phillips Screwdriver

An electric screwdriver is helpful in assembly. However, please set at low torque and use extreme caution with an electric screwdriver because you could overtighten the hardware and strip the screws.

Assembly Tips

Make sure you understand the following tips before you begin to assemble your product.


1. Some drawings or images in this manual may not look exactly like your product. Please read and understand the text before starting each assembly step.



ATTENTION:

**READ AND FOLLOW ALL ASSEMBLY, OPERATION, AND
SAFETY INSTRUCTIONS CAREFULLY. AT LEAST TWO
ADULTS ARE RECOMMENDED TO ASSEMBLE THIS PRODUCT.**

HARDWARE IDENTIFIER (To Scale)



H1 - 4 mm x 55 mm
Phillips Coarse Thread
Wood Screw
(1 pc)




H2 - 3.5mm x 40mm
Phillips Countersunk
Head Screw
(16 pcs)




H3 - 3mm x 12mm
PA Round Head Screw
(12 pcs)


PARTS IDENTIFIER (Not to Scale)




P1 - Left Side Panel
(1 pc)




P2 - Right Side Panel
(1 pc)



P3 - Middle Shelf
(2 pcs)



P4 - Base Panel
(1 pc)



P5 - Top Panel
(1 pc)



P6 - Cue Holder Clip
(6 pcs)



P7 - Hanger Holder for Billiards Triangle
(1 pc)

PARTS REQUIRED

1pc - **P1** Left Side Panel
1pc - **P2** Right Side Panel
2pcs - **P3** Middle Shelf


8pcs - **H2** Phillips Countersunk Head Screw

STEP 1

Build this product on a clean, flat, level surface.

Attach the **P1/P2** Side Panels onto the **P3** Middle Shelves using the predrilled holes and the **H2** Phillips Countersunk Head Screws as shown in **FIGURE 1**.

DO NOT strip out or over-tighten the H2 screws.



PARTS REQUIRED


1pc - **P4** Base Panel

4pcs - **H2** Phillips Countersunk Head Screw

STEP 2

Attach the **P4** Base Panel onto the **P1/P2** Side Panels using the predrilled holes and the **H2** Phillips Countersunk Head Screws as shown in **FIGURE 2**.

DO NOT strip out or over-tighten the H2 screws.



PARTS REQUIRED


1pc - **P5** Top Panel
6pcs - **P6** Cue Holder Clip

12pcs - **H3** PA Round Head Screw

STEP 3

Attach the **P6** Cue Holder Clips onto the **P5** Top Panel using the pilot holes and the **H3** PA Round Head Screws as shown in **FIGURE 3**.

DO NOT strip out or over-tighten the H3 screws.




PARTS REQUIRED

4pcs - **H2** Phillips Countersunk Head Screw

STEP 4

Attach the **P5** Top Panel ASSEMBLY onto the **P1/2** Side Panels using the predrilled holes and the **H2** Phillips Countersunk Head Screws as shown in **FIGURE 4**.

DO NOT strip out or over-tighten the H2 screws.




PARTS REQUIRED

1pc - **H1** Phillips Coarse Thread Wood Screw

STEP 5

This product is a floor rack. This **STEP 5** is to keep it upright. The wall mount reinforcement is for support and stability.

See Pages 7+8 for floor cue rack securing to wall via 2" x 4" stud instructions.




PARTS REQUIRED

1pc - **P7** Hanger Holder for Billiards Triangle

STEP 6

Thread the **P7** Triangle Hanger Holder onto the **Cue Rack Assembly** as shown in **FIGURE 6**.



Secure Floor Based Pool Cue Rack onto the Wall

Important Safety Information:

Install and use this Pool Cue Rack with care. Please read the entire manual and all instructions before attempting installation and carefully follow all instructions contained herein. Use proper safety equipment during installation which includes ANSI-Approved safety glasses and heavy duty work gloves.

Note: FAILURE TO READ AND FOLLOW THESE INSTRUCTIONS WILL VOID THE WARRANTY.

Please call a qualified installation contractor for help if you:

- A. Don't understand the instructions in this manual or have any doubts about the safety of this installation .
- B. You are uncertain about the nature of your wall .
- C. You decide to secure the pool cue rack in a manner that does not utilize the **"WOOD STUD SECURING INSTRUCTIONS BELOW "**.

Do not use this product for any purpose or in any configuration not explicitly specified in these instructions.

Escalade Sports hereby disclaims any and all liability for injury or damage arising from incorrect assembly, incorrect mounting or any incorrect use of this product.

Note: The securing hardware supplied with this product is **NOT** designed for installation to walls with steel or aluminum studs, cinder block walls, brick, stone, hollow walls, gypsum board, drywall and or similar materials. If the hardware for your installation is not included , please consult your local hardware store for the proper mounting hardware for this product as per your application.

Note: As a convenience to our Valued Customers , we have designed this pool cue rack Instruction to be able to be performed by one adult.



Tools required:

- Stud Finder
- Tape Measure .
- Small & Medium Phillips driver – Electric OK --- Low torque as to not strip out any screws .
- Awl and or Pencil
- Drill and 1/16" Drill Bit
- Thin Nail
- Pliers

SECURING FLOOR BASED POOL RACK ONTO A SINGLE 2" x 4" WOOD STUD:

Verify that the mounting surface has no hidden utility lines before drilling or driving screws.

DO NOT SECURE THE CUE RACK TO, A HOLLOW WALL, GYPSUM BOARD, DRYWALL OR SIMILAR MATERIALS THAT WILL NOT SUPPORT THE WEIGHT OF THE CUE RACK AND BILLIARD ACCESSORIES. Please note : Cue and Accessory weight will be minimal with this floor mount".

The Pool Cue Rack must be secured to a single wood stud. Use a stud finder to locate a single wood stud. It is a good idea to verify exactly where the stud is located with an awl or thin nail.

Note: "Stud Finders " are available at your local hardware store.

IMPORTANT NOTES:

You have measured the distance from the floor to the securing hole of the Cue Rack.

Make sure the hole you are about to drill is in the **center of the stud**. The drill bit **MUST** be smaller than the Cue Rack Securing Screw.

At this point you have completed the following steps:

- A. Decided where you want to secure the Cue Rack.
 - B. You have correctly located one 2" x 4 " wooden stud.
 - C. You have determined the center of the 2" x 4" wooden vertical stud.
-

1. Please confirm the single measurement now marked on the wall. (Measurement is floor to predrilled securing hole in part **P6**.)
2. Using a 1/16" drill bit, carefully drill a Pilot Hole straight into the single marked area. Again, confirm this single hole will be the correct distance from the floor.
3. Secure pool cue rack to wall using a **H1** Screw as per **FIGURE 5**.

DO NOT strip out the H1 Screw.

Note: A secondary securing method is to simply place the cue rack in its desired location. Having already located the single 2x4 stud, line up the securing hole of the cue rack with the wall's inner 2x4 stud and mark the wall, using the cue rack's hole as a template- using a 1/16" drill bit, carefully drill a pilot hole straight into the marked area.

Complete STEP 3 above.

PRODUCT PARTS LIST FOR MODEL # AL3255

Key #	Part #	Description	Qty.
H1	AL3255SYH1	4mm x 55mm Phillips Coarse Thread Wood Screw	1
H2	AL3255SYH2	3.5mm x 40mm Phillips Countersunk Head Screw	16
H3	AL3255SYH3	3mm x 12mm PA Round Head Screw	12
P1	AL3255SYP1	Left Side Panel	1
P2	AL3255SYP2	Right Side Panel	1
P3	AL3255SYP3	Middle Shelf	2
P4	AL3255SYP4	Base Panel	1
P5	AL3255SYP5	Top Panel	1
P6	AL3255SYP6	Cue Holder Clip	6
P7	AL3255SYP7	Hanger Holder for Billiard Triangle	1
K1	AL3255SYK1	Hardware Kit	1
M1	AL3255SYM1	Instruction Manual	1

90 DAY LIMITED WARRANTY

This customer warranty extends to the original owner, on the purchase of any ESCALADE SPORTS Product (hereinafter referred as the "Product").

WARRANTY DURATION: This Product is warranted to the original owner, for a period of 90 days from the original purchase.

WARRANTY COVERAGE: ESCALADE SPORTS warrants to the original owner, this product to be free from defects in material and workmanship when used for the intended purpose under normal use and conditions. THIS WARRANTY IS VOID IF THE PRODUCT HAS BEEN DAMAGED BY ACCIDENT, UNREASONABLE USE, NEGLIGENCE, IMPROPER SERVICE, FAILURE TO FOLLOW INSTRUCTIONS PROVIDED WITH THE PRODUCT OR OTHER CAUSES NOT ARISING OUT OF DEFECTS IN MATERIAL AND WORKMANSHIP.

WARRANTY REPLACEMENT: During the above 90 day warranty period, ESCALADE SPORTS shall provide replacement components or replace with a comparable product at our choosing. If product is defective under normal use and proper care, please contact our Customer Service Dept.

1-888-996-2729 / Customer Service Dept.

Or Write us at:

Escalade® Sports, Inc. - P.O. Box 889, Evansville, IN 47706

Attn: Customer Service Dept.

Or E-mail us at:

customerservice@escaladesports.com

Other than shipping requirements no charge will be made for such replacement of in-warranty Products.

WARRANTY DISCLAIMERS: ANY IMPLIED WARRANTIES ARISING OUT OF THIS SALE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE ABOVE 90 DAY PERIOD. ESCALADE SPORTS SHALL NOT BE LIABLE FOR LOSS OF USE OF THE PRODUCT OR OTHER CONSEQUENTIAL OR INCIDENTAL COSTS, EXPENSES OR DAMAGES INCURRED BY THE CONSUMER OF ANY OTHER USE.

Some states do not allow the exclusion or limitation of implied warranties or consequential or incidental damages, so the above limitations or exclusions may not apply to you.

LEGAL REMEDIES: This warranty gives you specific legal rights and you may also have other rights which may vary from state to state.