Product data sheet

Specifications



30mm Push Button, Types K or SK, for push pull operator, can be padlocked, holds button in depressed position

9001K62

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Harmony 9001K Harmony 9001SK
Product or Component Type	Padlocking device
Accessory / separate part designation	Padlock attachment for emergency stop
Accessory / Separate Part Type	Padlock attachment
Accessory / separate part category	Spare parts
Accessory / separate part destination	Illuminated push-button

Complementary

Net Weight	0.33 lb(US) (0.15 kg)
Size	30 mm

Ordering and shipping details

Category	US10CS121433
Discount Schedule	0CS1
GTIN	785901602712
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.205 in (5.600 cm)
Package 1 Width	1.811 in (4.600 cm)
Package 1 Length	3.701 in (9.400 cm)
Package weight(Lbs)	3.245 oz (92.000 g)
Unit Type of Package 2	S01
Number of Units in Package 2	16
Package 2 Height	5.9 in (15 cm)
Package 2 Width	5.9 in (15 cm)
Package 2 Length	15.7 in (40 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	3.664 lb(US) (1.662 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative








DANGER
HAZARD OF UNINTENDED OPERATION
USE ONLY LOCK/TAG THAT COMPLETELY
FILLS SHACKLE OPENING.
Failure to observe these instructions will
result in serious injury or property damage.