Product data sheet

Specifications



NEMA contactor, Type S, pilot light, incandescent, red and green, 120VAC 60Hz, NEMA 1/3R/12

9999SP28R

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product Range	Type S
Component type	Pilot light kit
Used with	contactor starter

Complementary

NEMA size	00 0 4 2 6 3 7 5 1
Signalling colour	Green/red
[Uc] control circuit voltage	120 V AC 60 Hz
Kit composition	1 pilot light 2 cable clips 2 instructions 2 cap

Environment

NEMA Degree of Protection	NEMA 12 NEMA 1 NEMA 4
Product Certifications	CSA UL Recognized

Ordering and shipping details

Category	US10CP121761
Discount Schedule	0CP1
GTIN	785901030188
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.300 in (8.382 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	4.400 in (11.176 cm)
Package 1 Length	6.400 in (16.256 cm)
Package weight(Lbs)	13.280 oz (376.482 g)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**Yes**

Use Again

Repack and remanufacture

Take-back	**No**