Product data sheet

Specifications



Set of 4 connectors 100A monoconnect for 3P+N comb busbar

A9XPCM04

Product availability: Stock - Normally stocked in distribution facility

Main

range of product	Acti9
Product name	Linergy FH
Product or Component Type	Connector
Accessory / separate part category	Connection accessory
Poles description	3P + N
Quantity per Set	Set of 4
Comb busbar and distribution block compatibility	Monoconnect
Standards	EN/IEC 61439-1

Complementary

Line Rated Current	100 A
color	White RAL 9003)
Connections - terminals	Screw clamp terminals top connector 1 0.004…0.05 in² (2.5…35 mm²) rigid Screw clamp terminals top connector 1 0.004…0.04 in² (2.5…25 mm²) flexible with ferrule
Tightening torque	35.4 lbf.in (4 N.m)
Range compatibility	Acti9 iC60 comb busbar Acti9 iK60 comb busbar Acti9 iDPN comb busbar Acti9 iDPN Vigi comb busbar Acti9 iID comb busbar Acti9 iID K comb busbar Acti9 iSW comb busbar Acti9 iSW-NA comb busbar Acti9 STI comb busbar

Ordering and shipping details

Category	US10DE201078
Discount Schedule	0DE2
GTIN	3606480485275
Returnability	Yes
Country of origin	DE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.787 in (2.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	1.969 in (5.000 cm)
Package 1 Length	2.756 in (7.000 cm)
Package weight(Lbs)	2.187 oz (62.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	100
Package 2 Height	5.9 in (15 cm)
Package 2 Width	11.8 in (30 cm)
Package 2 Length	15.7 in (40 cm)
Package 2 Weight	14.588 lb(US) (6.617 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	800
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	140.955 lb(US) (63.936 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
SCIP Number	**41a8b1b0-6424-4682-ac9c-98796ac87431**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and/or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.**
OECD PFAS Regulation	**No OECD PFAS Chemicals Present**
POP Directive	**No POPs**
Halogen content performance	**Halogen free plastic parts product**
PVC free	**Yes**
Silicon free	**Yes**

Use Again

Repack and remanufacture

Circularity Profile	**No need of specific recycling operations**
Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**