Product data sheet

Specifications



Roof Fan Tray 120VAC 50/60HZ for NetShelter SX 600mm Wide 1070mm Deep Enclosures

ACF501

Discontinued on: Oct 31, 2025

Discontinued

Product availability: Stock - Normally stocked in distribution facility

Overview

Presentation	The Rack Fan Tray is a low cost solution that aids in heat removal from a Netshelter Enclosure. The system easily installs into the top of the enclosure and expels heat from the roof of the rack. Wall-mounted enclosures have the additional option of installing the rack fan tray systems in the base of the rack as well. The fan trays are designed to promote bottom to top airflow within the enclosure.

Main

Main Input Voltage	115 V
Input Connection Type	NEMA 5-15P
Number of cables	1
Provided equipment	Installation guide

Physical

Color	Black
Height	2.4 in (6 cm)
Width	22.6 in (57.4 cm)
Depth	35.2 in (89.3 cm)
Net Weight	18.54 lb(US) (8.41 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Input

Input Frequency	50/60 Hz

Conformance

Product Certifications	PSE
Standards	CSA C22.2 No. 60950 UL 60950

Environmental

Air flow	440 ft³/min (207.7 l/s)
Audible noise at 1 meter from surface of unit	51 dBA

Ordering and shipping details

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1
GTIN	731304234678
Returnability	No
Country of origin	TH

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.0 in (15.2 cm)
Package 1 Width	39.02 in (99.1 cm)
Package 1 Length	29.5 in (74.9 cm)
Package weight(Lbs)	26.5 lb(US) (12 kg)

Contractual warranty

Warranty (in months)	24

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold

Use Again

Repack and remanufacture

Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative





