Product data sheet

Specifications



TeSys GS, shaft extension, 10 x 10 x 400 mm, for 100 to 400 A GS2 switches

GS2AE21

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Device short name	GS2AE
Product or Component Type	Shaft extension
Accessory / separate part category	Control accessory
Range compatibility	TeSys TeSys GS GS2F TeSys TeSys GS GS2G TeSys TeSys GS GS2J TeSys TeSys GS GS2K TeSys TeSys GS GS2L TeSys TeSys GS GS2M TeSys TeSys GS GS2N TeSys TeSys GS GS2P TeSys TeSys GS GS2Q FuPact FuPacT GS GSC50 FuPact FuPacT GS GSB63 FuPact FuPacT GS GSD63 FuPact FuPacT GS GSB100 FuPact FuPacT GS GSC125 FuPact FuPacT GS GSD125 FuPact FuPacT GS GSD160 FuPact FuPacT GS GSB200 FuPact FuPacT GS GSB250 FuPact FuPacT GS GSD250 FuPact FuPacT GS GSB400 FuPact FuPacT GS GSD400
switch rated current	50 A 60 A 63 A 100 A 125 A 160 A 200 A 250 A 315 A 400 A

Complementary

Length	15.7 in (400 mm)
Shaft cross section	10 x 10 mm
Net Weight	0.71 lb(US) (0.32 kg)

Ordering and shipping details

Category	US1CTR121254
Discount Schedule	CTR1
GTIN	3389119412049
Returnability	Yes

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	TN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.787 in (2.000 cm)
Package 1 Width	0.787 in (2.000 cm)
Package 1 Length	15.827 in (40.200 cm)
Package weight(Lbs)	10.899 oz (309.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	30
Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	21.235 lb(US) (9.632 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**Yes**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Take-back	**No**