# Product data sheet

Specifications




## Auxiliary contact module, TeSys Ultra, 2 NO

LUFN20

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range** | TeSys |
| **Device short name** | LUFN |
| **Product or Component Type** | Auxiliary contact |

## Complementary

| | |
|---|---|
| **Auxiliary contact composition** | 2 NO |
| **[Ue] rated operational voltage** | <= 250 V AC<br><= 250 V DC |
| **[Ui] rated insulation voltage** | 250 V CSA<br>250 V IEC 60947-5-1<br>250 V UL |
| **[Ith] conventional free air thermal current** | 5 A |
| **Minimum switching voltage** | 17 V |
| **minimum switching current** | 5 mA |
| **Net Weight** | 0.11 lb(US) (0.05 kg) |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US1CTR121254 |
| **Discount Schedule** | CTR1 |
| **GTIN** | 3389110365160 |
| **Returnability** | Yes |
| **Country of origin** | FR |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 3.740 in (9.500 cm) |
| **Package 1 Width** | 1.299 in (3.300 cm) |
| **Package 1 Length** | 1.890 in (4.800 cm) |
| **Package weight(Lbs)** | 1.658 oz (47.000 g) |
| **Unit Type of Package 2** | S02 |
| **Number of Units in Package 2** | 60 |
| **Package 2 Height** | 5.906 in (15.000 cm) |
| **Package 2 Width** | 11.811 in (30.000 cm) |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 2 Length** | 15.748 in (40.000 cm) |
| **Package 2 Weight** | 6.773 lb(US) (3.072 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Use Better

#### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **Yes** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Free of Substances of Very High Concern above the threshold** |

### Use Again

#### Repack and remanufacture

| | |
|---|---|
| Take-back | **No** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.** |