Product data sheet

Specifications



Motor disconnect switch, 3P, 30A, NEMA 1, 3, 3R, 4, 4X and 12 enclosure

MD3304X

Product availability: Stock - Normally stocked in distribution facility

Main

Range	MD
Product	Motor Disconnect Switch
Current Rating	30 A
Horsepower Rating	7.5 hp 220/240 V AC 20 hp 440/480 V AC 25 hp 600 V AC
Enclosure Rating	NEMA 4X
Certifications	UL Listed

Complementary

Height	6.38 in (162.05 mm)
Width	3.90 in (99.06 mm)
Depth	4.37 in (111.00 mm)
Product Weight	1.50 lb(US) (0.68 kg)

Ordering and shipping details

Category	US1CTR121254
Discount Schedule	CTR1
GTIN	3606480190223
Returnability	Yes
Country of origin	TN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.724 in (12.000 cm)
Package 1 Width	5.000 in (12.700 cm)
Package 1 Length	7.087 in (18.000 cm)
Package weight(Lbs)	24.004 oz (680.500 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	18
Package 2 Height	23.622 in (60.000 cm)
Package 2 Width	23.622 in (60.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	28.867 lb(US) (13.094 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	72
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	159.562 lb(US) (72.376 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Formaldehyde (gas), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Dimensions Drawings

Approximate Dimensions

