Product data sheet

Specifications

PowerLogic HDPM6000 240 V to 24 VDC power supply - 60 watt

METSEHDPM6PSV240

Product availability: Stock - Normally stocked in distribution facility

Main

Range	PowerLogic
Product or Component Type	Power supply
Product name	PowerLogic HDPM6000

Complementary

Power consumption in VA	124.3 VA
Rated power in W	60 W
Supply voltage limits	85…264 V AC 95…250 V DC
Network frequency	50 Hz 60 Hz
Primary voltage	100...240 V 0.8 A AC
Secondary voltage	24 V DC
Associated fuse rating	3.15 A
Inrush current	15 A
Maximum output current	2.5 A
Width	2.8 in (72 mm)
Height	3.5 in (90 mm)
Depth	2.4 in (61 mm)
Net Weight	0.60 lb(US) (0.27 kg)

Environment

IP degree of protection	IP20
Relative humidity	0…95 % without condensation
Ambient Air Temperature for Operation	-13…158 °F (-25…70 °C)
Ambient Air Temperature for Storage	-40…185 °F (-40…85 °C)

Ordering and shipping details

Category	US10PL109764
Discount Schedule	0PL1
GTIN	3606481985910
Returnability	Yes
Country of origin	US

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.000 in (7.620 cm)
Package 1 Width	4.500 in (11.430 cm)
Package 1 Length	3.750 in (9.525 cm)
Package weight(Lbs)	15.838 oz (449.000 g)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture

Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.