Product data sheet

Specifications



Outlet grille black cut out diameter 108mm dim ext 124x124mm IP20

NSYCAG108LP

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	ClimaSys
Product	ClimaSys CA
Range compatibility	ClimaSys ClimaSys CV
Product or Component Type	Outlet grille
Accessory / separate part category	Thermal management accessory
Accessory / separate part destination	ClimaSys ventilation system
Fixing Mode	By screws
Device composition	1 external part front

Complementary

Material	ABS (acrylonitrile butadiene-styrene)
color	Black
Diameter	4.3 in (108 mm)
Height	External: 4.9 in (124 mm)
Width	External: 4.9 in (124 mm)
Depth	External : 0.4 in (11 mm)
IP degree of protection	IP20

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480151927
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.787 in (2.000 cm)
Package 1 Width	5.315 in (13.500 cm)
Package 1 Length	5.118 in (13.000 cm)
Package weight(Lbs)	3.034 oz (86.000 g)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	CAR
Number of Units in Package 2	30
Package 2 Height	7.874 in (20.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	6.490 lb(US) (2.944 kg)
Unit Type of Package 3	PAM
Number of Units in Package 3	600
Package 3 Height	21.260 in (54.000 cm)
Package 3 Width	39.370 in (100.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	173.901 lb(US) (78.880 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**0.8 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**0.5 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.2 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0.2 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**61d9d3f3-5a49-48f8-8056-1a5ad0ad4c76**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Recyclability potential, in %	**8**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**

Image of product / Alternate images

Alternative



