
Product data sheet

Specifications



Plain mounting plate H1200xW1000mm Galvanised sheet steel Reversible dimension

NSYMM1210

Product availability: Stock - Normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure nominal dimensions	- H: 39.4 in (1000 mm) W: 47.2 in (1200 mm) - H: 47.2 in (1200 mm) W: 39.4 in (1000 mm)
Mounting Location	Step slide Direct fixing on backstuds
Mounting plate description	Plain
Range compatibility	PanelSeT S3D PanelSeT CRN PanelSeT PLM PLM
Quantity per Set	Set of 1
Material	galvanised steel

Complementary

Fixing mode	Screwed on backstuds M8 By fixing element
Permanent permissible load	396.8 lb(US) (180 kg)
Height	45.3 in (1150 mm)
Width	37.4 in (950 mm)
thickness	0.07 in (1.8 mm)
Net Weight	48.246 lb(US) (21.884 kg)
Variant particularity	Installation in enclosures with inverted dimensions

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480183171
Returnability	Yes
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	1.969 in (5.000 cm)
Package 1 Width	37.795 in (96.000 cm)
Package 1 Length	45.669 in (116.000 cm)
Package weight(Lbs)	50.706 lb(US) (23.000 kg)
Unit Type of Package 2	PAM
Number of Units in Package 2	12
Package 2 Height	22.835 in (58.000 cm)
Package 2 Width	39.370 in (100.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	645.955 lb(US) (293.000 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**236 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**124 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**46 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.7 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**66 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
PVC free	**Yes**
Silicon free	**Yes**

Use Again

Repack and remanufacture

Recyclability potential, in %	**98**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**